

# **Selected Tables of Atomic Spectra**

**A Atomic Energy Levels - Second Edition**

**B Multiplet Table**

**O IV**

---

Data Derived from the Analyses of Optical Spectra

**Charlotte E. Moore**

Office of Standard Reference Data  
National Bureau of Standards  
Washington, DC 20234

U.S. Naval Research Laboratory  
E. O. Hulbert Center for Space Research  
Washington, DC 20375



---

U.S. DEPARTMENT OF COMMERCE, Malcolm Baldrige, Secretary

NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director

Issued March 1983

Library of Congress Catalog Card Number: 64-60074

NSRDS-NBS 3, Section 10  
Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.), 3, Sec. 10, 21 pages (Mar. 1983)  
CODEN: NSRDAP

© 1983 by the Secretary of Commerce on Behalf of the United States Government

U.S. GOVERNMENT PRINTING OFFICE  
WASHINGTON: 1983

---

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402  
Price \$3.25  
(Add 25 percent for other than U.S. mailing)

## **Abstract**

The present publication is the tenth section of a series being prepared in response to the need for a current revision of two sets of the author's tables containing data on atomic spectra as derived from analyses of optical spectra. As in the previous Sections, Part A contains the atomic energy levels and Part B the multiplet tables. Section 10 includes these data for O IV. The form of the presentation is described in detail in the text to Section I.

Key words: Atomic energy levels, O IV; atomic spectra, O IV; multiplet table, O IV; oxygen spectra, O IV; spectrum O IV; wavelengths, O IV.

## **Foreword**

The National Standard Reference Data System provides access to the quantitative data of physical science, critically evaluated and compiled for convenience and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology, and responsibility to administer it was assigned to the National Bureau of Standards.

NSRDS receives advice and planning assistance from a Review Committee of the National Research Council of the National Academy of Sciences-National Academy of Engineering. A number of Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The System now includes a complex of data centers and other activities in academic institutions and other laboratories. Components of the NSRDS produce compilations of critically evaluated data, reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. The centers and projects also establish criteria for evaluation and compilation of data and recommend improvements in experimental techniques. They are normally associated with research in the relevant field.

The technical scope of NSRDS is indicated by the categories of projects active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, and colloid and surface properties.

Reliable data on the properties of matter and materials are a major foundation of scientific and technical progress. Such important activities as basic scientific research, industrial quality control, development of new materials for building and other technologies, measuring and correcting environmental pollution depend on quality reference data. In NSRDS, the Bureau's responsibility to support American science, industry, and commerce is vitally fulfilled.



ERNEST AMBLER, *Director*

## Preface

The present publication is the tenth section of a series that is being prepared in response to the increasing demand for a current revision of two sets of tables containing data on atomic spectra as derived from analyses of optical spectra.

The first set, Atomic Energy Levels, NBS Circular 467, consists of three volumes published, respectively, in 1949, 1952 and 1958. This Circular has been reprinted as NSRDS-NBS 35, Volumes I, II, and III.

The second set consists of two Multiplet Tables; one published in 1945 by the Princeton University Observatory, containing multiplets having wavelengths longer than 3000 Å; the other, An Ultraviolet Multiplet Table, NBS Circular 488, appearing in five Sections, the first in 1950, the second in 1952, and the others in 1962. The Princeton Multiplet Table was reprinted in 1972 as NSRDS-NBS 40.

The present series includes both sets of data, the energy levels and multiplet tables, as Parts A and B, respectively, for selected spectra contained in Volume I of "Atomic Energy Levels." The sections are being published at irregular intervals as revised analyses become available. A flexible paging permits the arrangement of the various sections by atomic number, regardless of the order in which the separate spectra are published. Section 1 includes three spectra of silicon, Z=14: Si II, Si III, Si IV. Section 2 contains similar data for Si I. Section 3 covers all spectra of carbon, Z=6: C I, C II, C III, C IV, C V, C VI. Section 4 includes the last four spectra of nitrogen, Z=7: N IV, N V, N VI, N VII. Section 5 completes the spectra of nitrogen, N I, N II, N III. Section 6 contains the spectra of hydrogen, Z=1: H I, D, T. Section 7 contains the first spectrum of oxygen, Z=8: O I, Section 8 the last three spectra of oxygen, Z=8: O VI, O VII, O VIII, Section 9, contains O V. The present Section, 10, contains O IV. The form of presentation of the data is described in detail in the text of Section 1. All sections are arranged identically, and the same conversion factor,  $\text{cm}^{-1}$  to eV, 0.000123981 is used throughout.

The manuscript has been prepared by Charlotte E. Moore, who published the earlier tables. She appreciates the cordial cooperation of numerous atomic spectroscopists. She is particularly indebted to B. Edlén in Lund, Sweden, W. C. Martin and R. Zalubas in the Spectroscopy Section of this Bureau, and to D. R. Lide and his staff for their cordial collaboration in publishing this material.

Washington, D.C., February, 1982

## **Contents**

	Page
Abstract .....	III
Foreword .....	IV
Preface .....	V

### **Part A-Atomic Energy Levels**

Element: Z      Spectrum	
Oxygen: 8	
O IV .....	A8 IV-1 to A8 IV-4

### **Part B-Multiplet Table**

Element: Z      Spectrum	
Oxygen: 8	
O IV .....	B8 IV-1 to B8 IV-7

## **Errata**

### **NSRDS-NBS 3, Section 4**

#### **Selected Tables of Atomic Spectra Atomic Energy Levels and Multiplet Tables**

**N IV, N V, N VI, N VII**

#### **N IV**

Part A, p. A7 IV-1 In the second reference the authors should be listed as: D. J. Michels, S. G.  
Part B, p. B7 IV-1 Tilford, and J. W. Qwinn

Part A, p. A7 IV-2 Interchange the designations of the terms 487607.4 and 498045.5, i.e.  $4s\ ^3S$  and  $3p'\ ^3S$ , respectively.

Corresponding corrections should be made in the designations of the following Multiplets in Part B:

UV 5.04	UV 11.02	UV 18.57	UV 18.76	7.01
UV 5.07	UV 11.05	UV 18.60	UV 18.78	12.02

(letter from D. G. Hummer to D. J. Michels).

Part B, p. B7 IV-1 Limit should read 624866. (W. C. Martin).

June 14, 1982

## **NSRDS-NBS 3, SECTION 10**

### **OXYGEN Z=8**

**A O IV Atomic Energy Levels**

**B O IV Multiplet Table**

## Atomic Energy Levels

### Part A

### OXYGEN

**O IV ( $Z=8$ )**

**B I sequence:** 5 electrons

Ground state  $1s^2 2s^2 2p\ ^2P_{0^{1/2}}$

$2p\ ^2P_{0^{1/2}}$  **624382.0** cm $^{-1}$ , 160.158 Å (Vac)

77.416 eV

The analysis is quoted from the 1969 paper by Bromander, who has revised and extended the earlier work. His observations made "with a theta-pinch discharge as a light source" cover the range 500 Å – 8000 Å. He includes 26 lines observed earlier by Palenius, who used a sliding vacuum spark as a source, where they appeared sharper but weaker. A separate table contains 39 classified lines between 202 Å and 379 Å used for the calculation of energy levels. These wavelengths are taken from Edlén's 1934 paper. The present revision includes a connection between doublet and quartet levels which determines a value of  $x = 262.5$  cm $^{-1}$ , to be added to the quartet terms as listed in "Atomic Energy Levels."

The ionization limit quoted above has been determined "by applying the polarization formula to the hydrogen-like levels," according to Bromander.

In 1975 B. Edlén published a paper on "The Oxygen Spectrum below 200 Å and the High Limit Terms of O IV." This line list includes 71 lines of O IV and adds classifications for 26 lines between 200 Å and 327 Å. Twenty-five high-limit terms from the limits  $2s\ 2p\ ^1P$  and  $2p^2\ (^3P, ^1D, ^1S)$  have been added from this work.

In addition to investigations on the analysis of O IV, a few selected references on related topics are listed below. Hansen's paper deals with the relative transition probabilities of forbidden transitions in the B I isoelectronic sequence. Lewis et al. and Martinson et al. report on radiative lifetimes of excited levels in oxygen spectra. Church and Liu give two "Quantum-Beat g-Value Measurements on Transitions from Levels of Aligned Fast Ions" as follows:

$$\begin{array}{ll} 3d\ ^4F_{3/2} & 1.26 \pm 0.035 \\ 3p\ ^4D_{3/2} & 1.40 \pm 0.035 \end{array}$$

### References

- B. Edlén, Nova Acta Reg. Soc. Sci. Uppsala [IV] **9**, No. 6, 87–102 (1934). I P, T, C L, G D, W L
- H. P. Palenius, Ark. Fys. **34**, No. 45, 571–572 (1967). C L
- J. Bromander, Ark. Fys. **40**, No. 23, 257–274 (1969). I P, T, C L, G D
- M. R. Lewis, F. S. Zimnick, and G. W. Wares, Phys. Rev. **178**, No. 1, 49–54 (1969). C L
- J. E. Hansen, J. Opt. Soc. Am. **59**, No. 6, 722–726 (1969). T
- I. Martinson, H. G. Berry, W. S. Bickel, and H. Oona, J. Opt. Soc. Am. **61**, No. 4, 519–523 (1971). C L
- D. A. Church and C. H. Liu, Physica **67**, 90–112 (1973). Z E
- B. Edlén, Physica Scripta **11**, 366–370 (1975). T, C L

### Atomic Energy Levels

#### O IV

#### O IV

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
2s <sup>2</sup> ( <sup>1</sup> S)2p	2p <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	0.0 385.9	385.9	2s <sup>2</sup> ( <sup>1</sup> S)4p	4p <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	499994.9 500037.8	42.9
2s 2p <sup>2</sup>	2p <sup>2</sup> <sup>4</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup>	71439.8 71570.1 71755.5	130.3 185.4	2s 2p( <sup>3</sup> P°)3d	3d' <sup>2</sup> D°	1 <sup>1/2</sup> 2 <sup>1/2</sup>	501509.2 501564.4	55.2
2s 2p <sup>2</sup>	2p <sup>2</sup> <sup>2</sup> D	2 <sup>1/2</sup> 1 <sup>1/2</sup>	126936.3 126950.2	-13.9	2s 2p( <sup>3</sup> P°)3d	3d' <sup>4</sup> P°	2 <sup>1/2</sup> 1 <sup>1/2</sup> 0 <sup>1/2</sup>	504095.7 504208.9 504282.3	-113.2 -73.4
2s 2p <sup>2</sup>	2p <sup>2</sup> <sup>2</sup> S	0 <sup>1/2</sup>	164366.4		2s <sup>2</sup> ( <sup>1</sup> S)4d	4d <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	510569.7 510574.1	4.4
2s 2p <sup>2</sup>	2p <sup>2</sup> <sup>2</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup>	180480.8 180724.2	243.4	2s 2p( <sup>3</sup> P°)3d	3d' <sup>2</sup> F°	2 <sup>1/2</sup> 3 <sup>1/2</sup>	510744.9 510977.2	232.3
2p <sup>3</sup>	2p <sup>3</sup> <sup>4</sup> S°	1 <sup>1/2</sup>	231537.5		2s <sup>2</sup> ( <sup>1</sup> S)4f	4f <sup>2</sup> F°	2 <sup>1/2</sup> 3 <sup>1/2</sup>	513187.2 513198.3	11.1
2p <sup>3</sup>	2p <sup>3</sup> <sup>2</sup> D°	2 <sup>1/2</sup> 1 <sup>1/2</sup>	255155.9 255184.9	-29.0	2s 2p( <sup>3</sup> P°)3d	3d' <sup>2</sup> P°	1 <sup>1/2</sup> 0 <sup>1/2</sup>	514220.4 514371.3	-150.9
2p <sup>3</sup>	2p <sup>3</sup> <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	289015.4 289023.5	8.1	2s 2p( <sup>3</sup> P°)3d	3d' <sup>2</sup> P°	1 <sup>1/2</sup> 0 <sup>1/2</sup>	514220.4 514371.3	-150.9
2s <sup>2</sup> ( <sup>1</sup> S)3s	3s <sup>2</sup> S	0 <sup>1/2</sup>	357614.3		2s 2P( <sup>1</sup> P°)3s	3s'' <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	518699 518709	10
2s <sup>2</sup> ( <sup>1</sup> S)3p	3p <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	390161.2 390248.0	86.8	2s <sup>2</sup> ( <sup>1</sup> S)5s	5s <sup>2</sup> S	0 <sup>1/2</sup>	539368	
2s <sup>2</sup> ( <sup>1</sup> S)3d	3d <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	419533.9 419550.6	16.7	2s <sup>2</sup> ( <sup>1</sup> S)5p	5p <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	546803.4 546818.7	15.3
2s 2p( <sup>3</sup> P°)3s	3s' <sup>4</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup>	438849.0 438983.9 439230.9	134.9 247.0	2s 2p( <sup>1</sup> P°)3p	3p'' <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	547326 547355	29
2s 2p( <sup>3</sup> P°)3s	3s' <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	452806.6 453071.5	264.9	2s 2p( <sup>1</sup> P°)3p	3p'' <sup>2</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup>	549792 549855	63
2s 2p( <sup>3</sup> P°)3p	3p' <sup>2</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup>	467229.3 467344.9	115.6	2s <sup>2</sup> ( <sup>1</sup> S)5d	5d <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	552029.6 552032.3	2.7
2s 2p( <sup>3</sup> P°)3p	3p' <sup>4</sup> D	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup> 3 <sup>1/2</sup>	468337.4 468414.9 468550.6 468760.0	77.5 135.7 209.4	2s <sup>2</sup> ( <sup>1</sup> S)5f	5f <sup>2</sup> F°	2 <sup>1/2</sup> 3 <sup>1/2</sup>	} 552495.1	
2s 2p( <sup>3</sup> P°)3p	3p' <sup>4</sup> S	1 <sup>1/2</sup>	474478.1		2s 2p( <sup>1</sup> P°)3p	3p'' <sup>2</sup> S	0 <sup>1/2</sup>	} 552495.1	
2s 2p( <sup>3</sup> P°)3p	3p' <sup>4</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup>	478848.6 478942.9 479072.0	94.3 129.1	2s 2p( <sup>3</sup> P°)4s	4s' <sup>4</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup>	} 552495.1	135 247
2s 2p( <sup>3</sup> P°)3p	3p' <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	482666.1 482921.6	255.5	2s 2p( <sup>1</sup> P°)3d	3d'' <sup>2</sup> F°	2 <sup>1/2</sup> 3 <sup>1/2</sup>	570797	
2s <sup>2</sup> ( <sup>1</sup> S)4s	4s <sup>2</sup> S	0 <sup>1/2</sup>	485821.7		2s 2p( <sup>3</sup> P°)4s	4s' <sup>2</sup> P°	0 <sup>1/2</sup> 1 <sup>1/2</sup>	573696 573901	211
2s 2p( <sup>3</sup> P°)3p	3p' <sup>2</sup> S	0 <sup>1/2</sup>	492890.9		2s <sup>2</sup> ( <sup>1</sup> S)6d	6d <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	} 574368.7	
2s 2p( <sup>3</sup> P°)3d	3d' <sup>4</sup> F°	1 <sup>1/2</sup> 2 <sup>1/2</sup> 3 <sup>1/2</sup> 4 <sup>1/2</sup>	495169 495246.1 495359.6 495512.9	77 113.5 153.3	2s <sup>2</sup> ( <sup>1</sup> S)6f	6f <sup>2</sup> F°	2 <sup>1/2</sup> 3 <sup>1/2</sup>	} 574368.7	
2s 2p( <sup>3</sup> P°)3d	3d' <sup>4</sup> D°	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup> 3 <sup>1/2</sup>	499767.2 499795.7 499842.6 499907.0	28.5 46.9 64.4	2s 2p( <sup>3</sup> P°)4p	4p' <sup>2</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup>	575202 575375	173
					2s <sup>2</sup> ( <sup>1</sup> S)6g	6g <sup>2</sup> G	3 <sup>1/2</sup> 4 <sup>1/2</sup>	} 575507.4	

## Atomic Energy Levels

## O IV—Continued

## O IV—Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
$^2(^1S)6h$	$6h \ ^2H^\circ$	$4^{1/2}$ $5^{1/2}$	$\{ 575585.0$		$2p^2(^3P)3p$	$3p''' \ ^2S^\circ$	$0^{1/2}$	597256	
$2p(^1P^\circ)3d$	$3d'' \ ^2D^\circ$	$1^{1/2}$ $2^{1/2}$	575819 575853	34	$2s \ 2p(^3P^\circ)4d$	$4d' \ ^2P^\circ$	$1^{1/2}$ $0^{1/2}$	597720 597869	-149
$^2(^3P)3s$	$3s''' \ ^4P$	$0^{1/2}$ $1^{1/2}$ $2^{1/2}$	576853 576997 577209	144 212	$2p^2(^1D)3s$	$3s^{IV} \ ^2D$	$1^{1/2}$ $2^{1/2}$	600092 600106	14
$2p(^1P^\circ)3d$	$3d'' \ ^2P^\circ$	$0^{1/2}$ $1^{1/2}$	581721 581743	22	$2p^2(^3P)3p$	$3p''' \ ^4D^\circ$	$0^{1/2}$ $1^{1/2}$ $3^{1/2}$	602962 603077 603227	115 150
$2p(^3P^\circ)4p$	$4p' \ ^2D$	$1^{1/2}$ $2^{1/2}$	584541 584761	220	$2p^2(^3P)3p$	$3p''' \ ^4P^\circ$	$0^{1/2}$ $1^{1/2}$ $2^{1/2}$	606530 606578 606694	48 116
$^2(^1S)7h$	$7h \ ^2H^\circ$	$4^{1/2}$ $5^{1/2}$	$\{ 588529.1$		$2p^2(^3P)3p$	$3p''' \ ^2D^\circ$	$2^{1/2}$ $1^{1/2}$	615431 615460	-29
$^2(^1S)7i$	$7i \ ^2I$	$5^{1/2}$ $6^{1/2}$	$\{ 588546.1$		$2p^2(^3P)3p$	$3p''' \ ^4S^\circ$	$1^{1/2}$	616881	
$2p(^3P^\circ)4p$	$4p' \ ^2S$	$0^{1/2}$	590069		O V $2s^2 \ ^1S_0$	<b>Limit</b>	...	<b>624382.0</b>	
$2p(^3P^\circ)4d$	$4d' \ ^4D^\circ$	$0^{1/2}$ $1^{1/2}$ $2^{1/2}$ $3^{1/2}$	$\{ 591899$ 591962 592046	63 84	$2p^2(^1D)3p$	$3p^{IV} \ ^2F^\circ$	$2^{1/2}$ $3^{1/2}$	$\{ 624876$	
$2p(^3P^\circ)4d$	$4d' \ ^4P^\circ$	$2^{1/2}$ $1^{1/2}$ $0^{1/2}$	593273 593406 593473	-133 -67	$2s \ 2p(^3P^\circ)5p$	$5p' \ ^2P$	$0^{1/2}$ $1^{1/2}$	628539	
$2p(^3P^\circ)4d$	$4d' \ ^2D^\circ$	$1^{1/2}$ $2^{1/2}$	593627 593708	81	$2p^2(^1D)3p$	$3p^{IV} \ ^2D^\circ$	$1^{1/2}$ $2^{1/2}$	630648 630879	231
$2p(^3P^\circ)4f$	$4f' \ ^4F$	$1^{1/2}$ $2^{1/2}$ $3^{1/2}$ $4^{1/2}$	593948.7 593961.9 593992.8 594044.9	13.2 30.9 52.1	$2p^2(^3P)3d$	$3d''' \ ^2P$	$1^{1/2}$ $0^{1/2}$	632426 632597	-171
$2p(^3P^\circ)4f$	$4f' \ ^2F$	$2^{1/2}$ $3^{1/2}$	594019 594074	55	$2s \ 2p(^3P^\circ)5d$	$5d' \ ^4D^\circ$	$0^{1/2}$ $1^{1/2}$		
$^2(^3P)3s$	$3s''' \ ^2P$	$0^{1/2}$ $1^{1/2}$	594340 594538	198	$2s \ 2p(^3P^\circ)5d$	$5d' \ ^4P^\circ$	$2^{1/2}$ $1^{1/2}$ $0^{1/2}$	634523 634622 634653	-99 -31
$2p(^3P^\circ)4d$	$4d' \ ^2F^\circ$	$2^{1/2}$ $3^{1/2}$	596295 596475	180	$2s \ 2p(^3P^\circ)5d$	$5d' \ ^2F^\circ$	$2^{1/2}$ $3^{1/2}$	636058 636233	175
$2p(^3P^\circ)4f$	$4f' \ ^4G$	$2^{1/2}$ $3^{1/2}$ $4^{1/2}$ $5^{1/2}$	596330 596402 596510 596655	72 108 145	$2p^2(^3P)3d$	$3d''' \ ^4P$	$2^{1/2}$ $1^{1/2}$ $0^{1/2}$	637113 637212 637274	-99 -62
$2p(^3P^\circ)4f$	$4f' \ ^4D$	$3^{1/2}$ $2^{1/2}$ $1^{1/2}$ $0^{1/2}$	596331 596444 596512.4 596566.2	-113 -68 -53.8	$2p^2(^1D)3d$	$3d^{IV} \ ^2G$	$3^{1/2}$ $4^{1/2}$	$\{ 643642$	
$2p(^3P^\circ)4f$	$4f' \ ^2G$	$3^{1/2}$ $4^{1/2}$	596631.9 596847.6	215.7	$2p^2(^1D)3d$	$3d''' \ ^2D$	$1^{1/2}$ $2^{1/2}$	$\{ 646859$	19
$2p(^3P^\circ)4f$	$4f' \ ^2D$	$2^{1/2}$ $1^{1/2}$	596658.3 596798.2	-139.9	$2p^2(^1D)3d$	$3d^{IV} \ ^2D$	$2^{1/2}$ $1^{1/2}$	653328 653411	-83

# Atomic Energy Levels

## O IV—Continued

## O IV—Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interva
2s 2p( <sup>3</sup> P°)6d	6d' <sup>4</sup> D°	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup> 3 <sup>1/2</sup>			O v 2s 2p <sup>3</sup> P°	<b>Limit</b>	0 1 2	706321.2 706457.3 706764.0	136. 806.
2s 2p( <sup>1</sup> P°)4p	4p'' <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>	656591 656745 656787	42	2p <sup>2</sup> ( <sup>1</sup> S)3d	3d <sup>V</sup> <sup>2</sup> D	1 <sup>1/2</sup> 2 <sup>1/2</sup>		706333
2s 2p( <sup>3</sup> P°)6d	6d' <sup>4</sup> P°	2 <sup>1/2</sup> 1 <sup>1/2</sup> 0 <sup>1/2</sup>	656769 656889	-120	2p <sup>2</sup> ( <sup>3</sup> P)4p	4p''' <sup>4</sup> D°	0 <sup>1/2</sup> 1 <sup>1/2</sup> 2 <sup>1/2</sup> 3 <sup>1/2</sup>		713033
2s 2p( <sup>3</sup> P°)6d	6d' <sup>2</sup> F°	2 <sup>1/2</sup> 3 <sup>1/2</sup>	657471 657707	236	O v 2s 2p <sup>1</sup> P°	<b>Limit</b>	1	783180	
2p <sup>2</sup> ( <sup>1</sup> D)3d	3d <sup>IV</sup> <sup>2</sup> P	0 <sup>1/2</sup> 1 <sup>1/2</sup>	659998		O v 2p <sup>2</sup> <sup>3</sup> P	<b>Limit</b>		838129	
2s 2p( <sup>1</sup> P°)4d	4d'' <sup>2</sup> D°	2 <sup>1/2</sup> 1 <sup>1/2</sup>	668553 668557	-4	O v 2p <sup>2</sup> <sup>1</sup> D	<b>Limit</b>	2	856103	
					O v 2p <sup>2</sup> <sup>1</sup> S	<b>Limit</b>	0	912292	

February 198

## O IV Observed Terms

Config. 1s <sup>2</sup> +	Observed Terms							
2s 2p <sup>2</sup>	$2p^2$ <sup>4</sup> P $2p^2$ <sup>2</sup> S $2p^2$ <sup>2</sup> P $2p^2$ <sup>2</sup> D							
2p <sup>3</sup>	$2p^3$ <sup>4</sup> S° $2p^3$ <sup>2</sup> P° $2p^3$ <sup>2</sup> D°							
	$ns(n \geq 3)$		$np(n \geq 2)$				$nd(n \geq 3)$	
2s <sup>2</sup> ( <sup>1</sup> S)nl	3-5s <sup>2</sup> S		2-5p <sup>2</sup> P°				3-6d <sup>2</sup> D	
2s 2p( <sup>3</sup> P°)nl'	{ 3,4s' <sup>4</sup> P° 3,4s' <sup>2</sup> P°		3,4p' <sup>4</sup> S 3,4p' <sup>2</sup> S	3-5p' <sup>4</sup> P 3-5p' <sup>2</sup> P	3-5p' <sup>4</sup> D 3-5p' <sup>2</sup> D		3-6d' <sup>4</sup> P° 3,4d' <sup>2</sup> P°	3-6d' <sup>4</sup> L° 3,4d' <sup>2</sup> D°
2s 2p( <sup>1</sup> P°)nl''	3s'' <sup>2</sup> P°		3p'' <sup>2</sup> S	3p'' <sup>2</sup> P	3,4p'' <sup>2</sup> D		3d'' <sup>2</sup> P°	3,4d'' <sup>2</sup> D° 3d'' <sup>2</sup> F°
2p <sup>2</sup> ( <sup>3</sup> P)nl'''	{ 3s''' <sup>4</sup> P 3s''' <sup>2</sup> P		3p''' <sup>4</sup> S° 3p''' <sup>2</sup> S°	3p''' <sup>4</sup> P° 3p''' <sup>2</sup> D°	3,4p''' <sup>4</sup> D° 3p''' <sup>2</sup> D°		3d''' <sup>4</sup> P 3d''' <sup>2</sup> P	3d''' <sup>2</sup> D
2p <sup>2</sup> ( <sup>1</sup> D)nl <sup>IV</sup>			3s <sup>IV</sup> <sup>2</sup> D	3p <sup>IV</sup> <sup>2</sup> D°    3p <sup>IV</sup> <sup>2</sup> F°			3d <sup>IV</sup> <sup>2</sup> P	3d <sup>IV</sup> <sup>2</sup> D    3d <sup>IV</sup> <sup>2</sup> F    3d <sup>IV</sup> <sup>2</sup> D
2p <sup>2</sup> ( <sup>1</sup> S)nl <sup>V</sup>								
	$nf(n \geq 4)$			$ng(n \geq 5)$	$nh(n \geq 6)$	$ni(n \geq 7)$		
2s <sup>2</sup> ( <sup>1</sup> S)nl	4-6f <sup>2</sup> F°			5,6g <sup>2</sup> G	6,7h <sup>2</sup> H°	7i <sup>2</sup> I		
2s 2p( <sup>3</sup> P°)nl'	{ 4f' <sup>4</sup> D    4f' <sup>4</sup> F    4f' <sup>4</sup> G 4f' <sup>2</sup> D    4f' <sup>2</sup> F    4f' <sup>2</sup> G							

Multiplet Table

**Part B**

**OXYGEN**

**O IV (Z=8)**

I P 77.4165 ev      Limit 624382.0 cm<sup>-1</sup>      160.158 Å (VAC)

Anal A      List A      February 1982

**References**

- A J. Bromander, Ark. Fys. **40**, No. 23, 257–274 (1969), I P, T, C L, I, G D; W L 202 Å–7713 Å.
- B H. P. Palenius, See Ref. A Table 1; Ark Fys. **34**, No. 45, 571–572 (1967). C L; W L 553 Å–1343 Å.
- C B. Edlén, Physica Scripta. **11**, 366–370 (1975). T, C L, I; W L 152 Å–327 Å.
- D B. Edlén, Nova Acta Reg. Soc. Sci. Uppsala [IV]9, No. 6, 87–102 (1934). I P, T, C L,(I,) G D; W L 152 Å–3563 Å.
- E B. Edlén, Zeit. Phys. **93**, 726–730 (1935). C L, (I); W L 251 Å–255 Å quoted.
- P Predicted Lines

New Multiplet Numbers not inserted between older ones start with UV 10 and 16; (13 and 15 rejected).

m Masked

‡ Raie Ultima

\* Blend

\* and §      Blend of O IV and O III

\* and †      Blend of O IV and O II

\* and §§      Blend of O IV and Si III

Multiplet Table

## O IV

## O IV

IA	Ref.	Int.	E P		J	Multiplet No.	IA	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
1401.156	A	7	0.05	8.90	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-2p^2 \ ^4P$	*182.827	C	5	0.05	67.86	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3p'' \ ^2$
1397.20	A	3*	0.00	8.87	$0\frac{1}{2}-1\frac{1}{2}$	UV 0.01	182.706	C	4	0.00	67.86	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.10
1404.812	A	4	0.05	8.87	$1\frac{1}{2}-1\frac{1}{2}$		*182.827	C	5	0.05	67.86	$1\frac{1}{2}-1\frac{1}{2}$	
1399.774	A	5	0.00	8.86	$0\frac{1}{2}-0\frac{1}{2}$		181.994	C	4	0.05	68.17	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-3p'' \ ^2$
1407.386	A	5	0.05	8.86	$1\frac{1}{2}-0\frac{1}{2}$		181.887	C	3	0.00	68.16	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.11
790.199	B	21	0.05	15.74	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-2p^2 \ ^2D$	182.015	C	2	0.05	68.16	$1\frac{1}{2}-0\frac{1}{2}$	
787.711	B	20	0.00	15.74	$0\frac{1}{2}-1\frac{1}{2}$	UV 1	181.866	C	2	0.00	68.17	$0\frac{1}{2}-1\frac{1}{2}$	
790.109	B	18	0.05	15.74	$1\frac{1}{2}-1\frac{1}{2}$		*181.277	C	6	0.05	68.44	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-5d \ ^2$
609.829	B	20	0.05	20.38	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-2p^2 \ ^2S$	181.150	C	5	0.00	68.44	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.12
608.398	B	19	0.00	20.38	$0\frac{1}{2}-0\frac{1}{2}$	UV 2	*181.277	C	6	0.05	68.44	$1\frac{1}{2}-1\frac{1}{2}$	
554.514‡	B	23	0.05	22.41	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-2p^2 \ ^2P$	180.480	C	3	0.05	68.74	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-3p'' \ ^2$
554.075	B	22	0.00	22.38	$0\frac{1}{2}-0\frac{1}{2}$	UV 3	180.354	C	2	0.00	68.74	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.13
555.261	B	21	0.05	22.38	$1\frac{1}{2}-0\frac{1}{2}$		*174.221	C	3d	0.05	71.21	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-6d \ ^2$
553.330	B	21	0.00	22.41	$0\frac{1}{2}-1\frac{1}{2}$		174.105	C	2d	0.00	71.21	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.14
279.937	D	(11)	0.05	44.34	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-3s \ ^2S$	*174.221	C	3d	0.05	71.21	$1\frac{1}{2}-1\frac{1}{2}$	
279.633	D	(10)	0.00	44.34	$0\frac{1}{2}-0\frac{1}{2}$	UV 4	173.916	C	3	0.05	71.34	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-4p' \ ^2$
238.573	D	(15)	0.05	52.02	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3d \ ^2D$	173.852	C	2	0.00	71.31	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.15
238.361	D	(14)	0.00	52.01	$0\frac{1}{2}-1\frac{1}{2}$	UV 5	173.969	C	1	0.05	71.31	$1\frac{1}{2}-0\frac{1}{2}$	
214.155	D	(6)	0.05	57.94	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-3p' \ ^2P$	173.799	C	1	0.00	71.34	$0\frac{1}{2}-1\frac{1}{2}$	
214.032	D	(5)	0.00	57.93	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.01	173.363	P		0.05	71.56	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3s''' \ ^2$
214.209	D	(4)	0.05	57.93	$1\frac{1}{2}-0\frac{1}{2}$		173.311	P		0.00	71.54	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.16
213.978	D	(4)	0.00	57.94	$0\frac{1}{2}-1\frac{1}{2}$		173.427	P		0.05	71.54	$1\frac{1}{2}-1\frac{1}{2}$	
213.600	P	0.05	58.09	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3p' \ ^4D$	173.354	P		0.00	71.52	$0\frac{1}{2}-0\frac{1}{2}$		
213.486	P	0.00	58.07	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.02	173.470	P		0.05	71.52	$1\frac{1}{2}-0\frac{1}{2}$		
217.254	P	0.05	58.07	$1\frac{1}{2}-1\frac{1}{2}$		171.123	C	4	0.05	72.50	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-4p' \ ^2$	
213.521	P	0.00	58.06	$0\frac{1}{2}-0\frac{1}{2}$		171.074	C	3	0.00	72.47	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.17	
213.697	P	0.05	58.06	$1\frac{1}{2}-0\frac{1}{2}$		171.188	C	1	0.05	72.47	$1\frac{1}{2}-1\frac{1}{2}$		
210.929	P	0.05	58.83	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-3p' \ ^4S$	169.582	C	1	0.05	73.16	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-4p' \ ^2$	
210.758	P	0.00	58.83	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.03	169.474	C	0	0.00	73.16	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.18	
208.905	P	0.05	59.40	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3p' \ ^4P$	168.306	C	1	0.05	73.71	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-3s''' \ ^2$	
208.793	P	0.00	59.38	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.04	168.254	P		0.00	73.69	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.19	
208.957	P	0.05	59.38	$1\frac{1}{2}-1\frac{1}{2}$		166.741	C	0	0.05	74.40	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3s^{IV} \ ^2$	
208.834	P	0.00	59.37	$0\frac{1}{2}-0\frac{1}{2}$		166.641	P		0.00	74.40	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.20	
209.003	P	0.05	59.37	$1\frac{1}{2}-0\frac{1}{2}$		166.776	P		0.05	74.40	$1\frac{1}{2}-1\frac{1}{2}$		
207.239	D	(7)	0.05	59.87	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3p' \ ^2D$	159.197	C	0	0.05	77.93	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-5p' \ ^2$
207.183	D	(6)	0.00	59.84	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.05							UV 5.21
207.348	D	(4)	0.05	59.84	$1\frac{1}{2}-1\frac{1}{2}$								
206.002	D	(1)	0.05	60.23	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-4s \ ^2S$	158.606	C	2	0.05	78.22	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-5p' \ ^2$
205.842	D	(0)	0.00	60.23	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.06	158.567	C	1	0.00	78.19	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.22
203.048	D	(5)	0.05	61.11	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-3p' \ ^2S$	158.218	P		0.05	78.41	$1\frac{1}{2}-1\frac{1}{2}$	$2p \ ^2P^o-3d''' \ ^2$
202.891	D	(4)	0.00	61.11	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.07	158.079	P		0.00	78.43	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.23
*196.009	C	9	0.05	63.30	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-4d \ ^2D$	154.681	C	1	0.05	80.20	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3d''' \ ^2$
195.863	C	8	0.00	63.30	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.08	154.590	C	0	0.00	80.20	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.24
*196.009	C	9	0.05	63.30	$1\frac{1}{2}-1\frac{1}{2}$		153.151	C	2d	0.05	81.00	$1\frac{1}{2}-2\frac{1}{2}$	$2p \ ^2P^o-3d^{IV} \ ^2$
185.535	C	2	0.05	66.87	$1\frac{1}{2}-0\frac{1}{2}$	$2p \ ^2P^o-5s \ ^2S$	153.043	P		0.00	81.01	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.25
185.402	C	1	0.00	66.87	$0\frac{1}{2}-0\frac{1}{2}$	UV 5.09							

Multiplet Table

## O IV—Continued

## O IV—Continued

IA	Ref.	Int.	E P		J	Multiplet No.	IA	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
152.346	G	2	0.05	81.43	$1\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-4p'' \text{D}^{\circ}$	191.748	C	4	8.90	73.55	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-4d' \text{D}^{\circ}$
152.266	C	1	0.00	81.42	$0\frac{1}{2}-1\frac{1}{2}$	UV 5.26	191.631	C	2	8.87	73.57	$1\frac{1}{2}-1\frac{1}{2}$	UV 7.04
151.604	P		0.05	81.83	$1\frac{1}{2}-$	$2p^2 \text{P}^{\circ}-3d^{\text{IV}} \text{P}^{\circ}$	m191.559	P	O V	8.86	73.58	$0\frac{1}{2}-0\frac{1}{2}$	
151.516	P		0.00	81.83	$0\frac{1}{2}-$	UV 5.27	191.699	C	3	8.90	73.57	$2\frac{1}{2}-1\frac{1}{2}$	
141.654	P		0.05	87.57	$1\frac{1}{2}-$	$2p^2 \text{P}^{\circ}-3d^{\text{V}} \text{D}^{\circ}$	191.680	C	2	8.87	73.55	$1\frac{1}{2}-2\frac{1}{2}$	
141.576	P		0.00	87.57	$0\frac{1}{2}-$	UV 5.28	191.583	C	2	8.86	73.57	$0\frac{1}{2}-1\frac{1}{2}$	
625.852	B	20	8.90	28.71	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-2p^3 \text{S}^{\circ}$	*188.151	C	3	8.90	74.79	$2\frac{1}{2}-3\frac{1}{2}$	$2p^2 \text{P}^{\circ}-3p''' \text{D}^{\circ}$
625.130	B	19	8.87	28.71	$1\frac{1}{2}-1\frac{1}{2}$	UV 6	*188.151	C	3	8.87	74.77	$1\frac{1}{2}-2\frac{1}{2}$	UV 7.05
624.617	B	18	8.86	28.71	$0\frac{1}{2}-1\frac{1}{2}$		*188.151	C	3	8.86	74.76	$0\frac{1}{2}-1\frac{1}{2}$	
272.125	A	7	8.90	54.46	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-3s' \text{P}^{\circ}$	188.185	C	0	8.87	74.76	$1\frac{1}{2}-1\frac{1}{2}$	
272.174	D	(5)	8.87	54.43	$1\frac{1}{2}-1\frac{1}{2}$	UV 6.01	*186.935	C	3	8.90	75.22	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-3p''' \text{P}^{\circ}$
272.174	D	(5)	8.86	54.41	$0\frac{1}{2}-0\frac{1}{2}$		*186.870	C	2	8.87	75.20	$1\frac{1}{2}-1\frac{1}{2}$	UV 7.06
272.311	A	6	8.90	54.43	$2\frac{1}{2}-1\frac{1}{2}$		186.884	P		8.86	75.20	$0\frac{1}{2}-0\frac{1}{2}$	
272.270	A	6	8.87	54.41	$1\frac{1}{2}-0\frac{1}{2}$		186.978	C	1	8.90	75.20	$2\frac{1}{2}-1\frac{1}{2}$	
271.989	A	6	8.87	54.46	$1\frac{1}{2}-2\frac{1}{2}$		*186.935	C	3	8.87	75.20	$1\frac{1}{2}-0\frac{1}{2}$	
272.076	A	6	8.86	54.43	$0\frac{1}{2}-1\frac{1}{2}$		*186.870	C	2	8.87	75.22	$1\frac{1}{2}-2\frac{1}{2}$	
233.561	D	(8)	8.90	61.98	$2\frac{1}{2}-3\frac{1}{2}$	$2p^2 \text{P}^{\circ}-3d' \text{D}^{\circ}$	*186.870	C	2	8.86	75.20	$0\frac{1}{2}-1\frac{1}{2}$	
233.495	D	(7)	8.87	61.97	$1\frac{1}{2}-2\frac{1}{2}$	UV 7	183.444	C	2	8.90	76.48	$2\frac{1}{2}-1\frac{1}{2}$	$2p^2 \text{P}^{\circ}-3p''' \text{S}^{\circ}$
233.457	D	(7-)	8.86	61.97	$0\frac{1}{2}-1\frac{1}{2}$		183.382	C	2	8.87	76.48	$1\frac{1}{2}-1\frac{1}{2}$	UV 7.07
233.596	D	(6)	8.90	61.97	$2\frac{1}{2}-2\frac{1}{2}$		183.338	C	1	8.86	76.48	$0\frac{1}{2}-1\frac{1}{2}$	
233.521	D	(6)	8.87	61.97	$1\frac{1}{2}-1\frac{1}{2}$		*177.801	C	3d	8.90	78.63	$2\frac{1}{2}-3\frac{1}{2}$	$2p^2 \text{P}^{\circ}-5d' \text{D}^{\circ}$
233.457	D	(7-)	8.86	61.96	$0\frac{1}{2}-0\frac{1}{2}$		177.762	C	2	8.87	78.63		UV 7.08
233.623	P	O IV	8.90	61.97	$2\frac{1}{2}-1\frac{1}{2}$		177.693	C	2	8.90	78.67	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-5d' \text{P}^{\circ}$
233.537	P	O IV	8.87	61.96	$1\frac{1}{2}-0\frac{1}{2}$		177.603	P		8.87	78.68	$1\frac{1}{2}-1\frac{1}{2}$	UV 7.09
231.302	A	7	8.90	62.50	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-3d' \text{P}^{\circ}$	177.553	P		8.86	78.68	$0\frac{1}{2}-0\frac{1}{2}$	
231.144	A	4	8.87	62.51	$1\frac{1}{2}-1\frac{1}{2}$	UV 7.01	177.662	C	1	8.90	78.68	$2\frac{1}{2}-1\frac{1}{2}$	
231.031	A	3	8.86	62.52	$0\frac{1}{2}-0\frac{1}{2}$		177.594	C	1	8.87	78.68	$1\frac{1}{2}-0\frac{1}{2}$	
231.240	A	6	8.90	62.51	$2\frac{1}{2}-1\frac{1}{2}$		177.635	P		8.87	78.67	$1\frac{1}{2}-2\frac{1}{2}$	
231.101	A	6	8.87	62.52	$1\frac{1}{2}-0\frac{1}{2}$		177.562	C	1	8.86	78.68	$0\frac{1}{2}-1\frac{1}{2}$	
231.200	A	6	8.87	62.50	$1\frac{1}{2}-2\frac{1}{2}$		*170.988	C	2d	8.90	81.40	$2\frac{1}{2}-3\frac{1}{2}$	$2p^2 \text{P}^{\circ}-6d' \text{D}^{\circ}$
231.070	D	(7)	8.86	62.51	$0\frac{1}{2}-1\frac{1}{2}$		*170.935	C	1d	8.90	81.43	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-6d' \text{P}^{\circ}$
200.995	D	(2)	8.90	70.58	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{P}^{\circ}-4s' \text{P}^{\circ}$	*170.847	C	0	8.87	81.44		UV 7.11
201.022	D	(0)	8.87	70.55	$1\frac{1}{2}-1\frac{1}{2}$	UV 7.02	155.911	C	1d	8.90	88.40		$2p^2 \text{P}^{\circ}-4p''' \text{D}^{\circ}$
201.022	D	(0)	8.86	70.53	$0\frac{1}{2}-0\frac{1}{2}$		779.912	B	15	15.74	31.63	$2\frac{1}{2}-2\frac{1}{2}$	$2p^2 \text{D}^{\circ}-2p^3 \text{D}^{\circ}$
201.098	D	(1)	8.90	70.55	$2\frac{1}{2}-1\frac{1}{2}$		779.821	B	14	15.74	31.64	$1\frac{1}{2}-1\frac{1}{2}$	UV 8
201.073	D	(1-)	8.87	70.53	$1\frac{1}{2}-0\frac{1}{2}$		779.734	B	11	15.74	31.64	$2\frac{1}{2}-1\frac{1}{2}$	
200.915	D	(1)	8.87	70.58	$1\frac{1}{2}-2\frac{1}{2}$		779.997	B	11	15.74	31.63	$1\frac{1}{2}-2\frac{1}{2}$	
200.966	D	(1-)	8.86	70.55	$0\frac{1}{2}-1\frac{1}{2}$		616.952	B	13	15.74	35.83	$2\frac{1}{2}-1\frac{1}{2}$	$2p^2 \text{D}^{\circ}-2p^3 \text{P}^{\circ}$
192.200	C	6	8.90	73.40	$2\frac{1}{2}-3\frac{1}{2}$	$2p^2 \text{P}^{\circ}-4d' \text{D}^{\circ}$	m617.036	P	O II	15.74	35.83	$1\frac{1}{2}-0\frac{1}{2}$	UV 8.01
192.163	C	5	8.87	73.39	$1\frac{1}{2}-2\frac{1}{2}$	UV 7.03	m617.005	P	O II	15.74	35.83	$1\frac{1}{2}-1\frac{1}{2}$	
192.138	C	4	8.86	73.38	$0\frac{1}{2}-1\frac{1}{2}$		*379.775	D	(4)	15.74	48.38	$2\frac{1}{2}-1\frac{1}{2}$	$2p^2 \text{D}^{\circ}-3p^2 \text{P}^{\circ}$
192.231	C	3	8.90	73.39	$2\frac{1}{2}-2\frac{1}{2}$		379.919	D	(3)	15.74	48.37	$1\frac{1}{2}-0\frac{1}{2}$	UV 8.02
192.186	P		8.87	73.38	$1\frac{1}{2}-1\frac{1}{2}$		*379.775	D	(4)	15.74	48.38	$1\frac{1}{2}-1\frac{1}{2}$	

Multiplet Table

## O IV—Continued

## O IV—Continued

IA	Ref.	Int.	E P		J	Multiplet No.	IA	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
*306.621	D	(8)	15.74	56.17	$2^{1/2}-1^{1/2}$	$2p^2 \ ^2D -3s' \ ^2P^o$	285.838	D	(7)	20.38	63.75	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -3d' \ ^2P^o$
306.882	D	(7)	15.74	56.14	$1^{1/2}-0^{1/2}$	UV 8.03	285.714	D	(6)	20.38	63.77	$0^{1/2}-0^{1/2}$	UV 13
*306.621	D	(8)	15.74	56.17	$1^{1/2}-1^{1/2}$		282.213	D	(1)	20.38	64.31	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -3s'' \ ^2P^o$
*266.932	D	(6)	15.74	62.18	$2^{1/2}-2^{1/2}$	$2p^2 \ ^2D -3d' \ ^2D^o$							UV 14
*266.967	D	(5)	15.74	62.18	$1^{1/2}-1^{1/2}$	UV 8.04							
*266.967	D	(5)	15.74	62.18	$2^{1/2}-1^{1/2}$		239.592	D	(3)	20.38	72.13	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -3d'' \ ^2P^o$
*266.932	D	(6)	15.74	62.18	$1^{1/2}-2^{1/2}$								UV 15
260.389	D	(10)	15.74	63.35	$2^{1/2}-3^{1/2}$	$2p^2 \ ^2D -3d' \ ^2F^o$	230.755	D	(2)	20.38	74.11	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -4d' \ ^2P^o$
*260.556	D	(9)	15.74	63.32	$1^{1/2}-2^{1/2}$	UV 9	230.682	D	(1)	20.38	74.12	$0^{1/2}-0^{1/2}$	UV 16
*260.556	D	(9)	15.74	63.32	$2^{1/2}-2^{1/2}$								
*258.207	D	(3)	15.74	63.75	$2^{1/2}-1^{1/2}$	$2p^2 \ ^2D -3d' \ ^2P^o$	1343.512	B	12	22.41	31.63	$1^{1/2}-2^{1/2}$	$2p^2 \ ^2P -2p^3 \ ^2D^c$
258.116	D	(2)	15.74	63.77	$1^{1/2}-0^{1/2}$	UV 9.01	1338.612	B	11	22.38	31.64	$0^{1/2}-1^{1/2}$	UV 17
*258.207	D	(3)	15.74	63.75	$1^{1/2}-1^{1/2}$		1342.992	B	9	22.41	31.64	$1^{1/2}-1^{1/2}$	
923.367													
255.252	D	(5)	15.74	64.31		$2p^2 \ ^2D -3s'' \ ^2P^o$	921.366	B	10	22.38	35.83	$0^{1/2}-0^{1/2}$	UV 18
						UV 9.02	923.433	B	9	22.41	35.83	$1^{1/2}-0^{1/2}$	
234.988	D	(3)	15.74	68.50		$2p^2 \ ^2D -5f \ ^2F^o$	921.296	B	9	22.38	35.83	$0^{1/2}-1^{1/2}$	
						UV 9.03	367.192	D	(2)	22.41	56.17		$2p^2 \ ^2P -3s' \ ^2P^c$
225.299	D	(5)	15.74	70.77	$2^{1/2}-3^{1/2}$	$2p^2 \ ^2D -3d'' \ ^2F^o$							UV 19
						UV 9.04	311.679	D	(6)	22.41	62.18	$1^{1/2}-2^{1/2}$	$2p^2 \ ^2P -3d' \ ^2D^c$
223.728	D	(0)	15.74	71.15	$2^{1/2}-1^{1/2}$	$2p^2 \ ^2D -4s' \ ^2P^o$	311.490	D	(5)	22.38	62.18	$0^{1/2}-1^{1/2}$	UV 20
223.841	D	(0-)	15.74	71.13	$1^{1/2}-0^{1/2}$	UV 9.05	311.726	D	(3)	22.41	62.18	$1^{1/2}-1^{1/2}$	
222.763	D	(5)	15.74	71.39	$2^{1/2}-2^{1/2}$	$2p^2 \ ^2D -3d'' \ ^2D^o$	299.850	D	(4)	22.41	63.75	$1^{1/2}-1^{1/2}$	$2p^2 \ ^2P -3d' \ ^2P^c$
222.777	D	(4)	15.74	71.39	$1^{1/2}-1^{1/2}$	UV 9.06	299.495	D	(3)	22.38	63.77	$0^{1/2}-0^{1/2}$	UV 21
299.710													
214.249	D	(1)	15.74	73.61	$2^{1/2}-2^{1/2}$	$2p^2 \ ^2D -4d' \ ^2D^o$	299.620	D	(2)	22.38	63.75	$0^{1/2}-1^{1/2}$	
214.290	D	(1-)	15.74	73.60	$1^{1/2}-1^{1/2}$	UV 9.07	295.874	D	(2)	22.41	64.31	$1^{1/2}-1^{1/2}$	$2p^2 \ ^2P -3s'' \ ^2P^c$
													UV 22
212.974	D	(3)	15.74	73.95	$2^{1/2}-3^{1/2}$	$2p^2 \ ^2D -4d' \ ^2F^o$							
213.061	D	(2-) <i>d</i>	15.74	73.93	$1^{1/2}-2^{1/2}$	UV 9.08	253.082	D	(7)	22.41	71.39	$1^{1/2}-2^{1/2}$	$2p^2 \ ^2P -3d'' \ ^2D^c$
204.708	D	(0) <i>d</i>	15.74	76.30		$2p^2 \ ^2D -3p''' \ ^2D^o$	252.948	D	(6)	22.38	71.39	$0^{1/2}-1^{1/2}$	UV 23
						UV 9.09	249.365	D	(4)	22.41	72.13	$1^{1/2}-1^{1/2}$	$2p^2 \ ^2P -3d'' \ ^2P$
200.830	G	(2) <i>bd</i>	15.74	77.47		$2p^2 \ ^2D -3p^{IV} \ ^2F^o$	249.223	D	(3)	22.38	72.12	$0^{1/2}-0^{1/2}$	UV 24
						UV 9.10	242.140	D	(3)	22.41	73.61	$1^{1/2}-2^{1/2}$	$2p^2 \ ^2P -4d' \ ^2D$
198.031	C	4	15.74	78.35		$2p^2 \ ^2D -3p^{IV} \ ^2D^o$	242.045	D	(2)	22.38	73.60	$0^{1/2}-1^{1/2}$	UV 25
						UV 9.11	242.183	D	(0)	22.41	73.60	$1^{1/2}-1^{1/2}$	
196.349	C	2 <i>d</i>	15.74	78.88	$2^{1/2}-3^{1/2}$	$2p^2 \ ^2D -5d' \ ^2F^o$	240.079	D	(1)	22.41	74.05	$1^{1/2}-0^{1/2}$	$2p^2 \ ^2P -3p''' \ ^2S$
196.432	C	1 <i>d</i>	15.74	78.86	$1^{1/2}-2^{1/2}$	UV 9.12	239.935	D	(0)	22.38	74.05	$0^{1/2}-0^{1/2}$	UV 26
188.405	C	1 <i>d</i>	15.74	81.51	$2^{1/2}-3^{1/2}$	$2p^2 \ ^2D -6d' \ ^2F^o$	230.040	D	(0)	22.41	76.30	$1^{1/2}-2^{1/2}$	$2p^2 \ ^2P -3p''' \ ^2D$
188.494	C	0 <i>d</i>	15.74	81.54	$1^{1/2}-2^{1/2}$	UV 9.13	229.896	D	(0)	22.38	76.31	$0^{1/2}-1^{1/2}$	UV 27
802.200	B	11	20.38	35.83	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -2p^3 \ ^2P^o$	204.996	D	(0)	22.41	82.89	$1^{1/2}-2^{1/2}$	$2p^2 \ ^2P -4d'' \ ^2L$
802.255	B	10	20.38	35.83	$0^{1/2}-0^{1/2}$	UV 10	204.905	D	(0-)	22.38	82.89	$0^{1/2}-1^{1/2}$	UV 28
442.705	D	(1)	20.38	48.38	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -3p \ ^2P^o$	289.292	D	(3)	28.71	71.56	$1^{1/2}-2^{1/2}$	$2p^3 \ ^4S -3s''' \ ^4F$
442.873	D	(0)	20.38	48.37	$0^{1/2}-0^{1/2}$	UV 11	289.469	D	(2)	28.71	71.54	$1^{1/2}-1^{1/2}$	UV 29
346.372	D	(4)	20.38	56.17	$0^{1/2}-1^{1/2}$	$2p^2 \ ^2S -3s' \ ^2P^o$	289.590	D	(1)	28.71	71.52	$1^{1/2}-0^{1/2}$	
346.688	D	(3)	20.38	56.14	$0^{1/2}-0^{1/2}$	UV 12							

Multiplet Table

## O IV—Continued

## O IV—Continued

IA	Ref.	Int.	E P		J	Multiplet No.	IA	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
246.563	D	(4)	28.71	78.99	$1\frac{1}{2}-2\frac{1}{2}$	$2p^3 \ ^4S-3d''' \ ^4P$	618.107	A	4	48.38	68.44	$1\frac{1}{2}-2\frac{1}{2}$	$3p \ ^2P^o-5d \ ^2D$
246.503	D	(3)	28.71	79.00	$1\frac{1}{2}-1\frac{1}{2}$	UV 30	617.786	A	3	48.37	68.44	$0\frac{1}{2}-1\frac{1}{2}$	UV 47
246.465	D	(2)	28.71	79.01	$1\frac{1}{2}-0\frac{1}{2}$		543.118	A	2	48.38	71.21	$1\frac{1}{2}-$	$3p \ ^2P^o-6d \ ^2D$
471.273	D	(1)	31.63	57.94	$2\frac{1}{2}-1\frac{1}{2}$	$2p^3 \ ^2D^o-3p' \ ^2P$	542.859	A	1	48.37	71.21	$0\frac{1}{2}-1\frac{1}{2}$	UV 48
471.603	D	(0)	31.64	57.93	$1\frac{1}{2}-0\frac{1}{2}$	UV 31	*1067.810	A	9	52.02	63.63	$2\frac{1}{2}-3\frac{1}{2}$	$3d \ ^2D-4f \ ^2F^o$
339.330	D	(1)	31.63	68.17	$2\frac{1}{2}-1\frac{1}{2}$	$2p^3 \ ^2D^o-3p'' \ ^2P$	*1067.810	A	9	52.01	63.63	$1\frac{1}{2}-2\frac{1}{2}$	UV 49
339.436	D	(0)	31.64	68.16	$1\frac{1}{2}-0\frac{1}{2}$	UV 32	752.150	A	2h	52.02	68.50		$3d \ ^2D-5f \ ^2F^o$
295.051	D	(1)	31.63	73.65	$2\frac{1}{2}-3\frac{1}{2}$	$2p^3 \ ^2D^o-4f' \ ^2F$							UV 50
295.140	D	(1-)	31.64	73.65	$1\frac{1}{2}-2\frac{1}{2}$	UV 33							
294.650	D	(1+)	31.63	73.71	$2\frac{1}{2}-1\frac{1}{2}$	$2p^3 \ ^2D^o-3s''' \ ^2P$		Air					
294.853	D	(1+)	31.64	73.69	$1\frac{1}{2}-0\frac{1}{2}$	UV 34	3385.52	A	15	54.46	58.12	$2\frac{1}{2}-3\frac{1}{2}$	$3s' \ ^4P^o-3p' \ ^4D$
289.898	D	(2)	31.63	74.40	$2\frac{1}{2}-2\frac{1}{2}$	$2p^3 \ ^2D^o-3s^{IV} \ ^2D$	*3381.20	A	15	54.43	58.09	$1\frac{1}{2}-2\frac{1}{2}$	3
289.933	D	(1)	31.64	74.40	$1\frac{1}{2}-1\frac{1}{2}$	UV 35	*3381.20	A	15	54.41	58.07	$0\frac{1}{2}-1\frac{1}{2}$	
265.062	D	(0)	31.63	78.41		$2p^3 \ ^2D^o-3d''' \ ^2P$	*3409.66\$	A	12	54.46	58.09	$2\frac{1}{2}-2\frac{1}{2}$	
						UV 36	3396.79	A	13	54.43	58.07	$1\frac{1}{2}-1\frac{1}{2}$	
							m3390.19	P	O II	54.41	58.06	$0\frac{1}{2}-0\frac{1}{2}$	
							3425.57	A	9	54.46	58.07	$2\frac{1}{2}-1\frac{1}{2}$	
255.302	E	(0)	31.63	80.20		$2p^3 \ ^2D^o-3d''' \ ^2D$	m3405.78	P	O III	54.43	58.06	$1\frac{1}{2}-0\frac{1}{2}$	
						UV 37	2836.26	A	10	54.46	58.83	$2\frac{1}{2}-1\frac{1}{2}$	$3s' \ ^4P^o-3p' \ ^4S$
252.550	E	(6)*d	31.63	80.73	$2\frac{1}{2}-3\frac{1}{2}$	$2p^3 \ ^2D^o-3d^{IV} \ ^2F$	2816.56	A	9	54.43	58.83	$1\frac{1}{2}-1\frac{1}{2}$	UV 51
252.581	E	(6)*d	31.64	80.72	$1\frac{1}{2}-2\frac{1}{2}$	UV 38	2805.84	A	8	54.41	58.83	$0\frac{1}{2}-1\frac{1}{2}$	
251.148	E	(1+)	31.63	81.00	$2\frac{1}{2}-2\frac{1}{2}$	$2p^3 \ ^2D^o-3d^{IV} \ ^2D$	2509.19	A	12	54.46	59.40	$2\frac{1}{2}-2\frac{1}{2}$	$3s' \ ^4P^o-3p' \ ^4P$
251.114	E	(1)	31.64	81.01	$1\frac{1}{2}-1\frac{1}{2}$	UV 39	2501.81	A	7	54.43	59.38	$1\frac{1}{2}-1\frac{1}{2}$	UV 52
							2499.28	A	7	54.41	59.37	$0\frac{1}{2}-0\frac{1}{2}$	
327.320	D	(1)	35.83	73.71	$1\frac{1}{2}-1\frac{1}{2}$	$2p^3 \ ^2P^o-3s''' \ ^2P$	*2517.2†	A	11	54.46	59.38	$2\frac{1}{2}-1\frac{1}{2}$	
327.519	D	(0)	35.83	73.69	$0\frac{1}{2}-0\frac{1}{2}$	UV 40	2507.73	A	11	54.43	59.37	$1\frac{1}{2}-0\frac{1}{2}$	
321.457	D	(1)	35.83	74.40		$2p^3 \ ^2P^o-3s^{IV} \ ^2D$	2493.77	A	11	54.43	59.40	$1\frac{1}{2}-2\frac{1}{2}$	
						UV 41	2493.44	A	11	54.41	59.38	$0\frac{1}{2}-1\frac{1}{2}$	
291.203	D	(1+)	35.83	78.41	$1\frac{1}{2}-1\frac{1}{2}$	$2p^3 \ ^2P^o-3d''' \ ^2P$	7004.14	A	4h	56.17	57.94	$1\frac{1}{2}-1\frac{1}{2}$	$3s' \ ^2P^o-3p' \ ^2P$
291.054	D	(1)	35.83	78.43	$0\frac{1}{2}-0\frac{1}{2}$	UV 42	6931.55	A	2h	56.14	57.93	$0\frac{1}{2}-0\frac{1}{2}$	3.01
279.456	E	(2)	35.83	80.20		$2p^3 \ ^2P^o-3d''' \ ^2D$	7061.16	A	1h	56.17	57.93	$1\frac{1}{2}-0\frac{1}{2}$	
						UV 43	6876.43	A	1h	56.14	57.94	$0\frac{1}{2}-1\frac{1}{2}$	
269.559	D	(1)d	35.83	81.83		$2p^3 \ ^2P^o-3d^{IV} \ ^2P$	3349.11	A	13	56.17	59.87	$1\frac{1}{2}-2\frac{1}{2}$	$3s' \ ^2P^o-3p' \ ^2D$
						UV 44	3348.08	A	12	56.14	59.84	$0\frac{1}{2}-1\frac{1}{2}$	4
							3378.06	A	9	56.17	59.84	$1\frac{1}{2}-1\frac{1}{2}$	
Air							3052.53	A	8	56.17	60.23	$1\frac{1}{2}-0\frac{1}{2}$	$3s' \ ^2P^o-4s \ ^2S$
3063.42	A	17	44.34	48.38	$0\frac{1}{2}-1\frac{1}{2}$	$3s \ ^2S-3p \ ^2P^o$	3028.04	A	7	56.14	60.23	$0\frac{1}{2}-0\frac{1}{2}$	5
3071.61	A	16	44.34	48.37	$0\frac{1}{2}-0\frac{1}{2}$	1	2510.6	A	3*	56.17	61.11	$1\frac{1}{2}-0\frac{1}{2}$	$3s' \ ^2P^o-3p' \ ^2S$
							m2494.00	P	O IV	56.14	61.11	$0\frac{1}{2}-0\frac{1}{2}$	UV 53
3411.69	A	16	48.38	52.02	$1\frac{1}{2}-2\frac{1}{2}$	$3p \ ^2P^o-3d \ ^2D$	2921.45	A	10	57.94	62.18	$1\frac{1}{2}-2\frac{1}{2}$	$3p' \ ^2P-3d' \ ^2D^o$
3403.52	A	15	48.37	52.01	$0\frac{1}{2}-1\frac{1}{2}$	2	2916.30	A	9	57.93	62.18	$0\frac{1}{2}-1\frac{1}{2}$	UV 54
3413.64	A	12	48.38	52.01	$1\frac{1}{2}-1\frac{1}{2}$		2926.17	A	6	57.94	62.18	$1\frac{1}{2}-1\frac{1}{2}$	
Vac													
1046.316	A	5	48.38	60.23	$1\frac{1}{2}-0\frac{1}{2}$	$3p \ ^2P^o-4s \ ^2S$	2132.64	A	2	57.94	63.75	$1\frac{1}{2}-1\frac{1}{2}$	$3p' \ ^2P-3d' \ ^2P^o$
1045.384	A	4	48.37	60.23	$0\frac{1}{2}-0\frac{1}{2}$	UV 45	2120.58	A	1	57.93	63.77	$0\frac{1}{2}-0\frac{1}{2}$	UV 55
831.070	A	4	48.38	63.30	$1\frac{1}{2}-2\frac{1}{2}$	$3p \ ^2P^o-4d \ ^2D$							
830.506	A	3	48.37	63.30	$0\frac{1}{2}-1\frac{1}{2}$	UV 46							

Multiplet Table

## O IV—Continued

## O IV—Continued

IA	Ref.	Int.	E P		J	Multiplet No.	IA	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
*3736.85	A	16	58.12	61.43	$3\frac{1}{2}-4\frac{1}{2}$	$3p' \ ^4D -3d' \ ^4F^o$	1639.430	A	4	60.23	67.80	$0\frac{1}{2}-1\frac{1}{2}$	$4s \ ^2S -5p \ ^2P^o$
3729.03	A	15	58.09	61.42	$2\frac{1}{2}-3\frac{1}{2}$	6	1639.842	A	3	60.23	67.79	$0\frac{1}{2}-0\frac{1}{2}$	UV 57
*3725.93	A	14w	58.07	61.40	$1\frac{1}{2}-2\frac{1}{2}$		Air						
*3725.93	A	14w	58.06	61.39	$0\frac{1}{2}-1\frac{1}{2}$		4687.03	A	6	61.11	63.75	$0\frac{1}{2}-1\frac{1}{2}$	$3p' \ ^2S -3d' \ ^2P^o$
*3758.39§	P		58.12	61.42	$3\frac{1}{2}-3\frac{1}{2}$								12.02
3744.89	A	12	58.09	61.40	$2\frac{1}{2}-2\frac{1}{2}$		Vac						
*3736.85	A	16	58.07	61.39	$1\frac{1}{2}-1\frac{1}{2}$		988.713	A	6	61.43	73.97	$4\frac{1}{2}-5\frac{1}{2}$	$3d' \ ^4F -4f' \ ^4G$
3209.66	A	10	58.12	61.98	$3\frac{1}{2}-3\frac{1}{2}$	$3p' \ ^4D -3d' \ ^4D^o$	988.628	A	6	61.42	73.96	$3\frac{1}{2}-4\frac{1}{2}$	UV 58
3194.79	A	9	58.09	61.97	$2\frac{1}{2}-2\frac{1}{2}$	7	988.571	A	6	61.40	73.94	$2\frac{1}{2}-3\frac{1}{2}$	
*3185.86§§	A	7	58.07	61.97	$1\frac{1}{2}-1\frac{1}{2}$		988.523	A	5	61.39	73.93	$1\frac{1}{2}-2\frac{1}{2}$	
*3180.87	A	8	58.06	61.96	$0\frac{1}{2}-0\frac{1}{2}$								
m3216.30	P	O III	58.12	61.97	$3\frac{1}{2}-2\frac{1}{2}$		1062.271	A	6	61.98	73.65	$3\frac{1}{2}-4\frac{1}{2}$	$3d' \ ^4D^o -4f' \ ^4F$
3199.55	A	7	58.09	61.97	$2\frac{1}{2}-1\frac{1}{2}$		1062.133	A	6	61.97	73.64	$2\frac{1}{2}-3\frac{1}{2}$	UV 59
3188.66	A	6	58.07	61.96	$1\frac{1}{2}-0\frac{1}{2}$		1061.952	A	5	61.97	73.64	$1\frac{1}{2}-2\frac{1}{2}$	
3188.25	A	6	58.09	61.98	$2\frac{1}{2}-3\frac{1}{2}$		1061.780	A	5	61.96	73.64	$0\frac{1}{2}-1\frac{1}{2}$	
*3180.87	A	8	58.07	61.97	$1\frac{1}{2}-2\frac{1}{2}$		1062.840	A	3	61.98	73.64	$3\frac{1}{2}-3\frac{1}{2}$	
3177.89	A	6	58.06	61.97	$0\frac{1}{2}-1\frac{1}{2}$		1062.434	A	3	61.97	73.64	$2\frac{1}{2}-2\frac{1}{2}$	
2829.16	A	4	58.12	62.50	$3\frac{1}{2}-2\frac{1}{2}$	$3p' \ ^4D -3d' \ ^4P^o$							
2803.59	A	3	58.09	62.51	$2\frac{1}{2}-1\frac{1}{2}$	UV 56	*1080.965	A	7	62.18	73.65	$2\frac{1}{2}-3\frac{1}{2}$	$3d' \ ^2D^o -4f' \ ^2F$
m2827.23	P	O V	58.07	62.52	$1\frac{1}{2}-0\frac{1}{2}$		*1080.965	A	7	62.18	73.65	$1\frac{1}{2}-2\frac{1}{2}$	UV 60
2812.41	A	2	58.09	62.50	$2\frac{1}{2}-2\frac{1}{2}$		1081.645	A	3	62.18	73.65	$2\frac{1}{2}-2\frac{1}{2}$	
2772.90	A	2	58.07	62.51	$1\frac{1}{2}-1\frac{1}{2}$								
m2781.21	P	O V	58.06	62.52	$0\frac{1}{2}-0\frac{1}{2}$		*1084.189	A	6	62.50	73.93	$2\frac{1}{2}-3\frac{1}{2}$	$3d' \ ^4P^o -4f' \ ^4D$
3375.40	A	11	58.83	62.50	$1\frac{1}{2}-2\frac{1}{2}$	$3p' \ ^4S -3d' \ ^4P^o$	*1084.189	A	6	62.51	73.95	$1\frac{1}{2}-2\frac{1}{2}$	UV 61
m3362.56	P	O III	58.83	62.51	$1\frac{1}{2}-1\frac{1}{2}$	8	*1084.189	A	6	62.52	73.96	$0\frac{1}{2}-1\frac{1}{2}$	
3354.27	A	10	58.83	62.52	$1\frac{1}{2}-0\frac{1}{2}$		1083.382	A	3	62.51	73.96	$1\frac{1}{2}-1\frac{1}{2}$	
							1083.613	A	3	62.52	73.96	$0\frac{1}{2}-0\frac{1}{2}$	
4798.24	A	7	59.40	61.98	$2\frac{1}{2}-3\frac{1}{2}$	$3p' \ ^4P -3d' \ ^4D^o$	Air						
4783.42	A	6	59.38	61.97	$1\frac{1}{2}-2\frac{1}{2}$	9	2758.16	A	7	63.30	67.80	$2\frac{1}{2}-1\frac{1}{2}$	$4d \ ^2D -5p \ ^2P^o$
4772.56	A	5	59.37	61.97	$0\frac{1}{2}-1\frac{1}{2}$		2759.05	A	6	63.30	67.79	$1\frac{1}{2}-0\frac{1}{2}$	UV 62
*4813.15§§	A	5	59.40	61.97	$2\frac{1}{2}-2\frac{1}{2}$		*2384.61	A	7h	63.30	68.50	$2\frac{1}{2}-$	$4d \ ^2D -5f \ ^2F^o$
4794.26	A	5	59.38	61.97	$1\frac{1}{2}-1\frac{1}{2}$		*2384.61	A	7h	63.30	68.50	$1\frac{1}{2}-2\frac{1}{2}$	UV 63
4779.07	A	5	59.37	61.96	$0\frac{1}{2}-0\frac{1}{2}$								
3995.08	A	7	59.40	62.50	$2\frac{1}{2}-2\frac{1}{2}$	$3p' \ ^4P -3d' \ ^4P^o$	Vac						
3956.74	A	4	59.38	62.51	$1\frac{1}{2}-1\frac{1}{2}$	10	1169.160	A	1	63.35	73.96	$3\frac{1}{2}-4\frac{1}{2}$	$3d' \ ^2F^o -4f' \ ^4G$
3930.68	P		59.37	62.52	$0\frac{1}{2}-0\frac{1}{2}$		1167.532	A	3	63.32	73.94	$2\frac{1}{2}-3\frac{1}{2}$	UV 64
3977.09	A	6	59.40	62.51	$2\frac{1}{2}-1\frac{1}{2}$								
m3945.30	P	O II	59.38	62.52	$1\frac{1}{2}-0\frac{1}{2}$		1164.545	A	6	63.35	74.00	$3\frac{1}{2}-4\frac{1}{2}$	$3d' \ ^2F^o -4f' \ ^2G$
m3974.58	P	O II	59.38	62.50	$1\frac{1}{2}-2\frac{1}{2}$		1164.320	A	5	63.32	73.97	$2\frac{1}{2}-3\frac{1}{2}$	UV 65
3942.10	A	5	59.37	62.51	$0\frac{1}{2}-1\frac{1}{2}$								
							Air						
5362.55	A	3	59.87	62.18	$2\frac{1}{2}-2\frac{1}{2}$	$3p' \ ^2D -3d' \ ^2D^o$	2450.040	A	11	63.63	68.69	$3\frac{1}{2}-$	$4f \ ^2F^o -5g \ ^2G$
5305.58	A	2	59.84	62.18	$1\frac{1}{2}-1\frac{1}{2}$	11	2449.372	A	11	63.63	68.69	$2\frac{1}{2}-3\frac{1}{2}$	UV 66
3563.33	A	13	59.87	63.35	$2\frac{1}{2}-3\frac{1}{2}$	$3p' \ ^2D -3d' \ ^2F^o$	Vac						
3560.39	A	12	59.84	63.32	$1\frac{1}{2}-2\frac{1}{2}$	12	1604.901	A	3	63.63	71.35	$3\frac{1}{2}-$	$4f \ ^2F^o -6g \ ^2G$
3593.08	A	7	59.87	63.32	$2\frac{1}{2}-2\frac{1}{2}$		1604.620	A	2	63.63	71.35	$2\frac{1}{2}-3\frac{1}{2}$	UV 67
7032.36	A	8w	60.23	62.00	$0\frac{1}{2}-1\frac{1}{2}$	$4s \ ^2S -4p \ ^2P^o$							
7053.62	A	7w	60.23	61.99	$0\frac{1}{2}-0\frac{1}{2}$	12.01							

Multiplet Table

## O IV—Continued

## O IV—Continued

I A	Ref.	Int.	E P		<i>J</i>	Multiplet No.	I A	Ref.	Int.	E P		<i>J</i>	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
1213.035	A	7	63.75	73.97	$1\frac{1}{2}-2\frac{1}{2}$	$3d'$ $^2P^o-4f'$ $^2D$	*4344.31†	A	6	68.50	71.35		$5f$ $^2F^o-6g$ $^2G$
1213.196	A	6	63.77	73.99	$0\frac{1}{2}-1\frac{1}{3}$	UV 68							18
1211.043	A	2	63.75	73.99	$1\frac{1}{2}-1\frac{1}{2}?$		4631.89	A	7h	68.69	71.36		$5g$ $^2G-6h$ $^2H^o$
Air													
3489.83	A	11	64.31	67.86	$1\frac{1}{2}-2\frac{1}{2}$	$3s''$ $^2P^o-3p''$ $^2D$							19
3492.24	A	10	64.31	67.86	$0\frac{1}{2}-1\frac{1}{2}$	14	7677.4	A	4w	71.35	72.97		$6g$ $^2G-7h$ $^2H^o$
3493.41	A	3	64.31	67.86	$1\frac{1}{2}-1\frac{1}{2}?$								20
3628.74	A	7h	67.80	71.21	$1\frac{1}{2}-$	$5p$ $^2P^o-6d$ $^2D$	7713.3	A	6w	71.36	72.97		$6h$ $^2H^o-7i$ $^2I$
3626.72	A	6h	67.79	71.21	$0\frac{1}{2}-1\frac{1}{2}$	16							21
4389.50	A	6h*	68.44	71.27	$2\frac{1}{2}-$	$5d$ $^2D-6f$ $^2F^o$	5327.21	A	7wh	77.47	79.80		$3p^{IV}$ $^2F^o-3d^{IV}$ $^2G$
4388.94	A	6h*	68.44	71.27	$1\frac{1}{2}-2\frac{1}{2}$	17							22