U.S. Fish & Wildlife Service

Santee

National Wildlife Refuge Bird List



 $Santee\ National\\ Wildlife\ Refuge$



The Santee National Wildlife Refuge, established in 1942 as a refuge for migratory waterfowl, lies in the upper coastal plains of central South Carolina in Clarendon County, approximately seven miles south of Summerton on Highway 301.

The refuge is comprised of 15, 095 acres of mixed hardwoods, mixed pine-hardwoods, pine plantations, marsh, croplands, old fields, ponds, impoundments, and open waters located in four separate management units along Lake Marion, a hydroelectric reservoir. This diversity of habitats on Santee supports a wide variety of birds.



This list of 296 species is based on records and observations by refuge personnel, state biologists, and visiting birders and on a literature search of appropriate publications. Person having information regarding species not listed are urged to contact the Refuge Manager, Santee National Wildlife Refuge, Route 2, Box 370, Summerton, South Carolina 29148, phone 803/478 2217.



Since most birds are migratory, species use of the refuge is indicated by the following code:

Seasonal Abundance

- a Abundant (a common species which is very numerous)
- c Common (certain to be seen in suitable habitat)
- u Uncommon (Present but not certain to be seen)
- o Occasional (seen only a few times during a season)
- r Rare (seen at intervals of 2 to 5 years)
- * Breeds on refuge

Seasonal Appearance	Sp S F W	Spring, Ma Summer, J Fall, Septe Winter, De	fune-A ember	ugust -Nover		
			SP	S	F	W
Loons Red-throated I Common Loon		1	ac		ac	u
Grebes Pied-billed Grebe Horned Grebe Red-necked Grebe Eared Grebe			u	0	c	a u ac ac
Pelicans, Cormorants	& Da	arters				
American Whi						ac
Double-crested	d Co	rmorant	\mathbf{c}	u	c	a
Anhinga*			c	a	c	u
Bitterns, Herons, & Eg	rets					
	American Bittern					u
Least Bittern*	:		u	u	u	
Great Blue He	ron*	:	c	c	a	c
Great Egret			c	c	a	c
Snowy Egret			0	u	u	r
Little Blue He	ron		0	u	u	r
Tricolored Her	on		u	u	u	
Cattle Egret			a	a	a	r
Green Heron*			a	a	a	r
Black-crowned	l Nig	rht Heron	r	r	\mathbf{r}	\mathbf{r}
Yellow-crowne			c	c	c	
Ibises						

Double-crested Cormorant	c	u	\mathbf{c}	a
Anhinga*	c	a	c	u
Bitterns, Herons, & Egrets				
American Bittern	r			u
Least Bittern*	u	u	u	
Great Blue Heron*	c	c	a	c
Great Egret	c	c	a	c
Snowy Egret	0	u	u	r
Little Blue Heron	0	u	u	\mathbf{r}
Tricolored Heron	u	u	u	
Cattle Egret	a	a	a	r
Green Heron*	a	a	a	r
Black-crowned Night Heron	r	\mathbf{r}	\mathbf{r}	\mathbf{r}
Yellow-crowned Night Heron	c	c	c	
Ibises				
White Ibis	0	0	0	r
Glossy Ibis	ac	O	ac	-
Globby INID				
Storks				
Wood Stork	r	r	0	
New World Vultures				
Black Vulture	u	u	u	u
Turkey Vulture	c	c	c	c
Waterfowl				
Fulvous Whistling-Duck				ac
Greater White-fronted Goose				u
Snow Goose				u
Ross's Goose				ac
Canada Goose				c
Barnacle Goose				ac

	SP	S	F	W
Mute Swan				ac
Tundra Swan				u
Wood Duck*	a	a	a	a
Gadwall				c
Eurasian Wigeon				ac
American Wigeon				c
American Black Duck	\mathbf{r}			0
Mallard	0	O	u	a
Blue-winged Teal	0		c	0
Cinnamon Teal				ac
Northern Shoveler	\mathbf{r}			c
Northern Pintail				0
Green-winged Teal	\mathbf{r}			a
Canvasback				u
Redhead				u
Ring-necked Duck	\mathbf{r}			c
Greater Scaup				\mathbf{r}
Lesser Scaup				0
White-winged Scoter				ac
Bufflehead				c
Common Goldeneye				\mathbf{r}
Hooded Merganser				c
Common Merganser				ac
Red-breasted Merganser				0
Ruddy Duck				u
Hawks, Eagles and Kites Osprey* Swallow-tailed Kite	c ac	c	c ac	u
Mississippi Kite	0	0		
Bald Eagle*	c	u	u	c
Northern Harrier	0		0	c
Sharp-shinned Hawk	0		0	u
Cooper's Hawk	\mathbf{r}	r	r	u
Red-shouldered Hawk*	c	c	c	c
Broad-winged Hawk	0		0	ac
Red-tailed Hawk*	c	c	c	c
Rough-legged Hawk				ac
Goldern Eagle				ac
True Falcons				
American Kestrel			_	_
	r		0	c
Merlin Peregrine Falcon	r		r	ac
reregrine raicon	\mathbf{r}		r	\mathbf{r}
Turkey and New World Quail				
Wild Turkey*	11	11	- 11	11
Northern Bobwhite*	u	u	u	u
Normern Dobwine	u	u	u	u
Rails, Gallinues, Coots & Cranes				
Yellow Rail	ac			ac
Black Rail	ac			ac

	SP	S	F	W
King Rail*	0	0	0	0
Virginia Rail	$\ddot{\mathbf{r}}$	Ü	Ü	0
Sora	r			0
Purple Gallinule*	u	u		
Common Moorhen*	a	a	a	c
American Coot	u	0	0	a
Sandhill Crane		Ü		ac
Plovers Black-bellied Plover	19		10	
American Golden-Plover	r		r ac	
Wilson's Plover	ac ac		ac	
Semipalmated Plover				
Piping Plover	u		u	
Killdeer*	ac		ac	
Kindeer	c	С	c	c
Avocets and Sandpipers				
American Avocet				ac
Greater Yellowlegs	0		0	0
Lesser Yellowlegs	\mathbf{r}		\mathbf{r}	r
Solitary Sandpiper	0		0	
Willet	\mathbf{r}		\mathbf{r}	
Spotted Sandpiper	0		0	r
Upland Sandpiper	ac		ac	
Whimbrel	ac		ac	
Marbled Godwhit	ac		ac	
Ruddy Turnstone	ac		ac	
Red Knot	ac		ac	
Sanderling	ac		ac	
Semipalmated Sandpiper	\mathbf{r}		\mathbf{r}	
Western Sandpiper	\mathbf{r}			
Least Sandpiper	u		u	r
White-rumped Sandpiper	\mathbf{r}		\mathbf{r}	
Baird's Sandpiper	ac		ac	
Pectoral Sandpiper	0		u	
Dunlin	\mathbf{r}		\mathbf{r}	ac
Stilt Sandpiper	\mathbf{r}		\mathbf{r}	
Buff-breasted Sandpiper	ac		ac	
Ruff	ac		ac	
Short-billed Dowitcher	u		u	
Long-billed Dowitcher				ac
Common Snipe	0		\mathbf{r}	c
American Woodcock*	0	0	0	u
Wilson's Phalarope	ac		ac	
Gulls, Terns, & Skimmers				
Laughing Gull	0	0	u	r
Franklin's Gull				ac
Bonaparte's Gull	r			u
Ring-billed Gull	c	r	c	c
Herring Gull	u	r	u	u
Caspian Tern	0		0	r

	SP	S	F	W
Royal Tern	r	D	r	* * *
Common Tern	ac		ac	ac
Forster's Tern	r		0	u
Least Tern	0	r	0	
Black Tern	r	-	r	
Black Skimmer	-		ac	
Pigeons, Doves & Cuckoos Rock Dove*				
	c	c	c	c
Mourning Dove*	a	a	a	a
Common Ground-Dove	ac	ac	ac	ac
Black-billed Cuckoo	ac		ac	
Yellow-billed Cuckoo*	u	u	u	
0wls				
Barn Owl*	0	0	0	0
Eastern Screech-Owl*	\mathbf{c}	c	c	c
Great Horned Owl*	\mathbf{c}	c	c	c
Barred Owl*	c	c	c	c
Long-eared Owl				ac
Short-eared Owl	ac			ac
Northern Saw-whet Owl				ac
Nightions				
Nightjars Common Nighthawk*	11	0	11	
Chuck-will's Widow*	u	0	u	
	c	c	u	0.0
Whip-poor-will*	c	c	u	ac
Swifts, Hummingbirds & Kingfishers				
Chimney Swift*	c	c	c	
Ruby-throated Hummingbird	* c	u	c	
Belted Kingfisher*	u	0	u	c
Woodpeckers				
Red-headed Woodpecker*	11	u	u	11
Red-bellied Woodpecker*	u			u
Yellow-bellied Sapsucker	c	С	$^{ m c}_{ m r}$	c
Downy Woodpecker*	o c	0		c
Hairy Woodpecker*		c	c	c
Red-cockaded Woodpecker	u	u	u	u
Northern Flicker*	ac	ac	ac	ac
Pileated Woodpecker*	c	u	c	a
rneated woodpecker	c	c	c	С
Tyrant Flycatchers				
Olive-sided Flycatcher	ac		ac	
Eastern Wood-Pewee*	c	c	c	
Yellow-bellied Flycatcher	ac		ac	
Acadian Flycatcher*	c	c	c	
Willow Flycatcher	r		r	
Least Flycatcher	ac		ac	
Eastern Phoebe	0		0	c
Great Crested Flycatcher*	c	c	c	
Western Kingbird			ac	

	SP	S	F	W
Eastern Kingbird*	c	c	c	
Gray Kingbird			ac	
Scissor-tailed Flycatcher			ac	
Shrikes				
Loggerhead Shrike*	u	u	u	u
Vireos				
White-eyed Vireo*	c	c	c	u
Bell's Vireo			ac	
Blue-headed Vireo	0		0	c
Yellow-throated Vireo*	c	c	c	
Warbling Vireo*	0	0	0	
Philadelphia Vireo			ac	
Red-eyed Vireo*	c	c	c	
Jays & Crows				
Blue Jay*	c	c	c	c
American Crow*	a	a	a	a
Fish Crow*	a	a	c	\mathbf{r}
Larks & Swallows				
Horned Lark				ac
Purple Martin*	c	c	u	ac
Tree Swallow	a	ac	a	\mathbf{r}
Northern Rough-winged	C.		C.	-
Swallow*	u	u	u	
Bank Shallow	0	u	0	
Barn Shallow*	a	a	a	
Cliff Swallow	0	u	0	
Titmice, Nuthatches & Creepers				
Carolina Chickadee*	c	c	c	c
Tufted Titmouse*	c	c	c	c
Red-breasted Nuthatch*				\mathbf{r}
White-breasted Nuthatch*	u	u	u	u
Brown-headed Nuthatch* Brown Creeper	c	c	c	c
brown Creeper				u
Wrens				
Carolina Wren*	c	\mathbf{c}	c	c
Bewick's Wren			ac	
House Wren	0			c
Winter Wren				u
Sedge Wren	0			u
Marsh Wren*	u	u	u	u
Kinglets & Gnatcatchers				
Golden-crowned Kinglet			0	u
Ruby-crowned Kinglet	u		0	a
Blue-gray Gnatcatcher*	c	c	c	u

	SP	S	F	W
Thrushes				
Eastern Bluebird*	c	c	c	c
Veery	u		u	
Gray-cheeked Thrush	r		r	
Bicknell's Thrush	r		r	
Swainson's Thrush	u		u	
Hermit Thrush	u		0	c
Wood Thrush*	u	u	u	
American Robin	u	u	c	c
Mockingbirds & Thrashers				
Gray Catbird	u	0	u	u
Northern Mockingbird*	c	c	c	c
Brown Thrasher*	c	c	c	c
Brown Thrasher	C	C	C	C
Starling				
European Starling*	c	c	a	a
Pipits				
American Pipit	r		0	u
Sprague's Pipit	-		ac	O.
Spragae & Tipie			ac	
Waxwings				
Cedar Waxwing	0		r	c
Wood Warblers				
Blue-winged Warbler	r		r	
Golden-winged Warbler	r		r	
Tennessee Warbler	0		u	
Orange-crowned Warbler	0		r	u
Nashville Warbler	r		$\ddot{\mathbf{r}}$	
Northern Parula*	c	c	c	
Yellow Warbler	c		c	ac
Chestnut-sided Warbler	0		u	ac
Magnolia Warbler	0		u	
Cape May Warbler	u		u	
Black-throated Blue Warbler	u		u	
Yellow-rumped Warbler	0		0	a
Black-throated Green Warbler				а
Blackburnian Warbler			u	
Yellow-throated Warbler*	0	0	u	19
Pine Warbler*	c	c	c	r
Kirkland's Warbler	c	c	c	c
Prairie Warbler*	ac	**	ac	70
Palm Warbler	c	u	u	r
	0		0	u
Bay-breasted Warbler	0		u	
Blackpoll Warbler	u		r	
Cerulean Warbler	r		r	
Black-and-white Warbler	u	0	u	O
American Redstart	u	\mathbf{r}	u	
Prothonotary Warbler*	c	c	c	
Worm-eating Warbler	u		u	

	SP	S	F	W
Swainson's Warbler*	u	u u	0	
Ovenbird	u	CI.	u	
Northern Waterthrush	u		u	
Louisiana Waterthrush*	u	u	u	
Kentucky Warbler*				
Connecticut Warbler	u	u	u	
			r	
Mourning Warbler	r		\mathbf{r}	
Common Yellowthroat*	c	c	c	c
Hooded Warbler*	c	c	c	
Wilson's Warbler	0		0	r
Canada Warbler	u		u	
Yellow-breasted Chat*	c	c	u	
Tanagers				
Summer Tanager*	c	c	c	
Scarlet Tanager		C	u	
	0		и	0.0
Westerm Tamager				ac
Emberizids				
Eastern Towhee*	c	c	c	c
Bachman's Sparrow*	r	r	r	ac
Chipping Sparrow*	c	u	c	c
Clay-colored Sparrow			ac	
Field Sparrow [‡]	c	u	c	c
Vesper Sparrow				0
Lark Sparrow			ac	
Savannah Sparrow	u		u	c
Grasshopper Sparrow	ac			ac
Henslow's Sparrow	ac			ac
LeConte's Sparrow	r			r
Fox Sparrow			\mathbf{r}	u
Song Sparrow	0		0	c
Lincoln's Sparrow				r
Swamp Sparrow	0		0	c
White-throated Sparrow	0		0	c
White-crowned Sparrow				r
Dark-eyed Junco	0		r	c
Cardinals & Allies				
Northern Cardinal*	a	a	a	a
Rose-breasted Grosbeak	u		u	
Blue Grosbeak*	c	c	c	
Indigo Bunting*	c	c	c	
Painted Bunting*			0	
Dickcissel*	u	u		
Dickelssel	r	r	r	
Blackbirds				
Bobolink	u		u	
Red-winged Blackbird*	c	c	c	u
Eastern Meadowlark*				
Western Meadowlark	u	u	u	u
			ac	
Yellow-headed Blackbird			ac	
Rusty Blackbird	0			u
Brewer's Blackbird				ac

	SP	S	F	W
Common Grackle*	c	c	c	a
Boat-tailed Grackle	\mathbf{r}	\mathbf{r}	r	ac
Brown-headed Cowbird*	c	c	\mathbf{c}	a
Orchard Oriole*	c	c	c	
Baltimore Oriole	0		0	
Carduline Finches				
Purple Sparrow				0
House Finch*	u	u	u	u
Pine Siskin	\mathbf{r}			0
American Goldfinch	r	r	r	c
Evening Grosbeak				r
Old World Sparrows				
House Sparrow	0	O	0	0

Ethics for Birdwatching

Take care not to disturb nesting birds, exposing eggs and young to extreme temperatures and predation.

Disturb wintering wildlife as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.

Do not litter! Many birds die when they become entangled in fishing lines, 6-pack rings and other trash, or when they mistake garbage for food.



Revision 1998 by: Dennis M. Forsythe, Lex Glover, Robin Carter, Carolina Eastman

Nomenclature and arrangement follows American Ornithologists' Union. 1998. Checklist of North American Birds. 7th ed. American Ornithologists' Union, Washington, D.C.

Sighting Notes	
Date	
Dute	
Time	
Weather	
No. of species	
Route or area	
100000 or area	
Observers	
n 1	
Remarks	

Santee National Wildlife Refuge Route 2, Box 370 Summerton, South Carolina 29148 803/478 2217 http://www.fws.gov/~r4eao

U.S. Fish & Wildlife Service 1 800/344 WILD

August 1998



