NASA/TM-2000-209891, Vol. 231



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara K. Conrad, Editors

Volume 231 BOREAS TGB-5 Fire History of Manitoba 1980 to 1991 in Raster Format

Brian J. Stocks, Canadian Forest Service-Ontario Region, Sault Ste. Marie Richard Zepp, U.S. Environmental Protection Service, Athens, Georgia David Knapp, Raytheon ITSS, NASA Goddard Space Flight Center, Greenbelt, Maryland

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to: NASA Access Help Desk

NASA Access Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

NASA/TM-2000-209891, Vol. 231



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Sara K. Conrad, Editors

Volume 231 BOREAS TGB-5 Fire History of Manitoba 1980 to 1991 in Raster Format

Brian J. Stocks, Canadian Forest Service-Ontario Region, Sault Ste. Marie Richard Zepp, U.S. Environmental Protection Service, Athens, Georgia David Knapp, Raytheon ITSS, NASA Goddard Space Flight Center, Greenbelt, Maryland

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

	A!1-1-1 C	
	Available from:	
NASA Center for AeroSpace Information		National Technical Information Service
7101 G. 1 1D.		
7121 Standard Drive		5285 Port Royal Road
Hanover, MD 21076-1320		Springfield, VA 22161
Price Code: A17		Price Code: A10
THE COUE, AT		rnce Coue. A10

BOREAS TGB-5 Fire History of Manitoba 1980 to 1991 in Raster Format

Brian J. Stocks, Richard G. Zepp, David Knapp

Summary

The BOREAS TGB-5 team collected several data sets related to the effects of fire on the exchange of trace gases between the surface and the atmosphere. This raster format data set covers the province of Manitoba between 1980 and 1991. The data were gridded into the AEAC projection from the original vector data. The original vector data were produced by Forestry Canada from hand-drawn boundaries of fires on photocopies of 1:250,000-scale maps. The locational accuracy of the data is considered fair to poor. When the locations of some fire boundaries were compared to Landsat TM images, they were found to be off by as much as a few kilometers. This problem should be kept in mind when using these data. The data are stored in binary, image format files.

Note that some of the data set files on the BOREAS CD-ROMs have been compressed using the Gzip program. See Section 8.2 for details.

Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

1. Data Set Overview

1.1 Data Set Identification

BOREAS TGB-05 Fire History of Manitoba 1980 to 1991 in Raster Format

1.2 Data Set Introduction

This data set covers the province of Manitoba and was processed from the original vector data, which were produced by Forestry Canada from hand-drawn boundaries of fires on photocopies of 1:250,000-scale maps. The data are gridded with a pixel size of 1,000 m x 1,000 m in the BOReal Ecosystem-Atmosphere Study (BOREAS) adopted Albers Equal-Area Conic (AEAC) projection. This resolution is considered reasonable for these data given the accuracy and scale of the original data

sources. Each year is represented by a separate layer because some fire boundaries can overlap among various years. The locational accuracy of these data is considered fair to poor. When the locations of some fire boundaries were compared to Landsat Thematic Mapper (TM) images, they were found to be off by as much as a few kilometers. This problem should be kept in mind when using these data.

1.3 Objective/Purpose

These data are provided as part of the BOREAS Staff Science Geographic Information System (GIS) Data Collection Program, which included the collection of pertinent map data in both hardcopy and digital form. The objective of collecting these data was to give BOREAS investigators a product showing the spatial distribution of fires in the province of Manitoba.

1.4 Summary of Parameters

Presence of a fire.

1.5 Discussion

Some investigators who have been using Advanced Very High Resolution Radiometer (AVHRR) imagery have found these data useful because they are on a scale that is suitable for 1,000-m x 1,000-m AVHRR pixels. This product is useful as ground truth for comparing to image classifications from AVHRR imagery. However, because the location of pixels may be off by as much as a few kilometers, care should be taken when determining fire locations.

1.6 Related Data Sets

SERM Forest Fire Chronology of Saskatchewan in Vector Format BOREAS TGB-05 Fire History of Manitoba 1980 to 1991 in Vector Format

2. Investigator(s)

2.1 Investigator(s) Name and Title

Brian J. Stocks Canadian Forest Service-Ontario Region Great Lakes Forestry Centre 1219 Queen St. East Sault Ste. Marie, Ontario, Canada P6A 5M7

Richard G. Zepp Environmental Protection Agency Environmental Research Laboratory College Station Road Athens, GA 30613

2.2 Title of Investigation

Trace Gas Exchange in the Boreal Forest Biome: Effects of Fire and Beaver Activity

2.3 Contact Information

Contact 1:

Brian J. Stocks
Canadian Forest Service-Ontario Region
Great Lakes Forestry Centre
1219 Queen St. East
Sault Ste. Marie, Ontario, Canada P6A 5M7
(705) 949-9461
(705) 759-5700 (fax)
stocks@fcor.glfc.forestry.ca

Contact 2:

David Knapp Raytheon ITSS NASA GSFC Code 923 Greenbelt, MD 20771 (301) 286-1424 (301) 286-0239 (fax) David.Knapp@gsfc.nasa.gov

3. Theory of Measurements

As stated above, this product was created for BOREAS investigators who are interested in the fire history of this area. It could be used for ground truth of satellite image classifications and to get an estimate of the amount of burned area. The uses of this product are general enough that the way in which these data were collected will have little to no impact on the theory behind the way they are being used. No information with regard to the intensity of the burn is identified in this data base. Only the presence or absence of a fire is given for each year.

4. Equipment

4.1 Sensor/Instrument Description

Unknown.

4.1.1 Collection Environment

Unknown.

4.1.2 Source/Platform

Unknown.

4.1.3 Source/Platform Mission Objectives

Unknown.

4.1.4 Kev Variables

Presence of absence of fire in a particular year

4.1.5 Principles of Operation

Unknown.

4.1.6 Sensor/Instrument Measurement Geometry

Unknown.

4.1.7 Manufacturer of Sensor/Instrument

Unknown.

4.2 Calibration

Not applicable.

4.2.1 Specifications

Unknown.

4.2.1.1 Tolerance

Not applicable.

4.2.2 Frequency of Calibration

Not applicable.

4.2.3 Other Calibration Information

Not applicable.

5. Data Acquisition Methods

Forestry Canada compiled these data from maps of fires in the province of Manitoba. Apparently, the fires were mapped based on observation from the air. These fire polygons were hand traced onto photocopies of 1:250,000-scale maps. The fire data were then compiled by year and hand digitized into ARC/INFO polygon coverages. BOREAS staff gridded the polygon coverages into raster images at a pixel resolution of 1,000 m x 1,000 m. There is a separate image for each year of fire history data (1980-91).

6. Observations

6.1 Data Notes

These data simply contain information that indicates whether or not a fire occurred at a particular pixel location in a given year. The pixel values are the year in which the fire occurring 0 (no fire) or 82 (fire that occurred in 1982).

6.2 Field Notes

There is no record of observations except for the actual data.

7. Data Description

7.1 Spatial Characteristics

The pixel size of this image is $1,000 \text{ m} \times 1,000 \text{ m}$.

7.1.1 Spatial Coverage

The approximate corner coordinates of the BOREAS region are:

Longitude	Latitude	BOREAS X	BOREAS Y
111.000W	59.979N	0.000	1000.000
93.502W	58.844N	1000.000	1000.000
96.970W	50.089N	1000.000	0.000
111.000W	51.000N	0.000	0.000
	 111.000W 93.502W 96.970W	111.000W 59.979N 93.502W 58.844N 96.970W 50.089N	93.502W 58.844N 1000.000 96.970W 50.089N 1000.000

Although the corners of the image are at these locations, only areas within the province of Manitoba have the fires mapped. The area defined by the above coordinates encompasses a much larger area than the province of Manitoba.

7.1.2 Spatial Coverage Map

Not available.

7.1.3 Spatial Resolution

These data were gridded to a cell size of 1,000 meters in the AEAC projection.

7.1.4 Projection

The area mapped is projected in the ellipsoidal version of AEAC projection. The projection has the following parameters:

Datum: North American Datum of 1983 (NAD83)
Ellipsoid: GRS80 or WGS84
Origin: 111.000° W 51.000° N
Standard Parallels: 52° 30' 00"N
58° 30' 00"N
Units of Measure: kilometers

7.1.5 Grid Description

The data are gridded in 1,000-m intervals.

7.2 Temporal Characteristics

7.2.1 Temporal Coverage

Each raster image represents the fires that occurred during that year. The years between 1980 and 1991 (inclusive) are in this data set.

7.2.2 Temporal Coverage Map

Not available.

7.2.3 Temporal Resolution

The temporal resolution of this data set is 1 year.

7.3 Data Characteristics

These data simply indicate the presence or absence of a fire in a particular year. The value of a pixel indicates the year in which the fire occurred at that pixel. For example, if a pixel has a value of 83, a fire occurred in 1983 in that pixel. Pixels where no fire occurred for that year have a value of zero (0).

7.3.1 Parameter/Variable

Fire occurrence in a given year.

7.3.2 Variable Description/Definition

The occurrence of a fire in a given year.

7.3.3 Unit of Measurement

Unitless but coded value.

7.3.4 Data Source

Forestry Canada

7.3.5 Data Range

0 (zero) if no fire occurred to 91 (for the year 1991).

7.4 Sample Data Record

Not applicable.

8. Data Organization

8.1 Data Granularity

The smallest amount of obtainable data is the entire data set containing all of the raster layers and their supporting files.

8.2 Data Format(s)

8.2.1 Uncompressed Data Files

The Manitoba fire history data set contains 13 total files, of which some contain American Standard Code for Information Interchange (ASCII) information and others contain binary numbers. The first file is a descriptive ASCII header file that describes the content of the other files. The next 12 binary files (files 2 to 13) contain the raster image data as 8-bit values.

Fil	е	Pixels	Lines	Bytes per pixel	Descri	iption	
File	1	Not a	 pplicable		ASCII h	neader :	file
File	2	1000	1000	1	Image o	of 1980	fires
File	3	1000	1000	1	Image o	of 1981	fires
File	4	1000	1000	1	Image o	of 1982	fires
File	5	1000	1000	1	Image o	of 1983	fires
File	6	1000	1000	1	Image o	of 1984	fires
File	7	1000	1000	1	Image o	of 1985	fires
File	8	1000	1000	1	Image o	of 1986	fires
File	9	1000	1000	1	Image o	of 1987	fires
File	10	1000	1000	1	Image o	of 1988	fires
File	11	1000	1000	1	Image o	of 1989	fires
File	12	1000	1000	1	Image o	of 1990	fires
File	13	1000	1000	1	Image o	of 1991	fires

Each of the binary files (2 to 13) contain 1,000 8-bit pixels in each of 1,000 lines. The range of values in the binary files is from 0 (zero) to the last two digits of the year (e.g., 89 for 1989).

8.2.2 Compressed CD-ROM Files

On the BOREAS CD-ROMs, file 1 listed above is stored as ASCII text files; however, files 2-13 have been compressed with the Gzip compression program (file name *.gz). These data have been compressed using gzip version 1.2.4 and the high compression (-9) option (Copyright (C) 1992-1993 Jean-loup Gailly). Gzip (GNU zip) uses the Lempel-Ziv algorithm (Welch, 1994) used in the zip and PKZIP programs. The compressed files may be uncompressed using gzip (-d option) or gunzip. Gzip is available from many Web sites (for example, ftp site prep.ai.mit.edu/pub/gnu/gzip-*.*) for a variety of operating systems in both executable and source code form. Versions of the decompression software for various systems are included on the CD-ROMs.

9. Data Manipulations

9.1 Formulae

9.1.1 Derivation Techniques and Algorithms None.

9.2 Data Processing Sequence

9.2.1 Processing Steps

BOREAS Information System (BORIS) staff gridded the coverages separately for each year. The fire history data processing steps were:

- Reproject the vector data to the BOREAS grid projection.
- Rasterize the vector files.
- Write the gridded layer to tape.
- Copy the ASCII and compress the binary files for release on CD-ROM.

9.2.2 Processing Changes

None.

9.3 Calculations

9.3.1 Special Corrections/Adjustments

None.

9.3.2 Calculated Variables

None.

9.4 Graphs and Plots

None.

10. Errors

10.1 Sources of Error

Potential sources of error in the original data set could be interpretation or digitizing error. As indicated above, the data were hand traced onto photocopied maps based on air observations. No precision mapping of the fire boundaries was done. There is also the possibility that the data could have been gridded incorrectly, although visual inspection of the data was done to ensure against this.

10.2 Quality Assessment

10.2.1 Data Validation by Source

Each gridded file/layer was spot checked to make sure that the gridding procedure assigned a digital number (DN) to each fire polygon.

10.2.2 Confidence Level/Accuracy Judgment

Although the gridding procedure itself is highly accurate, there is some question as to the positional accuracy of the original data. The location of the fire boundaries could be off by as much as a few kilometers. Therefore, caution should be used when inferring information from this data set.

10.2.3 Measurement Error for Parameters

Unknown.

10.2.4 Additional Quality Assessments

Unknown.

10.2.5 Data Verification by Data Center

As noted previously, BORIS personnel reviewed the data layers visually as vector plots and raster data layers. Direct quantitative checking of the data was not performed.

11. Notes

11.1 Limitations of the Data

The precision and accuracy of this data set put some limitations on the use of these data. The data set should not be used for comparison to mapping products derived from high-resolution imagery (e.g., air photos). Care should be taken when comparing it to Landsat TM or imagery with smaller pixel sizes.

11.2 Known Problems with the Data

As indicated above, the locational accuracy of these data is suspect because of the way in which the data were collected (see Section 5).

11.3 Usage Guidance

Before uncompressing the Gzip files on CD-ROM, be sure that you have enough disk space to hold the uncompressed data files. Then use the appropriate decompression program provided on the CD-ROM for your specific system.

11.4 Other Relevant Information

None.

12. Application of the Data Set

Some investigators who have been using AVHRR data have found these data useful because they are on a scale that is suitable for 1,000-m x 1,000-m AVHRR pixels. This product would be useful as ground truth for comparing to image classifications from AVHRR imagery.

13. Future Modifications and Plans

None.

14. Software

14.1 Software Description

BORIS staff used the ARC/INFO (Version 7) software and related tools to process the original vector data to this raster form. The ARC/INFO software is a proprietary package developed and distributed by Environmental Systems Research Institute, Inc. (ESRI). Gzip (GNU zip) uses the Lempel-Ziv algorithm (Welch, 1994) used in the zip and PKZIP commands.

14.2 Software Access

ARC/INFO is proprietary software with copyright protection. Contact ESRI for details:

Environmental Systems Research Institute, Inc. (ESRI) 380 New York St. Redlands, CA 92373-8100

Gzip is available from many Web sites across the Internet (for example, ftp site prep.ai.mit.edu/pub/gnu/gzip-*.*) for a variety of operating systems in both executable and source code form. Versions of the decompression software for various systems are included on the CD-ROMs.

15. Data Access

The raster format fire history data of Manitoba from 1980 to 1991 are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services Oak Ridge National Laboratory P.O. Box 2008 MS-6407 Oak Ridge, TN 37831-6407 Phone: (423) 241-3952

Fax: (423) 574-4665

E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

16. Output Products and Availability

16.1 Tape Products

These data can be made available on 8-mm, Digital Archive Tape (DAT), or 9-track tapes at 1600 or 6250 Bytes Per Inch (BPI).

16.2 Film Products

None.

16.3 Other Products

These data are available on the BOREAS CD-ROM series.

17. References

17.1 Platform/Sensor/Instrument/Data Processing Documentation ARC/INFO User's Guide (Version 7). 1994. Redlands, CA.

Welch, T.A. 1984. A Technique for High Performance Data Compression. IEEE Computer, Vol. 17, No. 6, pp. 8-19.

17.2 Journal Articles and Study Reports

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102 (D24): 28,731-28,770.

17.3 Archive/DBMS Usage Documentation None.

18. Glossary of Terms

None.

19. List of Acronyms

AEAC - Albers Equal-Area Conic

ASCII - American Standard Code for Information Interchange

AVHRR - Advanced Very High Resolution Radiometer

BOREAS - BOReal Ecosystem-Atmosphere Study

BORIS - BOREAS Information System

- Bytes per inch BPI

CCRS - Canadian Centre for Remote Sensing

CCT - Computer Compatible Tape

CD-ROM - Compact Disk-Read-Only Memory DAAC - Distributed Active Archive Center

DAT - Digital Archive Tape

DN - Digital Number

EOS - Earth Observing System

EOSDIS - EOS Data and Information System GIS - Geographic Information System GSFC - Goddard Space Flight Center LRRC - Land Resource Research Branch NAD83 - North American Datum of 1983

NASA - National Aeronautics and Space Administration

- Northern Study Area

ORNL - Oak Ridge National Laboratory PANP - Prince Albert National Park

SSA - Southern Study Area

TGB - Trace Gas Biogeochemistry

TM - Thematic Mapper

UTM - Universal Transverse Mercator
URL - Uniform Resource Locator

20. Document Information

20.1 Document Revision Dates

Written: 21-Feb-1997 Revised: 03-Feb-1999

20.2 Document Review Dates

BORIS Review: 20-Jun-1997

Science Review:

20.3 Document ID

20.4 Citation

When using these data, please include the following acknowledgment as well as citations of relevant papers in Section 17.2:

The original data set was produced by:

Canadian Forest Service-Ontario Region Great Lakes Forestry Centre 1219 Queen St. East Sault Ste. Marie, Ontario, Canada P6A 5M7

Forestry Canada's willingness to supply the data and the efforts by BORIS staff to grid, check, and document the data are greatly appreciated.

If using data from the BOREAS CD-ROM series, also reference the data as:

Stocks, B.J. and R.G. Zepp, "Trace Gas Exchange in the Boreal Forest Biome: Effects of Fire and Beaver Activity." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

20.5 Document Curator

20.6 Document URL

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE November 2000		ND DATES COVERED nical Memorandum		
4. TITLE AND SUBTITLE Technical Report Series on the Bo BOREAS TGB-5 Fire History o	5. FUNDING NUMBERS 923				
6. AUTHOR(S) Brian J. Stocks, Richard Zepp Forrest G. Hall, Editor	o, and David Knapp		RTOP: 923-462-33-01		
7. PERFORMING ORGANIZATION NAME Goddard Space Flight Center Greenbelt, Maryland 20771	E(S) AND ADDRESS (ES)		8. PEFORMING ORGANIZATION REPORT NUMBER 2000-03136-0		
9. SPONSORING / MONITORING AGE National Aeronautics and Space Washington, DC 20546-0001		(ES)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER TM—2000–209891 Vol. 231		
11. SUPPLEMENTARY NOTES B.J. Stocks: Canadian Forest Service-Ontario Region, Sault Ste. Marie; R. Zepp: U.S. Environmental Protection Service, Athens, Georgia; D. Knapp: Raytheon ITSS, NASA Goddard Space Flight Center, Greenbelt, Maryland					
12a. DISTRIBUTION / AVAILABILITY STA Unclassified—Unlimited Subject Category: 43 Report available from the NASA 7121 Standard Drive, Hanover,	A Center for AeroSpace Info		12b. DISTRIBUTION CODE		

13. ABSTRACT (Maximum 200 words)

The BOREAS TGB-5 team collected several data sets related to the effects of fire on the exchange of trace gases between the surface and the atmosphere. This raster format data set covers the province of Manitoba between 1980 and 1991. The data were gridded into the AEAC projection from the original vector data. The original vector data were produced by Forestry Canada from hand-drawn boundaries of fires on photocopies of 1:250,000-scale maps. The locational accuracy of the data is considered fair to poor. When the locations of some fire boundaries were compared to Landsat TM images, they were found to be off by as much as a few kilometers. This problem should be kept in mind when using these data. The data are stored in binary, image format files.

14. SUBJECT TERMS BOREAS, trace gas biog	15. NUMBER OF PAGES 12 16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL