



Environmental Aspects of Produced-water Salt Releases in Onshore and Coastal Petroleum-producing Areas of the Conterminous U.S. – A Bibliography

By James K. Otton

Open-File Report 2006-1154

U.S. Department of the Interior
U.S. Geological Survey

U.S. Department of the Interior
DIRK KEMPTHORNE, Secretary

U.S. Geological Survey
P. Patrick Leahy, Acting Director

U.S. Geological Survey, Reston, Virginia 2006

For product and ordering information:
World Wide Web: <http://www.usgs.gov/pubprod>
Telephone: 1-888-ASK-USGS

For more information on the USGS—the Federal source for science about the Earth,
its natural and living resources, natural hazards, and the environment:
World Wide Web: <http://www.usgs.gov>
Telephone: 1-888-ASK-USGS

Suggested citation:
Otton, J.K., 2006, Environmental aspects of produced-water salt releases in onshore
and estuarine petroleum-producing areas of the United States- a bibliography: U.S.
Geological Survey Open-File report 2006-1154, 223p.

Any use of trade, product, or firm names is for descriptive purposes only and does
not imply endorsement by the U.S. Government.

Although this report is in the public domain, permission must be secured from the
individual copyright owners to reproduce any copyrighted material contained within
this report.

Contents

Abstract.....	5
Introduction.....	6
Sources.....	7
Qualifications and limitations.....	8
Maps.....	9
Master bibliography.....	12
Geographic index	
Alabama.....	108
Alaska.....	109
Arizona.....	109
Arkansas.....	109
California.....	111
Colorado.....	112
Florida.....	113
Georgia.....	113
Illinois.....	113
Indiana.....	115
Kansas.....	116
Kentucky.....	122
Louisiana.....	124
Michigan.....	130
Mississippi.....	132
Montana.....	133
Nebraska.....	135
Nevada.....	135
New Mexico.....	135
New York.....	138
North Dakota.....	139
Ohio.....	140
Oklahoma.....	144
Pennsylvania.....	160

South Dakota.....	161
Tennessee.....	162
Texas.....	162
Utah.....	177
West Virginia.....	177
Wyoming.....	178
Topical index	
Biological aspects of produced water releases.....	181
Remediation techniques for brine-contaminated soil.....	190
Geochemical techniques for discriminating salt sources.....	198
Geophysical techniques for detecting brine plumes.....	203
Remediation of ground water.....	207
Effects of the application of oilfield brine/wastes to land and roads.....	208
NORM (Naturally occurring radioactive materials).....	209
Produced water chemistry- national and regional data.....	217
FIGURES	
1- Map showing the distribution of oil and gas wells drilled in the lower-48 United States.....	10
2- Map showing the salinity of produced waters in samples derived from wells across the United States.....	11

Environmental Aspects of Produced-water Salt Releases in Onshore and Coastal Petroleum-producing Areas of the Conterminous U.S. – A Bibliography

By James K. Otton

Abstract

Environmental effects associated with the production of oil and gas have been reported since the first oil wells were drilled in the Appalachian Basin in Pennsylvania and Kentucky in the early to mid-1800s. The most significant of these effects are the degradation of soils, ground water, surface water, and ecosystems they support by releases of suspended and dissolved hydrocarbons and co-produced saline water. Produced water salts are less likely than hydrocarbons to be adsorbed by mineral phases in the soil and sediment and are not subject to degradation by biologic processes. Sodium is a major dissolved constituent in most produced waters and it causes substantial degradation of soils through altering of clays and soil textures and subsequent erosion. Produced water salts seem to have the most wide-ranging effects on soils, water quality, and ecosystems. Trace elements, including boron, lithium, bromine, fluorine, and radium, also occur in elevated concentrations in some produced waters. Many trace elements are phytotoxic and are adsorbed and may remain in soils after the saline water has been flushed away. Radium-bearing scale and sludge found in oilfield equipment and discarded on soils pose additional hazards to human health and ecosystems.

This bibliography includes studies from across the oil- and natural-gas-producing areas of the conterminous United States that were published in the last 80 yrs. The studies describe the effects of produced water salts on soils, water quality, and ecosystems. Also included are reports that describe (1) the inorganic chemistry of produced waters included in studies of formation waters for various purposes, (2) other sources of salt affecting water quality that may be mistaken for produced water effects, (3) geochemical and geophysical techniques that allow discrimination of salt sources, (4) remediation technologies designed to repair damage caused to soils and ground water by produced water salts, and (5) contamination by naturally occurring radioactive materials (NORM) at oilfield sites.

Introduction

Environmental effects of produced-water salts have occurred in all regions where oil and gas have been and are produced. The most significant of these effects are (1) degradation of ground and surface water quality; (2) death of plants and destruction of soil textures; (3) resultant erosion of soils and siltation of nearby waterways; (4) contamination of production equipment and soils by radium-bearing produced waters, scale and sludge; and (5) adverse effects on ecosystems.

Numerous investigations of the effects of produced water salt releases across the producing areas of the United States have been conducted, but there has been no previous attempt to compile a bibliography of the resulting reports. Research into the remediation of these effects has been going on for decades and has grown recently with research sponsored by the U.S. Environmental Protection Agency through the Integrated Petroleum Environmental Consortium and by research being conducted at other institutions. The bibliography presented here is intended to provide a reasonably comprehensive compilation of studies conducted within the last 80 yr (through September 2005). It presents the information in three forms, a master bibliography in which all reports are listed alphabetically by author, a state-by-state alphabetical listing derived from the master bibliography, and a topical index of the reports. Some reports cover more than one state and are listed separately under each state.

Included in this bibliography are references that describe:

1. Direct effects on soil, ground water, surface water, and aquatic organisms and waterfowl by produced waters released from oilfield production and gas-processing operations at specific sites.
2. Geochemical data from waters produced with oil and gas, in cases where the reader may make inferences about the potential harmful effects of releases of such produced waters by examining the data.
3. The origins of saline ground or surface waters in oil- and gas-producing areas whether or not the investigator concludes that produced water is the source of the salts.
4. Techniques that might be used to document the sources of salinity using geochemical indicators or geophysics.
5. Geochemistry, occurrence, or effect of NORM, principally radium-226 and radium-228, in produced waters or in solid precipitates (scale and sludge) derived from produced waters.

NORM is treated separately here, as the U. S. Environmental Protection Agency has placed some emphasis on oilfield NORM as a potential radiological hazard associated with oilfield operations and may regulate oilfield NORM in the future (Loren Setlow, U. S. Environmental Protection Agency, oral commun., 2005). Several

states have published such regulations. A comprehensive bibliography on oilfield NORM was given by Smith (1997). The bibliography here presented includes many of Smith's references as well as some she did not cite, and numerous others since 1997.

No systematic effort was made to search for papers describing dissolved hydrocarbon phases in water, but some are included that were discovered during the course of this compilation.

Sources

The bibliographic entries, Universal Resource Locators (URLs), and annotations are derived from:

1. The author's files.
2. Keyword searching of selected digital databases available to United State Geological Survey (USGS) employees.
3. Examination of new publications received by the USGS library in Denver.
4. Keyword searches of major online search engines.
5. Searching of online and hard copies of publication lists by Federal and State agencies that study oil and gas environmental problems and water quality problems.
6. Reviews by other authors of papers cited here.

The URL for many reports is also given for those that were active during assembly of this report in 2005. Many reports are followed by annotations.

Qualifications and limitations

This bibliography includes many county or multi-county water quality reports in various states where authors have suggested that oil production may be a source of elevated salinity and concentrations of trace elements or chloride. Many of the included reports will indicate those state agencies that are likely to have additional sources of information on water quality not listed here.

Many studies of suspected contamination by oilfield produced water capture a specific period of time during which the effects were being documented; in some cases, the effects may have been mitigated either by natural processes or by human intervention since a particular study was done and reports were issued.

The bibliography here presented does not include reports in several specific categories, as follows:

1. Online informal reports of oil brine spills into creeks, salt scar damage by oilfield brines, and work by various non-

governmental organizations on brine damage. These reports are likely to be ephemeral and are of unknown reliability.

2. Reports of studies outside of the United States.
3. Documents related to litigation involving alleged soil and water damage from oilfield production activities.
4. County soil surveys by the Natural Resource Conservation Service that may show "brine-damaged soils" or similar map units.
5. Papers describing technologies developed to allow beneficial use or cleanup of produced water unless descriptions of effects are also described.
6. Papers describing analytical methods for oilfield waters.
7. Documents describing regulations for handling and disposing of oilfield brines.
8. Resistivity data for oilfield brines except where geochemical data for the brine is also given and the study is regional in nature.

No attempt was made to evaluate the completeness, scientific accuracy, or reliability of the listed reports. Not all references may be readily accessible.

Maps

Figure 1 shows areas of onshore oil and gas production in the United States. Figure 2 portrays the salinity of produced waters sampled from wells across the United States.

Distribution of Oil & Gas Wells




Figure 1- Map showing the distribution of oil and gas wells drilled in the conterminous United States. Individual wells are not represented, but rather 0.25-mile cells that either contain only oil wells (green), only gas wells (red), a mix of oil and gas wells (yellow), or dry holes (gray). Modified from Mast and others (1998).




Figure 2- Map showing the salinity of produced waters in samples derived from wells across the conterminous United States. About 58,700 edited records are represented, derived from an online provisional database available at

<http://energy.cr.usgs.gov/prov/prodwat/intro.htm>.

The introductory material at that webpage describes the origin and editing of the database, as does the paper by Breit and others (2000).

Note that the Appalachian Basin from western New York to northeast Tennessee and the Sacramento Valley of California are poorly represented in the database (compare with fig. 1).

MASTER BIBLIOGRAPHY

- Abbott, M.M., 1995, The effects of oil-field brines on aquifers- Tracing the movement of brines using geochemical tools, *in* V.E. McKelvey Forum: U. S. Geological Survey Circular 1108, p. 87-88.
- Abbott, M.A., 1998, Freshwater resources and saline water near the Sac and Fox Nation Tribal lands, eastern Lincoln County, Oklahoma: U.S. Geological Survey Water-Resources Investigations Report 96-4173, 58 p. Abstract available at: <http://ok.water.usgs.gov/abstracts/wrir96-4173.html>
- Abbott, M.A., 2000, Water quality of the Quaternary and Ada-Vamoosa aquifers on the Osage Reservation, Osage County, Oklahoma, 1997: U.S. Geological Survey Water-Resources investigations report 99-4231, 76 p. Available at: <http://water.usgs.gov/pubs/wri/wri994231/>
- Abbott, M.A., 2000, Water quality of the Quaternary and Ada-Vamoosa aquifers on the Osage Reservation, Osage County, Oklahoma, 1997, *in* Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 67 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Abbott, M.M. and Tortorelli, R.L., 2002, Surface-water characteristics and quality on the Osage Reservation, Osage County, Oklahoma, 1999: U.S. Geological Survey WRIR 02-4060, 68 p. Available at: <http://water.usgs.gov/pubs/wri/wri02-4060/>
- Abbott, M.M., and Tortorelli, R.L., Becker, M.F., and Trombley, T.J., 2003, Overview of water resources in and near Wichita and affiliated tribes treaty lands in western Oklahoma: U.S. Geological Survey Water Resources Investigations Report 03-4024, 52 p. Available at: <http://water.usgs.gov/pubs/wri/wri034024/>
- Adams, Vincent, 1980, Oil-brine contamination of Marion Township, Hocking County: Athens, Ohio, Ohio University, Master's thesis, 90 p.
- Albert, C.A., 1964, Brine in surface water of the Little Arkansas River basin, Kansas: Bulletin Kansas Environmental Health Services, 1-5, p. 15.

- Aller, Linda, Hakundy, R.G., and Nielsen, D.M., 1985, Enforcement of regulations governing ground water contamination from underground injection or disposal of salt water in Kansas and Texas: Ada, Oklahoma, U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, Project summary, 3 p., 2 maps.
- Al-Neyam, S.A., 1994, Techniques for management of oilfield-produced saline ground-waters: El Paso, Texas, University of Texas at El Paso, Master's thesis, 109 p.
- Alyanak, Nancy, Grace, J.T., and Campbell, M.D., 1995, A cost-effective statistical screening method to detect oilfield brine contamination, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 611-640.
- American Petroleum Institute, 1988, NORM regulatory analysis report: API Task Group on Regulatory Analysis, API Ad Hoc Committee on Naturally Occurring Radioactive Material
- American Petroleum Institute, 1991, Produced water radionuclide hazard/risk assessment, Phase 1: Washington, D.C., Health and Environmental Sciences, American Petroleum Institute Publication No. 4532, 160 p.
NOTE: This is an excellent review of the chemistry and fate of radium in produced waters, uptake by aquatic organisms, effects on biota and humans, and radium-exposure risk assessment.
- Anderson, E.S., 2000, Remediation of an oilfield brine spill for establishment of southern pine: Nacogdoches, Texas, Stephen F. Austin University, Master's thesis, 81 p.
- Andreassen, J.D., and Spears, R.W., 1983, Toxicity of Texan petroleum well brine to the Sheepshead minnow (*Cyprinodon variegatus*), a common estuarine fish: Bulletin of Environmental Contamination and Toxicology, v.30, p. 277-283.
- Anonymous, 1978, No water-source damage found in oil states: The Oil and Gas Journal, v. 76, n. 35, p. 52.
NOTE: The article summarizes the findings of two studies of the effects of oil and gas operations on major aquifers across five states, Texas, New Mexico, Louisiana, Oklahoma, Arkansas and Kansas. See Louis R. Reeder and Associates, 1978, and Underground Resource Management, 1978.

- Arkansas Department of Pollution Control and Ecology, 1984, Arkansas water quality inventory report, 1984: Little Rock, Arkansas, Arkansas Department of Pollution Control and Ecology, 495 p.
- Armstrong, H.W., Fucik, K., Anderson, J.W., and Neff, J.M., 1977, Effects of oilfield brine effluent on benthic organisms in Trinity Bay, Texas: Washington, D.C., American Petroleum Institute Publication 4291, 82 p.
- Armstrong, H.W., Fucik, K., Anderson, J.W., and Neff, J.M., 1986, Effects of oilfield brine effluent on sediments and benthic organisms in Trinity Bay, Texas: Marine Environmental Research, v. 2, n. 1, p 55-69.
- Armstrong, N.E. and Ward, G.W., 1998, Analysis of point source discharges (including oil field brine discharges) in the Corpus Christi Bay National Estuary Program study area: Austin, Texas, Texas Natural Resource Conservation Commission, CCBNEP Publication No. 30, 224 p.
NOTE: An executive summary (50 pages) is available at <http://www.cbbep.org/projectupdates/virtuallibrary/ccbnep30.pdf>. This report estimates loads of industrial waste water to the bay system from a variety of sources including oil field brines.
- Ashworth, J. B., 1990, Evaluation of ground-water resources in parts of Loving, Pecos, Reeves, Ward, and Winkler counties, Texas: Texas Water Development Board, Report 317, 51 p.
Available at <http://www.twdb.state.tx.us/publications/reports/GroundWaterReports/GWReports/R317/R317.pdf>
- Ashworth, J.B., and Christian, R, 1989, Evaluation of ground-water resources in parts of Midland, Reagan, and Upton counties, Texas: Texas Water Development Board, Report 312, 52 p.
- Ashworth, J. B., and Coker, D., 1993, Test hole investigation of a contamination site in Sterling County: Texas: Texas Water Development Board, Open File Report prepared for the Railroad Commission of Texas, 114 p.
- Atalay, A., Pyle, T.A., and Lynch, R.A., 1999, Strategy for restoration of brine-disturbed land: Journal of Soil Contamination, v. 8, n.3, p. 307-328.
- Atkinson, J.F., Matsumoto, M.R., Bunn, M.D., and Hodge, D.S., 1990, Use of solar ponds to reclaim salt products from brine waters from oil and gas well operations in New York, in,

- Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 523-533.
- NOTE: The authors describe the major and minor element chemistry of five brines from producing formations in western New York. TDS values range from 232,000 to 323,000 ppm. They then discuss disposal options focusing on a resource recovery option.
- Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Boca Raton, Florida, Lewis Publishers, 390 p.
- Aubuchon-Fields, P.A., 1991, A geophysical and hydrogeological investigation of two oil field brine plumes located in northwestern Saline County, Illinois: Carbondale, Illinois, Southern Illinois University, Master's thesis, 208 p.
- Auchmoody, L.R., and Walters, R.S., 1988, Revegetation of a brine-killed forest site: Soil Science Society America Journal, v. 52, p. 277-280.
- Bain, G.L., 1970, Salty ground water in West Virginia with a discussion of the Pocatalico River basin above Sissonville: U.S. Geological Survey Circular 11, 31 p.
- Bair, E. S., and Digel, R. K., 1990, Subsurface transport of inorganic and organic solutes from experimental road spreading of oil-field brine: Ground water monitoring review, v. 10, n. 3, p. 94.
- Baker, F.G., and Brendecke, C.M., 1983, Seepage from oil-field brine disposal ponds in Utah: Ground Water, v. 21, n. 3, p. 317-324.
- Baker, F.G., and Brendecke, C.M., 1983, Seepage from oilfield brine ponds in the northern Uintah Basin, Utah [abs]: EOS, Transactions, American Geophysical Union, v. 64, n.18, p.224.
- Baranovic, M.J., 1975, Persistence of brine contamination in central Ohio: Columbus, Ohio, Ohio State University, Master's thesis, 113 p.
- Barb, C.F., 1931, Oil-field waters of Pennsylvania: State College, Pennsylvania, Pennsylvania State College, Mineral Industries Experiment Station Bulletin No. 8, 37 p.

Barrett, M.L., 2002, Saltwater waste and landscape change, Smackover Field, Arkansas: Environmental Geosciences, v. 9, p. 17-28.

NOTE: By comparing 1936 and 1996 aerial photos of the study area, the author documents landscape damage and partial recovery following many years of saltwater releases from oilfield operations across the Norphlet District of the Smackover field.

Barton, A.C., and Bair, E.S., 1997, Assessment of ground-water quality impacts caused by land spreading of saline oil and gas exploration and production wastes [abs.]: American Association of Petroleum Geologists Bulletin, v. 81, p. 1545.

Barton, G. J., Burruss, R. C., and Ryder, R. T. 1998, Water quality in the vicinity of Mosquito Creek Lake, Trumbull County, Ohio, in relation to the chemistry of locally occurring oil, natural gas, and brine: U.S. Geological Survey Water-Resources Investigations Report 98-4180, 46 p. Abstract available at <http://oh.water.usgs.gov/reports/Abstracts/wrir.98-4180.html>

NOTE: Bromide and chloride data for some saline surface waters don't suggest that highly saline Clinton Formation oilfield brines are the source, but rather that road salt or septic tank effluent may be.

Bass, Aaron, 1998, Accidental oilfield brine spill impact study: a survey of the magnitude and distribution of accidental brine spills in the Louisiana coastal wetlands conservation area: final report: Louisiana Geological Survey report submitted to the Louisiana Coastal Management Division, Louisiana Department of Natural Resources, 55 p.

Bass, A.S., 1999, Magnitude, distribution and impacts of accidental brine spills in the Louisiana Coastal Wetland Conservation Plan area [abs.]: American Association of Petroleum Geologists Bulletin, v. 83, n. 8, p.1347-1348. NOTE: A study of state brine spill records in the study area shows 567 releases during the period 1990 and 1998. Followup field studies documented ecological damage at affected sites. See Bass (1998).

Bassignani, A., DiLuise, G., and Frenzi, A., 1991, Radioactive scales in oil and gas production centers: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety, and Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 527-537.

- Baughman, W.T., and McCarty, J.E., 1974, Water resources of Wayne County: Mississippi Geologic, Economic, and Topographic Survey Bulletin, Report No. 117, p. 241-293.
- Beal, W.A., 1986, Contaminant migration of oil-and-gas drilling fluids within the glaciated sediments of north-central North Dakota: Grand Forks, University of North Dakota, Master's thesis, 242 p.
- Beckman, D.D., Heaton, Kevin, Kopec, C.J., and Hamilton, R.G., 2000, Salty soil remediation at the Tallgrass Prairie, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 19 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Beckman, Dennis, Heaton, K.P., Tsao, D.T., and Zverina, Walter, 2003, Tallgrass Prairie Preserve: recent successes in restoring an historic brine scar [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/Abstracts/beckmann.html>
- Bell, A.H., 1957, Brine disposal in Illinois oil fields: Illinois State Geological Survey Circular 244, 12 p.
- Bernier, Rene, Myers, Jim, and Hall, Jerry, 2002, Re-vegetation of brine damaged soil: a soil rebuilding approach, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: http://ipec.utulsa.edu/Conf2002/bernier_myers_hall_95.pdf
- Bevans, H.E., 1989, Water Resource of Sedgwick County, Kansas: U.S. Geological Survey Water-Resources Investigations Report 88-4225, 119 p.
- Billingsley, Patricia, 2003, Establishing appropriate water quality criteria for salinity minerals in watersheds in Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The

University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p.
Available at:

<http://ipec.utulsa.edu/Conf2003/Abstracts/billing.html>

Blayha, D.C., 1964, Occurrence and quality of ground water in Stephens County, Texas, with appendix on north-central Texas: Texas Water Commission Bulletin 6412, p. A1-A14.
NOTE: This study is part of a county-by-county investigation of north-central Texas for ground-water information and includes the investigation of pollution by oil-field brines.

Bloch, S., and Key, R.M., 1981, Modes of formation of anomalously high radioactivity in oil field brines: American Association of Petroleum Geologists Bulletin, v. 65, n. 1, p. 154-159.

Boelter, A.M., Environmental effects of saline oil-field discharges on surface waters: Wyoming Water Resources Center Research Brief 93-104, 1 map sheet.

Boelter, A.M., Lamming, F.N., Faraq, A.M., and Bergman, H.L., 1992, Environmental effects of saline oil-field discharges on surface waters: Environmental Toxicology and Chemistry, v. 11, n. 8, p. 1187-1995. Available at:
<http://library.wrds.uwyo.edu/wrp/92-07/92-07.pdf>

Boesch, D.F., and Rabalais, N.N., eds., 1989, Produced waters in sensitive coastal habitats: an analysis of impacts, central coastal Gulf of Mexico: U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, OCS Report/MMS 89-0031, 157 p.

Boesch, D.F., and Rabalais, N.N., eds., 1989, Environmental impact of produced water discharges in coastal Louisiana: Chauvin, Louisiana, Louisiana Universities Marine Consortium, Report to the Louisiana Division of the Mid Continent Oil and Gas Association, 287 p.

Boggess, D.H., 1974, Saline ground-water resources of Lee County, Florida: U.S. Geological Survey Open-File Report 74-247, 62 p.

Bohlinger, L.H., 1990, Regulation of naturally-occurring radioactive material in Louisiana in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 833-839.

- Bolton, J.E., 2003, Revegetation of oil brine spill sites: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 73 p.
- Boster, R.S., 1967, A study of ground-water contamination due to oil-field brines in Morrow and Delaware Counties, Ohio, with emphasis on detection utilizing electrical resistivity techniques: Columbus, Ohio, Ohio State University, Master's thesis, 191 p.
- Botts, J.A., and Salisbury, James, 1996, Proceedings: Workshop to identify promising technologies for the treatment of produced water toxicity, 1994, League City, Texas: American Petroleum Institute, Health and Environmental Sciences Departmental Report No. DR351, variously paginated.
- Bower, R.F., 1969, Effects of oil-field operations on ground water in parts of the Middle and Bradford districts, Pennsylvania: Morgantown, West Virginia, University of West Virginia, Master's thesis, 43 p.
- Bozzo, W., Chatelain, M., Salinas, J., and Wiatt, W., 1990, Brine impacts to a Texas salt marsh and subsequent recovery, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 129-139.
NOTE: Authors described the effects of a large salt-water pipeline break and releases. Vegetative mortality, affected water and soil chemistry, and natural remediation of the marsh system are described.
- Breen, K.J., Angelo, C.G., Masters, W.R., and Sedam, A.C., 1985, Chemical and isotopic characteristics of brines from three oil- and gas-producing sandstones in eastern Ohio, with applications to the geochemical tracing of brine sources: U.S. Geological Survey Water-resources Investigations Report 84-4314, 58 p.
- Breen, K .J., and Dumouchelle, D. H., 1991, Geohydrology and quality of water in Lucas, Sandusky, and Wood Counties, northwestern Ohio: U. S. Geological Survey Water-Resources Investigations Report 91-4024, 234 p.
NOTE: Using Br/Cl ratios, authors conclude that elevated chloride levels in some waters are due to salt-bed dissolution and oilfield brine contamination.
- Breit, G.N., Kharaka, Y.K., Otton, J.K., Zielinski, R.A., Rice, C.A., Smith B.D., and Ridgley, J.L., 1997, U.S. Geological Survey studies of water co-produced with oil and gas:

Implications for future petroleum resource development, in Proceedings of the SPE/EPA Environmental Conference, Dallas, Texas, SPE 37901, p. 131-141.

Breit, G.N., Kharaka, Y.K., and Rice, C.A., 2000, Database of the composition of water produced with oil and gas, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 13 p. Available at:

<http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

NOTE: This paper is a discussion of the origin, culling and editing of a major produced water chemistry database available online at

<http://energy.cr.usgs.gov/prov/prodwat/intro.htm>

Brewster, J., 1979, Operators present testimony in defense of playa lake disposal: Drill Bit, v.28, n.4, p. 26-27

Bristol, Sky, 1998, Environmental contaminants in water, sediment, and biological samples from playa lakes in southeastern New Mexico- 1992, draft report: Albuquerque, New Mexico, Environmental Contaminants Program, Fish and Wildlife Service, 23 p. Available online at:

http://ifw2es.fws.gov/Documents/R2ES/WWTP_Wetlands_Contaminant_Report-FINAL.pdf

NOTE: The author focuses on hydrocarbon and trace element contamination in this study, but in the introductory materials, the author reports avian toxicity due to high salt levels in playas receiving oilfield brines and potash mine waste fluids.

Bryson, W.R., Schmidt, G.W., and O'Connors, R.E., 1966, Residual salt of brine affected soil and shale, Potwin areas, Butler County, Kansas: Kansas State Department of Health Bulletin 3-1, 28 p.

Buddemeier, R.W., Swain, R.S., Whittemore, D.O., and Young, D.P., 1995, Salt contamination of ground water in south central Kansas: Kansas Geological Survey Public Information Circular 2, 5 p. Available online at:

http://www.kgs.ku.edu/Publications/pic2/pic2_1.html

NOTE: This non-technical publication outlines areas of known or potential salt contamination in south central Kansas and delineates areas of natural salt (substantial) and salt mine waste and oilfield brine (minor) contamination.

- Burnitt, S.C., 1963, City of Hawkins, Wood County, Texas: investigation of ground-water contamination: Texas Water Commission Report No. LD-0162-MR, 24 p.
- Burnitt, S.C., 1963, Reconnaissance of soil damage and ground-water quality, Fisher County, Texas: Texas Water Commission Memorandum Report 63-02, 51 p.
- Burnitt, S.C., 1963, Henderson oil field area, Rusk County, Texas, an investigation of ground-water contamination: Texas Water Commission Memorandum Report 0262, 13 p.
NOTE: Three stream sites and one well were judged to be contaminated by oilfield brine.
- Burnitt, S.C., Adams, J.B., Rucker, O.C., and Porterfield, H.C., 1963, Effects of surface disposal of oil-field brine on the quality and development of ground water in the Ogallala Formation, High Plains of Texas, and a hydrologic study of brine disposal into surface pits: Texas Water Commission, 115 p.
- Burnitt, S.C., and Crouch, R.L., 1964, Investigation of ground-water contamination, P.H.D., Hackberry, and Storie oil fields, Garza County, Texas: Texas Water Commission Report No. 63-77 98 p.
- Burnitt, S.C., Holloway, H.D., and Thornhill, J.T., 1962, Reconnaissance survey of salt water disposal in the Mexla, Negro Creek, and Cedar Creek oil fields, Limestone County, Texas: Texas Water Commission Memorandum Report No. 62-02, 27 p.
NOTE: Abandoned oil and gas wells plus surface disposal pits have affected surface drainages and may be contaminating the Wilcox Group aquifers.
- Burrton Task Force, 1984, Report of the Burrton Task Force to the Chief Engineer-Director of the Kansas State Board of Agriculture, Division of Water Resources, concerning the Proposed Burrton Intensive Ground-Water Use Control Area: Topeka, Kansas Water Agencies, 103 p.
- Butcher, D.L., 1964, A study of subsurface oil field pollution to a municipal groundwater supply, in Symposium on applied geology at Kansas State University: Flint Hills Geological Society, Manhattan, KS, variously paginated.
- Butts, T.A., Williams, J.W., and Evans, R.L., 1976, Water quality evaluation of the Rector Creek-North Fork Saline River drainage basins: Illinois State Water Survey, 95 p.

- Campbell, C.S., 1993, Elevated sodium levels in surface waters of the Crooked Creek drainage basin, south central Illinois: Edwardsville, Illinois, Southern Illinois University at Edwardsville, Master's thesis, 37 p.
- Carlston, C.W., and Graeff, G.D., Jr., 1955, Ground-water resources of the Ohio River valley, in West Virginia: West Virginia Geological and Economic Survey, v. XXII, part III, Variousy paginated.
- Carr, J.E., Halasz, S.J., and Peters, J.B., 1980, Geohydrology of the Keechi, Mount Sylvan, Oakwood, and Palestine salt domes in the northeast Texas salt-dome basin: U.S. Geological Survey Open-File Report 80-2044, 39 p.
- Carter, K.E., 2002, Remediation of brine-impacted soils using hay: Tulsa, Oklahoma, University of Tulsa, Master's thesis, 215 p.
- Carty, D.J., Hopkins, H.H., de Albuquerque, J.S., Swetish, S.M., Priebe, W.F., and Crawley, W.W., 1999, Remediation strategies for saltwater-impacted sites, in Sublette, K.L, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 7 p.
Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Carty, D.J., Swetish, S.M., Priebe, W.F., and Crawley, W.W., 1997, Remediation of salt-affected soils at oil and gas production facilities: American Petroleum Institute Publication Number 4663, variousy paginated.
NOTE: This document describes in detail how to assess and remediate brine-affected sites using natural, chemical amendment, and mechanical techniques.
- Carty, D.J., Whittemore, D.O., and Bassett, R.L., 1999, Identifying environmentally detrimental saltwater in oilfields using boron isotopes and anion ratios, in Sublette, K.L, 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, p. 1241-1274. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Case, L.C., 1942, Selected annotated bibliography on oil-field waters: Bulletin of the American Association of Petroleum Geologists, v. 26, n. 5, p. 865-881.
NOTE: An excellent summary of many older papers describing water chemistry and origins of oilfield brines in the U.S. and for some foreign areas. Most of these papers are not referenced in this document. The U.S. reports include regional studies and local oilfield investigations across

the U.S. The reports referenced also reflect older ideas on the origins of oilfield brines.

Caswell, P.C., 1992, Contaminant removal and toxicity reduction in a pilot scale surface flow/wetlands system for the treatment of oilfield produced water: Golden, Colorado, Colorado School of Mines, Master's thesis, 176 p.

Cates, D.A., Knox, R.C., and Sabatini, D.A., 1996, The impact of ion exchange processes on subsurface brine transport as observed on piper diagrams: *Ground Water*, vol. 34, no. 3, pp. 532-544.

NOTE: Authors studied experimentally chemical processes occurring during brine transport using uncontaminated samples from a field site in western Oklahoma. Data suggest that cation exchange creates a Ca and Mg high at the leading edge of a brine plume. This must be considered in mixing models.

Chapman, M.J., and Bair, E.S., 1992, Mapping a brine plume using surface geophysical methods in conjunction with ground water quality: *Ground Water Monitoring Review*, v. 12, n. 3, p. 203-209.

Chipman, R.K., 1959, Studies of tolerance of certain freshwater fishes to brine water from oil wells: *Ecology*, v. 40, n. 2, p. 299-302.

NOTE: Author studied the results of a brine water fish kill in a small freshwater pond in Louisiana.

Cipollini, M.L., and Pickering, J.L., 1986, Determination of phytotoxicity of barium in leach-field disposal of gas well brines: *Plant and Soil*, v. 92, n. 2, p. 159-169.

Clark, Barrett, Colgan, Wes, III, and Vavrek, Milan, 2004, Field application of AM fungi for phytoremediation of oil-brine spill sites [abs.], in Sublette, Kerry, ed., *Proceedings of the 11th International Petroleum Environmental Conference*, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:

<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Clemens, H.P., and Finnell, J.C., 1955, Biological conditions in a brine-polluted stream in Oklahoma: *Transactions American Fish Society*, v. 85, p. 18-27.

Coen, A.W., III., 1990, Ground-water levels, flow, and specific conductance in unconsolidated aquifers near Lake Erie,

Cleveland to Conneaut, Ohio, September 1984: U. S. Geological Survey Water-Resources Investigations Report 89-4202, 22 p. Abstract available at <http://oh.water.usgs.gov/reports/Abstracts/wrir.89-4202.html>
NOTE: Author notes possible association of elevated conductivity with oilfield sites and natural salt leakage.

Colgan, Wes, III, Patrick, D.R., and Vavrek, Milan, 2004, Rhizosphere fungal diversity in oil and brine contaminated soils [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Colgan, Wes, III, and Vavrek, M.C., 2003, Symbiotic fungi and plant performance in oil brine contaminated soil [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Collarullo, S.J., Heidari, M., and Maddock, T., III, 1984, Identification of an optimal groundwater management strategy in a contaminated aquifer: Water Resources Bulletin, v. 20, n. 5, p. 747-760.

Collins, A.G., 1969, Chemistry of some Anadarko Basin brines containing high concentrations of iodide: Chemical Geology, v. 4, n. 1-2, p. 169-187.

Collins, A.G., 1970, Geochemistry of some petroleum-associated waters from Louisiana: U.S. Bureau of Mines Report of Investigations 7326, 31 p.

Collins, A.G., 1974, Saline groundwaters produced with oil and gas: Washington, D.C., U.S. Environmental Protection Agency, EPA-660/2-74-010, 68 p.

Collins, A.G., 1975, Geochemistry of oilfield waters: Developments in Petroleum Science, 1, Elsevier Scientific Publishing Company, Amsterdam, 496 p.
NOTE: This is a substantial summary of the major, minor and trace element chemistry of oilfield waters as possible sources for industrial minerals. It is a standard reference for this topic.

- Collins, A.G., Zelinski, W.P., and Pearson, C.A., 1966, Bromide and iodide in oil-field brines in Tertiary and Cretaceous Formation in Mississippi and Alabama: U.S. Bureau of Mines Report of Investigations 6859, 187 p.
- Conn, J.S., Behr-Andres, Christina, Wieggers, Janice, Meggert, Ed, and Glover, Nick, 2001, Remediation of Arctic tundra following petroleum or salt water spills, in Second international conference on contaminants in freezing ground, Cambridge, United Kingdom, July 2-5, 2000: Polar Record, v.37, n.202, p.264-266.
- Connor, J.A., and Clifford, D.A., 1994, Norm waste minimization using in-situ treatment method: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 13 p.
- Continental Shelf Associates, Inc., 1991, Measurements of Naturally Occurring Radioactive Materials (NORM) at three produced water outfalls: Jupiter, Florida, Continental Shelf Associates, Inc., 41 p.
- Continental Shelf Associates, Inc., 1997, Monitoring environmental recovery at terminated produced water discharge sites in coastal Louisiana waters: draft report, February 1997: Jupiter, Florida, Continental Shelf Associates, Inc., Report for the Department of Energy, released as DOE/MT/92001-22, variously paginated.
- Core Laboratories, Inc., 1972, A survey of subsurface saline water of Texas--A descriptive inventory of the principal saline aquifers and their characteristics: Texas Water Development Board, Report 157, v. 1, 113 p.
NOTE: General geology and hydrology of the major saline aquifers with tables, figures, maps and cross-sections describing them.
- Core Laboratories, Inc., 1972, A survey of subsurface saline water of Texas--Chemical analyses of saline water: Texas Water Development Board, Report 157, v. 2, 378 p.
NOTE: Chemical analyses for the saline aquifers described in Volume 1 above.
- Cosgrove, W.M., Howard, H.S., and Schultz, D.A., 1988, Water chemistry and benthic macroinvertebrate improvements one year following discontinuation of oil brine discharges in the Blaine Creek watershed, Martha, Kentucky: Athens,

Georgia, U.S. Environmental Protection Agency, open-file report, unnumbered pages.

Craig, S.D., and Thamke, J.N., 1993, Hydrogeologic aspects of brine disposal in the East Poplar oil field, Fort Peck Indian Reservation, northeastern Montana [abs.]: Geological Society of America, Cordilleran and Rocky Mountain Section Meeting, Reno, Nevada, May 19-21, 1993, Abstracts with program, p. 25.

Craig, S.D., and Thamke, J.N., 1995, The effects of oil-field brines on aquifers--Brine disposal in the East Poplar oil field, Fort Peck Indian Reservation, northeastern Montana, in Carter, L.M.H., ed., Energy and the Environment--Application of Geosciences to Decision-Making; Program and Short Papers; Tenth V.E. McKelvey Forum on Mineral and Energy Resources, 1995: U.S. Geological Survey Circular 1108, p. 95-97.

Crain, L.J., 1966, Ground-water resources of the Jamestown area, New York: New York State Water Resources Commission Bulletin 58, 167 p.

Crain, L.J., 1969, Ground-water pollution from natural gas and oil production in New York: New York State Water Resources Commission Report of Investigation No. 5, 15 p.

Crandall, D.A., 1985, Development of integrated surface and ground water management in Illinois, in Proceedings of the Twentieth Annual Conference of the American Water Resources Association Symposium, Washington, D.C., August 15, 1984, p. 193-199.

Crawford, J. G., 1963, Rocky Mountain oil field waters: [v. 1] Section 1. An understanding of oil field waters, Section 2. Introduction to the discussion, Section 3. Big Horn Basin, [v. 2] Section 4. Central Montana plains, Central South Dakota, Denver-Julesburg Basin, Green River Basin, Hanna Basin, Kaiparowits Basin, Laramie Basin, Moffat area, North Park Basin, Paradox Basin, Piceance Basin, [v.3] Section 5. Powder River Basin, Raton Basin, Red Desert area, San Juan Basin, San Luis Valley, San Rafael swell, Sweetgrass arch, Uinta Basin: Casper, Wyoming, Chemical and Geological Laboratories, variously paginated.

Cronin, J.G., Follett, C.R., Shafer, G.H., and Rettman, P.L., 1963, Reconnaissance investigation of the ground-water resources of the Brazos River basin, Texas: Texas Water Commission Bulletin 6310, 152 p.

- Crouch, R.L., 1964, Investigation of alleged ground-water contamination, Tri-Rue and Ride oil fields, Scurry County, Texas: Texas Water Commission Report LD-0464-MR, 16 p.
- Crouch, R.L., 1964, Investigation of ground-water contamination in the Juliana and West Jud oil fields, Haskell and Stonewall Counties, Texas: Texas Water Commission Report LD-0364-MR, 18 p.
- Crouch, R.L., and Burnitt, S.C., 1965, Investigation of ground-water contamination, Vealmoor oil field, Howard and Borden Counties, Texas: Texas Water Commission Report LD-0265, 40 p.
- Crouch, R.L., Burnitt, S.C., and Porterfield, H.H., 1965, Investigation of ground-water contamination in the Vealmoor oil field, Howard and Borden counties, Texas: Texas Water Commission Report, 54 p.
- Daly, D.J., and Mesing, G.E., 1995, Atlas of gas related produced water for 1990, Chicago, Gas Research Institute Topical Report GRI-95/0016, 88 p.
NOTE- This atlas folio summarizes a great deal of information about the production of water associated with conventional gas across the U.S. with some geochemical data.
- Dambach, C. A., and Olive, J.H., 1969, Development of biological indices to pollution levels in streams affected by acid mine drainage and oil field brine wastes: Columbus, Ohio State University, State of Ohio Water Resources Center, Research project completion report, Project no. A-003-Ohio, 90 p.
- Dames and Moore, 1982, Analysis of hydrologic and environmental effects of drilling mud pits and produced water impoundments: American Petroleum Institute, 3 volumes.
- Darner, R. A., 2002, Water and bed-sediment quality in the vicinity of Berlin Lake, Ohio, 2001: U.S. Geological Survey Water-Resources Investigations Report 02-4246, 31 p.
- Darval, R.G., and Harreel, R.C., 1980, Macrobenthos of Pine Island Bayou in the Big Thicket National Preserve, Texas: Hydrobiology, v. 69, n. 3, p. 213-223.
- Davis, S.N., Whittemore, D.O., and Fabryka-Martin, J., 1998, Uses of chloride/bromide ratios in studies of potable water: Ground Water, v. 36, n. 2, p. 338-351.

- Davis, W.C., 1985, Biological and physicochemical treatment of co-produced brine: University Park, Texas, University of Houston, Master's thesis, 157 p.
- Demir, Ilham, 1995, Formation water chemistry and modeling of fluid-rock interaction for improved oil recovery in Aux Vases and Cypress Formations, Illinois Basin: Illinois State Geological Survey, Illinois Petroleum 148, 60 p.
- Demir, I., and Seyler, B., 1999, Chemical composition and geologic history of saline waters in Aux Vases and Cypress Formations, Illinois Basin: Aquatic Geochemistry, v. 5, n. 3, p.281-311.
- Denig-Chakroff, David, 1984, Analysis of quantities produced from oil and gas wells, Morgan County, Ohio: Columbus, Ohio, Ohio State University, Master's thesis, 61 p.
- DeWalle, D.R., and Galeone, D.G., 1990, One-time dormant season application of gas well brine on forest land: Journal of Environmental Quality, v. 19, n. 2, p. 288-295.
- Digel, R.K., and Bair, E.S., 1990, Subsurface transport of inorganic and organic solutes from experimental road spreading of oil-field brine: Ground Water Monitoring Review, v. 10, n. 3, p. 94-105.
- Dingman, R.J., and Angino, E.E., 1969, Chemical composition of selected Kansas brines as an aid to interpreting change in water chemistry with depth: Chemical Geology, v. 4, p. 325-339.
- Doll, E.C., 1989, Chemical analysis of soils contaminated with oilfield brine: Mandan, N.D., North Dakota State University, Land Reclamation Research Center Bulletin No. 521, 9 p.
- Doll, E.C., Lang, K.L., and Merrill, S.D., 1990, Contamination of soil with oilfield brine and reclamation with calcium chloride: Soil Science, v. 150, n. 1, p.469-475.
- Dollar, P.S., Frape, S.K., and McNutt, R.H., 1991, Geochemistry of formation waters, southwestern Ontario, Canada and southern Michigan, U.S.A.: implications for origin and evolution: Ontario Geological Survey Open File report 5743, 72 p.
- Donaldson, E.C., 1979, Environmental aspects of enhanced oil recovery: Energy Sources, v. 4, n. 3, p.213-229.

- Downey, J.S., 1984, Hydrodynamics of the Williston basin, in Geohydrology of the Dakota aquifer, Proceedings of the first C.V. Theis Conference on geohydrology, October 5-6, 1982, Lincoln, Nebraska: Worthington, OH, National Well Association, p.92-98.
- Duel, L.E., and Holliday, G.H., 1997, Soil remediation for the petroleum extraction industry: Tulsa, Oklahoma, PennWell Publishing Company, 2nd edition, 242 p.
- Duffin, G.L., and Beynon, B.E., 1992, Evaluation of the water resources in parts of the Rolling Prairies Region of North-Central Texas: Texas Water Development Board Report 337, 93 p.
NOTE- This report contains maps and many references documenting oilfield-brine-related damage to soils and ground water in this multi-county area of north-central Texas. Not all these references are captured in this bibliography.
- Dutton, A.R., 1987, Origin of brine in the San Andreas Formation, evaporite confining system, Texas Panhandle and eastern New Mexico: Geological Society of America Bulletin, v. 99, n. 1, p.103-112.
- Dutton, A.R., Richter, B.C., and Kreitler, C.W., 1989, Brine discharge and salinization, Concho River watershed, West Texas: Ground Water, v. 27, n. 3, p.375-383.
NOTE: Authors evaluated saline ground water in Tom Green County using Br/Cl data and other geochemical indicators and concluded that most salinity was due to dissolution of formation salt beds, but that some salinity could be attributed to oilfield brine releases.
- Eberts, S.M., 1991, Geohydrology and water quality in northern Portage County, Ohio, in relation to deep-well brine injection: U.S. Geological Survey Water-Resource Investigations Report 90-4158, 63 p. Abstract available at <http://oh.water.usgs.gov/reports/Abstracts/wrir.90-4158.html>
NOTE: Four wells near thirteen oilfield brine injection wells show elevated chloride concentrations. Two of these can be attributed to oilfield brine using Br and Cl data.
- Eberts, S.M., Blair, E.S., and de Roche, J.T., 1990, Geohydrology, ground-water quality, and simulated ground-water flow, Geauga County, Ohio: U.S. Geological Survey Water-Resource Investigations Report 90-4026, 117 p.
- Eberts, S.M., and George, L.I., 2000, Regional ground-water flow and geochemistry in the Midwestern basins and arches aquifer

system in parts of Indiana, Ohio, Michigan, and Illinois: U.S. Geological Survey Professional Paper 1423-C, 103 p.
NOTE: This paper describes a regional aquifer study in an area that includes substantial petroleum production and provides geochemical data that may be useful in discriminating contaminated and uncontaminated ground water in the study area.

Eger, C.K., and Vargo, J.S., 1989, Prevention; ground water contamination at the Martha oil field, Lawrence and Johnson counties, Kentucky, in Testa, S.M., ed., Environmental concerns in the petroleum industry, Proceedings of a symposium, American Association of Petroleum Geologists, Pacific Section, 1989 annual convention, Palm Springs, CA, United States, May 10-12, 1989, p. 83-105.
NOTE: This paper documents the contamination of three USDW aquifers by poor oilfield practices.

Eicemen, G.A., McConnon, J.T., Zaman, M., Shuey, C., and Earp, D., 1986, Hydrocarbons and aromatic hydrocarbons in groundwater surrounding an earthen waste disposal pit in the Duncan oil field of New Mexico: International Journal of Environmental Analytical Chemistry, v. 24, n. 2, p. 143-162.

Ellard, J.S., and Lipp, R.L., 1978, Evaluation of water quality data from oilfield areas in South Alabama; specific conductance-chloride relationship: Geological Survey of Alabama, Oil and Gas Report (University, Ala.), v.5, 10 p.

Elmer E. Templeton, and Associates, 1980, Environmentally acceptable disposal of salt brines produced with oil and gas: a report for the Ohio Water Development Authority: Ohio Water Development Authority, 125 p.

Erb, J.E., 1988, Management of oil and gas brines-Pennsylvania's regulatory reform: Northeast Environmental Science, v. 7, n. 2, p. 121-123.

Evaldi, R.D., and Kipp, J.A., 1991, Effects of oil production on water resources in the Kentucky River basin, Kentucky: U.S. Geological Survey Water-Resources Investigations Report 90-4191, 58 p.

Evangelou, V.P., 1983, Oil well salt brine contaminated soils: their chemistry and reclamation, in Graves, D. H., ed., Proceedings, 1983 Symposium on Surface Mining, Hydrology, Sedimentology and Reclamation: University of Kentucky, OES publications, p. 443-446.

- Evangelou, V.P. and Marsi, M., 2003, Influence of ionic strength on sodium-calcium exchange of two temperate climate soils: Plant and soil, v. 250, n.2, p. 307-313.
NOTE: This paper describes the impact of highly saline waters as from oilfield brines or coal-mine waste on sodium-calcium chemistry in temperate climate soils using two different Kentucky soils.
- Evans, G.B., Jr., and Barck, J.A., 1995, Reclamation of soil affected by salts: investigation, assessment, planning, and implementation in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 641-653.
- Feast, C.F., 1984, Meeker dome salinity investigation, in French, R.H., ed., Salinity in watercourses and reservoirs: Butterworth Publishers, Boston, p. 359-365.
- Federal Water Pollution Control Administration, 1967, Recommendations for water pollution control in Raccoon Creek basin, Ohio: Federal Water Pollution Control Administration, Ohio Basin Regional Report, 81 p.
- Feth, J.H., 1981, Chloride in natural continental water: a review: U.S. Geological Survey Water Supply Paper 2176, 30 p.
NOTE: This paper provides basic information on chloride in natural waters in the U.S. Chloride can be a key indicator of oilfield brine contamination.
- Fillo, J.P., Hamaker, T.A., Koraido, S.M., Stefanacci, R.G., Tallon, J.A., and Wesolowski, D., 1987, Production waters associated with the production, processing, transmission, and storage of natural gas: a literature survey: Gas Research Institute, GRI-87/0126, Topical Report (July 1985-March 1987), variously paginated.
- Fink, B.E., 1965, Investigation of ground- and surface-water contamination near Harrold, Willbarger County, Texas: Texas Water Commission Report LD-0365, 23 p.
- Fisher, J.B., 1994, Geochemistry of radium and environmental risk: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 30 p.
- Fisher, J.B., and Hammond, M., 1994, Characterization of NORM vessel solids [abs.]: Tulsa, Oklahoma, PennWell Books,

Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 1 p.

- Fisher, J.B. and Sublette, K.L., 2005, Environmental releases from exploration and production operations in Oklahoma: type, volume, causes, and prevention: Environmental Geosciences, v. 12, n. 2, p. 89-99.
- Fisher, R.S., 1995, Geologic, geochemical, and geographic controls on NORM in produced water from Texas oil, gas, and geothermal reservoirs, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 195-205.
- Fitter, F.P., 1995, Fate and transport of oilfield brines in recharge areas of the Central Oklahoma aquifer: Norman, Oklahoma, University of Oklahoma, Master's thesis, 132 p.
- Fitterman, D.V., 1985, Mapping of brine contamination in Osage County, Oklahoma, using transient electromagnetic soundings: U.S. Geological Survey Open-File Report 85-210, 58 p.
- Fitzpatrick, D.J., 1985, Occurrence of saline water in the alluvial aquifer in the Boeuf-Tensas Basin, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 85-4029, 1 sheet.
- Fletcher, P.A., Cornette, C.A., Sustala, D.R., and Dolence, T.W., 1995, Preparation of naturally occurring radioactive material (NORM) for hydraulic fracturing disposal: a case study, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 737-747.
- Flora, M., Kunkle, S., and Kimball, D., 1987, Water pollution mitigation in two National Park Service units affected by energy and mining activities, in Proceedings of the Symposium, Water Resources Related to Mining and Energy-Preparing for the Future: Bethesda, Maryland, American Water Resources Association, p. 231-238.
- Foderaro, M.A., and Ungar, I.A., 1997, Growth and survival of *Polygonum aviculare* L. at a brine-contaminated site in southeastern Ohio: American Midland Naturalist, v. 138, n.1, p. 140-152.

- Foley, F.D., and Latta, B.F., 1966, Salt water encroachment from industrial operations: Proceedings American Water Res. Association, v. 2, p.65-63.
- Follett, C.R., 1966, Ground water resources of Caldwell County, Texas: Texas Water Development Board Report 12, 138 p.
NOTE: Author reports 1961 brine production data for the county and discusses brine contamination of ground water.
- Follett, C.R., and Gabrysch, R.K., 1965, Ground-water resources of De Witt County, Texas: Texas Water Commission Bulletin 6518, 113 p.
- Ford, Laura, Singh, Shailendra, Carter, Kimberly, Sublette, K.L., and Duncan, Kathleen, 2003, Remediation of brine spills with hay, year 2 [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p.
Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Foss, J.E., Richardson, J.L., Prunty, L.D., Sweeney, M.D., Cudworth, D.K., and Hoag, B.K., 1985, Identification of salt-seepage areas from oilfield brine pits: Fargo, North Dakota State University, Final report to North Dakota Water Resources Research Institute, 31 p.
- Freethy, G.W., 1994, Map summarizing geohydrologic information in an area of salt-water disposal, eastern Altamont-Bluebell petroleum field, Uinta Basin, Utah: U.S. Geological Survey Water Investigations Report 92-4043, 8 maps.
- Friebele, C.D. and Wolff, H.A., 1976, Annotated bibliography of Texas water resources reports: Texas Water Development Board, Report 199, 156 p.
NOTE: This document lists published water studies by the Board and its predecessor agencies and describes the content of many of these reports where the content is not obvious from the title. Included in the list are various studies published by the U.S. Geological Survey as a result of cooperative investigations. Unpublished "file" reports are also listed including about 30 reports where oilfield brine contamination complaints were investigated. Many reports cited herein are not included in this bibliography.
- Frimpter, M.H., 1973, Chemical quality of streams, Allegheny River basin and part of the Lake Erie Basin, New York: New

York State Department of Environmental Conservation Basin
Planning Report ARB-3, 79 p.

Frischknecht, F.C., 1990, Application of geophysical methods to the study of pollution associated with abandoned and injection wells, in Doe, B.R., ed., Proceedings of the U.S. Geological Survey workshop on environmental geochemistry, Reston, VA, April 1986: U.S. Geological Survey Circular 1034, p. 73-77.

Fryar, A.E., Kreitler, C.W., Akhter, M.C., Avakian, A.J., and Mullican, W.F., III, 1994, A methodology to evaluate regional hydraulic controls on flow from hydrocarbon reservoirs into overlying aquifers [abs.]: American Association of Petroleum Geologists Bulletin, v. 78, n.9, p. 1458.

Fryberger, J.S., 1972, Rehabilitation of a brine-polluted aquifer: U.S. Environmental Protection Agency, Environmental Protection Technology Series EPA-R2-72-014, 61 p.

Fryberger, J.S., 1975, Investigation and rehabilitation of a brine-contaminated aquifer: Ground Water, v.13, n.2, p. 155-160.

Fryberger, J.S., 1976, Subsurface brine disposal-be reasonable: Ground water, v. 14, n. 3, p. 150-156.

NOTE: Author overviews plans for shallow produced water injection in a Texas County, Oklahoma and concerns over contaminating the Ogallala aquifer.

Frye, J.C., and Brazil, J.J., 1943, Ground water in the oil-field areas of Ellis and Russell Counties, Kansas: Kansas Geological Survey Bulletin 50, 104 p.

Fucik, K.W., 1990, Toxicity identification and characteristics of produced water discharges from Colorado and Wyoming in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 187-207.

NOTE: The author measured toxicity of 36 well-characterized produced water field samples from sites in Wyoming and Colorado to *Ceriodaphnia* and fathead minnows at various dilutions from 100% to 6%. Toxicity was suspected from various components including TDS, hydrocarbons, high sulfate, semivolatiles, low dissolved oxygen, and hydrogen sulfide.

- Fuhriman, D.K., and Barton, J.R., 1971, Groundwater pollution in Arizona, California, Nevada, and Utah: U.S. Environmental Protection Agency, Water Pollution Control Research Series, 249 p.
- Fund, Mary, 1987, The extent of groundwater contamination in Kansas, in Symposium, Prevention of Groundwater Contamination in Kansas: Kansas Law Review, v. 35, n. 2, p. 353-366.
- Gandl, L.A., and Spiers, C.A., 1980, Results of water quality sampling near Richton, Cypress Creek, and Lampton Salt Domes, Mississippi: U.S. Geological Survey Open-File Report 80-443, 18 p.
- Garza, Sergio, and Wesselman, J.B., 1959, Geology and groundwater resources of Winkler County, Texas: Texas Board of Water Engineers Bulletin 5916, 200 p.
- Gass, T.E., Lehr, J.H., and Heiss, H.W., Jr., 1977, Impact of abandoned wells on ground water: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA/600/3-77-095, 52 p.
- Gelb, Daniel, 1992, Oilfield produced water treatment using constructed surface flow and wetland systems: Golden, Colorado, Colorado School of Mines Master's thesis, 198 p.
- General Accounting Office, 2003, National Wildlife Refuges, Opportunities to improve the management and oversight of oil and gas activities on Federal lands: General Accounting Office Report GOA-03-517, 67 p.
NOTE: This report documents oil and gas exploration and production activities on 105 refuges across the U.S. and pipeline transits on 50 refuges. Effects vary from negligible to substantial, but characterizations are considered inadequate.
- Giggleman, C.M, and Bocanegra, O.R., 2000, The impact of petroleum hydrocarbon and brine contaminants to macroinvertebrate communities inhabiting lotic systems at Hagerman National Wildlife Refuge, Grayson County, Texas, 1999: Arlington, Texas, Fish and Wildlife Service Region 2 Project report, 34 p. Available at <http://www.fws.gov/arlingtontexas/pdf/Hagerman.pdf>
- Gilday, W.M., and Edick, R.G., preparers and reviewers, 1999, An investigation of naturally occurring radioactive materials

(NORM) in oil and gas wells in New York State: Albany, New York, Department of Environmental Conservation, 35 p., variously paginated appendices.

NOTE: The authors describe results of a sampling survey of brine, equipment, scales, and sludges at oil and gas well locations in western New York, noting some anomalous values but concluding that none of the radioactivity poses any threat to oilfield workers or residents.

Gillespie, J.B., and Hargadine, G.D., 1981, Saline ground-water discharge to the Smoky Hill River between Salina and Abilene, central Kansas: U.S. Geological Survey Water-Resources Investigations Report 81-43, 71 p.

Gillespie, J.B., and Hargadine, G.D., 1986, Geohydrology of the Wellington-alluvial aquifer system and evaluation of possible locations of relief wells to decrease saline ground-water discharge to the Smoky Hill and Solomon Rivers, central Kansas: U.S. Geological Survey Water-Resources Investigations Report 86-4110, 31 p.

Gillespie, J.B., and Hargadine, G.D., 1994, Geohydrology and saline ground-water discharge to the South Fork Ninnescah River in Pratt and Kingman Counties, south-central Kansas: U.S. Geological Survey Water-Resources Investigations Report 93-4177, 51 p. Available online at:
<http://pubs.er.usgs.gov/pubs/wri/wri934177>

Gillespie, J.B., Hargadine, G.D., Myers, N.C., and Hargadine, D.A., 1991, Geohydrologic data for the South Fork Ninnescah River Valley and adjacent plains in Pratt and Kingman Counties, south-central Kansas: U.S. Geological Survey Open-File Report 91-186, 55 p.

Godsy, E.M., Hostettler, F.D., Warren, Ean, Paganelli, V.V., and Kharaka, Y.K., 2002, Environmental impacts of petroleum production: the fate of petroleum and other organics associated with produced water from the Osage-Skiatook Petroleum Environmental Research sites, Osage County, Oklahoma, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 20 p. Available at:
http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Gogel, Tony, 1981, Discharge of salt water from Permian rocks to major stream-aquifer systems in central Kansas: Kansas Geological Survey, The University of Kansas at Lawrence, Chemical Quality Series 9, 60 p.

- Goode, H.D. and Feltis, R.D., 1962, Water production from oil wells of the Uinta basin, Uintah and Duchesne Counties, Utah: Utah Geological and Mineral Survey, 32 p.
- Goodin, D.A., 2001, Remediation of an oil contaminated wetland and the effects of crude oil and brine on two-year old Loblolly Pine (*Pinus taeda*) seedlings: Baton Rouge, Louisiana State University Ph.D. thesis, 137 p.
- Goodman, W.M., Castle, J.W., and Mazor, Emanuel, 1998, Shallow saline groundwaters of the Queenston-Medina subcrop, western New York State [abs.]: American Association of Petroleum Geologists Bulletin, v. 82, n. 9, p. 1767.
- Gott, G.B., and Hill, J.W., 1953, Radioactivity in some oil fields of southeastern Kansas: U.S. Geological Survey Bulletin 988E, 122 p.
- Grabhorn, Merle, 1996, Cost-effective method of performing preliminary assessments of oil field brine contamination: a case study, in Sublette, K.L., ed., Environmental issues and solutions in petroleum exploration, production and refining, Proceedings of the Third International Petroleum Environmental Conference, Sept. 24-27, 1996, vol. 1: Springfield, VA, NTIS, p. 31-50.
- Grabhorn, Merle, 1997, Using geostatistics to track areas affected by oilfield brine: Eye on Environment (DOE), Jan 1997, P. 1-4. Available online at <http://www.npto.doe.gov/Petroleum/publications/newsletters/oe/Jan97/page1-4.html>
- Grace, Jim, and Alyanak, Nancy, 1995, Low-cost investigation strategies for oilfield brine contamination in ground water: Bulletin of the Houston Geological Society, v. 37, n.1, 11 p.
- Grandone, P., and Schmidt, L., 1943, Survey of subsurface brine-disposal systems in western Kansas oil fields: U.S. Bureau of Mines Report of Investigations No. 3719, 20 p.
- Graves, R.M., and Rhett, J.M, 1994, Proceedings of the 1994 symposium on environmental issues in oil and gas operations: Golden, Colorado, Colorado School of Mines, July 11-13, 1994, 259 p.
- Gray, P.R., 1991, NORM contamination in the petroleum industry, in Proceedings of the Society of Petroleum Engineers, Annual

Technical Conference and Exhibition, Oct. 6-9, 1991, Dallas, Texas, p.637-644.

Greater Egypt Regional Planning and Development Commission, 1980, Areawide waste treatment and water quality management planning- Oil field brine: a survey of land damage in Hamilton County: Carbondale, Illinois, Greater Egypt Regional Planning and Development Commission Report No. GERPDC 81-579, 55 p.

Greater Egypt Regional Planning and Development Commission, 1982, An overview of oil field brine problems in three Illinois Counties: Carbondale, Illinois, Greater Egypt Regional Planning and Development Commission Report No. GERPDC 82-626, variously paginated.

Greer, C.R., and Landress, M.R., 1995, In-situ radium activity measurements for NORM assessment and remediation, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 253-260.

Grice, K.J., 1991, Naturally Occurring Radioactive Materials (NORM) in the oil and gas industry: First International Conference on Health, Safety, and Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 559-571.

Guitierrez, G.N., Heaton, K.P., and Sitton, Mike, 2003, Restoration of produced water release to east Texas forest land [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Gullikson, D.M., Carraway, W.H., and Gates, G.L., 1961, Chemical analysis and electrical resistivity of selected California oil-field waters: U.S. Bureau of Mines Report of Investigations No. 5736, 21 p.

Gulley, D.D., Mount, D.R., Hockett, J.R., and Bergman, H.L, 1990, A statistical model to predict toxicity of saline produced waters to freshwater organisms in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New

York, Plenum Press, Environmental science research, v. 46, p. 89-96.

NOTE: Authors describe a Salinity/Toxicity Relationship (STR) model based on 12,500 observations of *Ceriodaphnia*, *Daphnia*, and fathead minnows in complex ion mixtures like those present in most produced waters. The results provide some important insights into recognizing toxicity due to salinity and that due to other components in produced waters and also provide evidence of synergistic effects that produced greater toxicity and others that are protective. A ranking of the relative toxicity of common produced water constituents is given.

Gwynn, J.W., 1995, Resistivities and chemical analyses of selected oil and gas field, water well, and spring waters, Utah: Utah Geological Survey Circular C-87, 142 p.

NOTE: This is the most comprehensive database on the chemistry of produced waters available for Utah.

Haag, K.H., Garcia, R., Jarrett, J.L., and Porter, S.D., 1995, Water-quality assessment of the Kentucky River basin, Kentucky: Results of investigations of surface-water quality, 1987-90: U.S. Geological Survey Water Resources Investigations Report: 95-4163, 70 p.

Hamilton, L.D., Meinhold, A.F., and Nagy, J., 1990, Health risk assessment for radium discharged in produced waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 303-314.

NOTE: The authors describe a screening level assessment for cancer risks posed by persons eating fish and shellfish from coastal and marine waters in areas where radium derived from production operations has been taken up by the food organisms.

Hamilton, L.D., Meinhold, A.F., and Nagy, J., 1991, Produced water radionuclide hazard/risk assessment--Phase 1: American Petroleum Institute Publication Number 4532, 160 p.

Hammond, W.W., Jr., 1969, Ground water resources of Matagorda County, Texas: Texas Water Development Board, Report No. 91, 163 p.

NOTE: Author discusses the role of brine disposal in ground water contamination in the county and gives a map showing locations of a few 100 brine disposal pits and wells. He

also maps the depth to naturally saline ground water including encroaching sea water.

- Hanan, M. A., 1981, Geochemistry and mobility in sediments of radium from oil-field brines: Grand Bay, Plaquemines Parish, Louisiana: New Orleans, Louisiana, University of New Orleans, Master's thesis, 89 p.
- Hanor, J.S., 1984, Salinity and geochemistry of subsurface brines in south Louisiana and their potential for reaction with injected waste waters: U.S. Department of Energy Report, DOE/NV/10174-3, P. 277-346.
- Hanor, J.S., 1987, Origin and migration of subsurface sedimentary brines: Tulsa, Oklahoma, Society of Economic Paleontologists and Mineralogists, Lecture Notes for Short Course No. 21, 247 p.
- Hanor, J.S., 1997, Limitations of the use of conventional ground water techniques in characterizing the fate of produced waters in on-shore Gulf Coast sediments: Gulf Coast Association of Geological Societies Transactions, v. 58, p.193-199.
NOTE: This paper describes the extent and movement of a dense produced-water plume derived from three brine storage pits up to 900 m laterally and 14 m deep into underlying unconsolidated clay, silty clay, and sand units on a river floodplain in south-central Louisiana.
- Hanor, J.S., 1998, Pathways of shallow subsurface migration of saline oil field wastes at a commercial disposal site in south Louisiana: Transactions- Gulf Coast Association of Geological Societies, v. 48, p. 107-118.
- Haque, S.M., 1989, Environmental effects of surface brine disposal in Golden Meadow oil and gas field, Lafourche Parish, Louisiana [abs.]: Geological Society of America, 1989 Annual Meeting, Abstracts with Programs, p. A187.
- Harker, D. F., Jr., Call, S.M., Warren, M.L., Jr., Camburn, K.E., and Wigley, P., 1979, Aquatic biota and water quality of the Appalachian Province, eastern Kentucky: Frankfort, Kentucky, Kentucky Nature Preserves Commission Technical Report, 1152 p. in three volumes.
- Harker, D. F., Jr., Warren, Jr., M. L., Camburn, K. E., Call, S. M., Fallo, G. J., and Wigley, P., 1980, Aquatic biota and water quality of the upper Cumberland River basin. Frankfort, Kentucky, Kentucky Nature Preserves Commission Technical Report, 679 p. in two volumes.

- Harris, Tom, Dewan, C., High, Andrea, Tapp, Bryan, and Sublette, Kerry, 1999, Remediation of brine-impacted soil with a subsurface drainage system: year 2 of the Barnard No. 1 project, *in* Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 11 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Harris, T.L., Dewan, Christina, Tapp, J.B., and Sublette, Kerry, 2000, Transport processes in the remediation of brine-impacted soil, *in* Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Harris, Tom, McConnell, Jason, and Schulte, Kim, 1998, Physicochemical characterization of brine-impacted soil, *in* Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 13 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Harris, Tom, Schulte, Kim, High, Andrea, Yates, Rick, and Sublette, Kerry, 1998, Remediation of brine-impacted soil with a leachate collection system, *in* Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 18 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Harris, T.M., Tapp, J.B., and Sublette, Kerry, 2005, Remediation of oil-field brine-impacted soil using a subsurface drainage system and hay: *Environmental Geosciences*, v. 12, n. 2, p. 101-113.
- Harrison, S.S., 1985, Contamination of aquifers by overpressuring the annulus of oil and gas wells: *Ground Water*, v. 23, n. 3, p. 317-324.
- Hartmann, S., Ueckert, D.N., and McFarland, M.L., 1990, Evaluation of leaching and gypsum for enhancing reclamation and revegetation of oil well reserve pits in a semiarid area, 1990, *in* U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 431-441.
- Hawkins, M.E., Jones, O.W., and Pearson, C.A., 1963, Analysis of brines from oil-productive formations in Mississippi and

Alabama: U.S. Bureau of Mines Report of Investigations 6167, 22 p.

NOTE: Other reports by the senior author exist for other states.

Hayes, B.R., 1988, Application of numerical model to brine contamination at the Beaver Creek oilfield in Bond County, Illinois: Carbondale Illinois, Southern Illinois University Master's thesis, 150 p.

NOTE: The author develops a detailed hydrologic model for movement of a brine plume from brine ponds downward through till and loess into a poorly sorted sand and gravel glacial outwash deposits. The plume has migrated about 4000 feet downgradient.

Heffernan, T.L., 1972, The effect of oilfield brine on the Mission River, Aransas Bay area: Texas Parks and Wildlife Department, Coastal Fisheries Project Report, p. 37-77.

Heidari, M., Sadeghipour, J., and Drici, O., 1987, Velocity control as a tool for optimal plume containment in the Equus Beds aquifer, Kansas: Water Resources Bulletin, v. 23, n. 2, p. 325-335.

Helgesen, J.O., Stullken, L.E., and Rutledge, A.T., 1994, Assessment of nonpoint-source contamination of the High Plains aquifer in south-central Kansas, 1987: U.S. Geological Survey Water-Supply Paper 2381-C, 51 p.

Helm, S.T., 1987, Prevention of water contamination through effective disposal of produced water generated by onshore oil and gas production: Springfield, Missouri, Southwest Missouri State University Master's thesis, 68 p.

Hembree, C.H., and Blakey, J.F., 1963, Chemical quality of surface water in the Hubbard Creek watershed, Texas; progress report: Texas Water Commission Bulletin 6411, 45 p.

Hensel, B.R., and McKenna, D.P., eds., 1989, Environmental impacts of oil field brines in southeastern Clay County, Illinois: Illinois State Geological Survey Open File Series 1989-3, 303 p.

NOTE: This lengthy report includes case studies of ground water contamination derived from brine holding ponds and reclamation studies of brine holding ponds.

Herczeg, A.L., Simpson, H.J., Anderson, R.F., Trier, R.M., Mathieu, G.G., and Deck, B.L., 1988, Uranium and radium mobility within the Delaware basin, southeastern New Mexico, U.S.A.: Chemical Geology, v. 72, p. 181-196.

Herkelrath, W.N., and Kharaka, Y.K., 2002, Hydrologic controls on the subsurface transport of oil-field brine at the Osage-Skiatook Petroleum Environmental Research "B" site, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 16 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html

Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Herkelrath, W.N., and Kharaka, Y.K., 2003, Hydrology and subsurface transport of oil-field brine at the Osage-Skiatook Petroleum Environmental Research (OSPER B) site, Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:

<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Herkelrath, W.N., and Kharaka, Y.K., 2004, Hydrology and subsurface transport of oil-field brine at the Osage-Skiatook Petroleum Environmental Research "A" site, Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:

<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Herrera, A.W., 1996, Distribution of radium-226 in a wetland receiving oil-field discharge waters: Cheyenne, Wyoming, University of Wyoming, Master's thesis, 71 p.

Herrera, L.J., 1997, Historical effect of produced oil waste waters on ground water in a portion of the Edison Oilfield, Kern County, California [abs.]: American Association of Petroleum Geologists Bulletin, vol.81, n.4, p.687.

Hewatt, W.G., 1950, Studies on bleedwater dispersal in the natural waters around oil fields in southern Louisiana: final report on one phase of project 9, oyster mortality investigation: College Station, Texas, Texas A and M Research Foundation Project 9 Report, 37 p.

- Hibbs, B.J., 1989, Investigation of a brine contaminated aquifer in southeastern Hitchcock County, Nebraska: Lincoln, Nebraska, University of Nebraska, Master's thesis, 300 p.
NOTE: Author investigated contamination of a shallow alluvial aquifer from a mud pit or leaky well and movement of a plume using geochemical and geophysical techniques including electromagnetic and seismic refraction studies.
- Hicks, R.T., Hamilton, David, and Simunek, Jirka, 2004, Fate and transport of chloride from produced water spills to ground water, Lea County, New Mexico [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Hicks, R.T., Hamilton, David, Simunek, Jirka, and Libersky, Jason, 2004, A simple tool to predict impact to ground water from produced water spills [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Hiss, W.L., 1975, Water-quality data from oil and gas wells in part of the Permian Basin, southeastern New Mexico and western Texas: U.S. Geological Survey Open-file Report 75-579, 283 p.
- Hiss, W.L., Peterson, J.B., and Ramsey, T.R., 1969, Saline water in southeastern New Mexico in Proceedings of Symposium on the geochemistry of subsurface brines, Kansas University, March 25-26, 1968: Chemical Geology, v. 4, n. 1-2, p. 341-360.
NOTE: This paper summarizes the results of a saline water study of 20,000 samples from oilfields in southeastern New Mexico and adjacent Texas (see previous document).
- Hoekstra, Pieter, 1998, Geophysical surveys for mapping brine contamination resulting from oil and gas production, in Bell, R.S., Powers, M.H., Larson, Timothy, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 1998, p. 197-204.

- Hoekstra, P., Lahti, R., Hild, J., Bates, C.R., and Phillips, D., 1992, Case histories of shallow time domain electromagnetics in environmental site assessment: Ground Water Monitoring Review, V. 12, n. 4, p. 110-117.
- Holloway, H.D., 1964, Investigation of alleged ground-water contamination near Kilgore, Gregg County, Texas: Texas Water Commission Report LD-0664, 14 p.
- Hopkins, H.T., 1963, The effect of oil-field brines on the potable ground water in the Upper Big Pitman Creek Basin, Kentucky: Kentucky Geological Survey, Series 10, Report of Investigations No. 4, 36 p.
- Hopkins, Janie, 1993, Water quality evaluation of the Ogallala aquifer: Texas Water Development Board Report No. 342, 41 p.
- Hopkins, Janie, 1995, Water quality in the Edwards-Trinity (Plateau) aquifer, Edwards Plateau and Trans-Pecos, Texas: Texas Water Development Board Report Hydrologic Atlas No. 3, 21 p.
NOTE: This report describes the regional water quality in the subject area and discusses possible sources for areas of elevated TDS and chloride including oilfield brine and natural sources.
- Hoskins, H.A., 1947, Analyses of West Virginia brines: West Virginia Geological and Economic Survey Report of Investigations No. 1, 22 p.
- Hostettler, Frances, Godsy, E.M., and Kharaka, Y.K., 2003, The fate of petroleum releases from the Osage-Skiatook Petroleum Environmental Research (OSPER) sites, Osage County, Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Hovorka, S.D., Paine, J.G., and Dutton, A.R., 1999, Permeability structure of a north Texas Permian fluvial and Quaternary terrace system delimited by saline plumes [abs.]: American Association of Petroleum Geologists Bulletin, v. 83, p. A63.
- Howells, L., Longson, M.S., and Hunt, G.L., 1987, Base of moderately saline ground water in the Uinta Basin, Utah, with an introductory section describing the methods used in determining its position: U. S. Geological Survey Open-File Report 87-397, 59 p.

Hudak, P., 2003, Arsenic, nitrate, chloride and bromide contamination in the Gulf Coast aquifer, south-central Texas, USA: International Journal of Environmental Studies, v. 60, n. 2, p. 123-133.

Hudak P.F., 2003, Chloride/bromide ratios in leachate derived from farm-animal waste: Environmental Pollution, v.121, n. 1, p. 23-25.

NOTE: In a study of animal waste leachate for different animals at a farm in Abilene, Texas, the author notes that the chloride/bromide ratios observed differ from domestic wastewater but are in the range observed in oilfield produced waters.

Hudak P.F., and Blanchard S., 1997, Land use and groundwater quality in the Trinity group outcrop of north-central Texas, USA: Environment International, v. 23, no. 4, p. 507-517.

Hudak, P.F., and Wachal D.J., 2001, Effects of brine injection wells, dry holes, and plugged oil/gas well chloride, bromide, and barium concentrations in the Gulf Coast Aquifer, southeast Texas, USA: Environment International, v. 26, n. 7, p. 497-503.

NOTE: A GIS analysis of 1,122 brine injection wells, 24,515 dry holes, and 20,877 plugged oil/gas wells and 256 nearby water wells shows that shallow water wells and water wells near plugged and abandoned oil/gas wells had significantly higher chloride and bromide concentrations.

Hudak P.F., and Wachal D.J., 2001, Oil production, agriculture, and groundwater quality in the southeastern Gulf Coast aquifer, Texas: Environmental Monitoring and Assessment, v. 72, n. 3, p. 249-264.

Hudson, J.D., Water-quality data from oil and gas wells in part of the Permian Basin, southeastern New Mexico and western Texas: U.S. Geological Survey Open-File Report 75-579, 283 p.

Huff, G.F., 1994, Geohydrologic controls on the distribution and origin of brackish water in the Mississippi River alluvial aquifer of eastern Morehouse Parish, Louisiana, and southern Chicot County, Arkansas [abs.]: American Association of Petroleum Geologists Bulletin, v. 78, n. 9, p. 1461.

Huff, G.F., 2004, Review of knowledge on the occurrence, chemical composition, and potential use for desalination of saline ground water in Arizona, New Mexico, and Texas with a discussion of potential future study needs: U.S. Geological

Survey Open-File Report 2004-1197, 13 p. Available only online at <http://water.usgs.gov/pubs/of/2004/1197/ofr2004-1197.pdf>

NOTE: This brief report summarizes a great deal of information on saline ground water in the three states that may be useful in assessing sources of salinity in oilfield areas.

Huff, G.F., and Bonck, J.P., 1993, Saltwater in shallow aquifers in east-central and northeastern Louisiana and southeastern Arkansas: U.S. Geological Survey Open File Report 93-494, 54 p.

Huff, G.F., and Hanor, J.S., 1997, Sr isotopic composition of oil-field brines in the Wilcox Group of eastern central Louisiana; identification of sources of saline contamination [abs.]: American Association of Petroleum Geologists Bulletin, v. 81, n. 9, p.1578.

Hughes, L.S., and Leifeste, D.K., 1964, Reconnaissance of the chemical quality of surface water in of the Sabine River Basin, Texas and Louisiana: Texas Water Commission Bulletin No. 6405, 64 p.

Hughes, L.S., and Leifeste, D.K., 1967, Reconnaissance of the chemical quality of surface water in of the Nueches River Basin, Texas: U.S. Geological Survey Water Supply Paper 1839-A, 63 p.

Interstate Oil Compact Commission, 1960, Production and disposal of oilfield brines in the United States and Canada: a study conducted during 1956 and 1957: Oklahoma City, Interstate Oil Compact Commission, 95 p.

Irwin, J.H., and Morton, R.B., 1969, Hydrogeologic information on the Glorieta sandstone and the Ogallala Formation in the Oklahoma panhandle and adjoining areas as related to underground waste disposal: U.S. Geological Survey Circular 630, 26 p.

Jacob, B.L., 1974, North Fork alluvial decontamination project, Hubbard Creek watershed: Washington, D.C., U.S. Environmental Protection Agency, EPA-660/2-74-019, 49 p.

Jacobs, Michael, Hopson, Kevin, Potter, Al, and Blandford, T.N., 2004, Case study of integrated approach to the cleanup of Ogallala groundwater impacted by oilfield brine, Haskell County, Kansas [abs.]: American Association of Petroleum Geologists Bulletin, v. 13, p. 70.

Jagucki, M.L., and Darner, R.A., 2001, Ground-water quality in Geauga County, Ohio--review of previous studies, status in 1999, and comparison of 1986 and 1999 data: U.S. Geological Survey Water-Resources Investigations Report 01-4160, 66 p. Available at <http://oh.water.usgs.gov/reports/wrir/wrir01-4160.pdf>

NOTE: Authors used Cl/Br ratios and other data to discriminate possible sources of saline ground water. Data indicated that a few wells were affected by oilfield brines.

Johnson, Barb, Hopkins, Bob, and McCall, Wesley, 1999, Direct push electrical logging for rapid site assessment and definition of brine plumes, in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium, p. 1222-1240. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Johnson, D.S., Use and abandonment of surface impoundments for the disposal of oilfield produced waters [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, n. 5, p. 686.

Johnson, K.S., 1986, Dissolution of salt on the east flank of the Permian Basin in the southwestern U.S.A.: Journal of Hydrology, v. 54, p. 75-93.

NOTE: Chemical differences occur between brines formed by dissolution of Permian salt and those derived from oilfield operations.

Jones, J.F., 1986, Soil salinity resulting from secondary oil recovery in Anderson County, Kansas; effects and reclamation efforts: Lawrence, Kansas, University of Kansas, Master's thesis, 104 p.

Jones, J.L., Veenstra, J.N., Sherif, N.Y., Painter, S.J., Harris, T.M., and Perumallapalli, Dorathy, 2000, Remediation of oilfield brine scars with subsurface drainage and a solar evaporation pond, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

Jones, O. S., 1938, Chloride survey in the north portion of Wichita, Kansas: Topeka, Kansas, Kansas State Board of Health, 7 p.

- Jones, O.S., 1938, Soil and water resources of the Kansas oil area, *in* Schmidt, L. and Wilhelm, C.J., eds., Disposal of petroleum wastes on oil-producing properties: U.S. Bureau of Mines, Report of Investigations, no. 3394, p. 35-43.
- Jones, O.S., 1942, The state's responsibility in oil and brine pollution originating in oil fields: Topeka, Kansas, Kansas State Board of Health, 20 p.
- Jones, O.S., 1945, Disposition of oil field brines: Lawrence, University of Kansas Press, 192 p.
NOTE: Author gives a broad overview of oilfield brine disposal issues and includes some brine geochemical data and data on effects on fish and cattle.
- Jones, O.S., 1950, Fresh water protection from pollution arising in the oil fields: Lawrence, University of Kansas Press, 129 p.
- Jones, O.S., 1950, Stream analyses locate oil field pollution sources: *World Oil*, v. 130, n. 2, p. 148-150.
NOTE: Author describes a simple field analytical technique for measuring chloride and conducting a geographic and shallow borehole survey to determine sources of oilfield brines.
- Jones, S.B., and Waite, B.A., 1989, Management of oil and gas production brines in the Allegheny Basin: *Northeastern Environmental Science*, v. 7, n. 2, p 99-104.
- Jordan, D.G., 1962, Ground water contamination in Indiana: *Journal of the American Water Works Association*, v. 54, n. 10, p. 1213-1220.
- Jorgensen, D.G., 1968, An aquifer test used to investigate a quality of water anomaly: *Ground Water*, v. 6, n. 6, p. 18-20.
- Kalka, M.S., 1991, Investigation of fate of heavy metals of oil field brines used as an anti-dust agent on roads in northeastern Ohio: Kent, Ohio, Kent State University, Master's thesis, 140 p.
- Kalka, M.S., Eckstein, Yoram, and Dahl, P.S., 1989, Investigation of fate of heavy metals of oil field brines used as an anti-dust agent on roads in northeastern Ohio [abs.]: *Geological Society of America, Abstracts with Programs*, p. A243.
- Kalkhoff, S. J., 1986, Brine contamination of freshwater aquifers and streams in petroleum producing areas in Mississippi:

U.S. Geological Survey Water-Resources Investigations Report 85-4117, 108 p.

Kalkhoff, S. J., 1986, Brine contamination of shallow ground water and streams in the Brookhaven Oil Field, Lincoln County, Mississippi: U.S. Geological Survey Water-Resources Investigations Report 86-4087, 57 p.

Kalkhoff, S.J., 1993, Brine contamination of shallow ground water and streams in the Baxterville Oil Field Area, Lamar and Marion Counties, Mississippi: U.S. Geological Survey Water-Resources Investigations Report 93-4147, 37 p.

Kampbell, D.H, An, Y.-J., Kirby, W.J., and Abbott, M.M., 2002, Impact of oil production releases on some soil chemical properties at the O.S.P.E.R. field site, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 7 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Kampbell, D.H, Jewell, K.P., Niell, R.E., Smith, M. W., and Abbott, M.M., 2003, Nearby lake sediment quality and seedling tree survival on eroded oily waste/brine contaminated soil, in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 5 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Keiffer C.H., and Ungar I.A., 2001, The effect of competition and edaphic conditions on the establishment of halophytes on brine effected soils: Wetlands Ecology and Management, v. 9, n. 6, p. 469-481.

Keiffer C.H, and Ungar I.A., 2002, Germination and establishment of halophytes on brine-affected soils: Journal of Applied Ecology, v. 39, n. 3, p. 402-415.
NOTE: The authors evaluated the capabilities of several halophyte species to reduce salt levels in oilfield-brine-affected soils in southeastern Ohio.

Keeland, B.D., McCoy, J.W., and Otton, J.K., 2003, Effects of produced water and hydrocarbon releases on vegetation at site A of the Osage-Skiatook petroleum environmental

- research project, Osage County, Oklahoma, in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 14 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Keeley, J.W., 1966, Problems of groundwater pollution by brine: Public Works, v. 97, n. 3, p. 149-162.
- Keeton, Dee, Limnological effects of introducing oil field brine into farm ponds to reduce the turbidity: Oklahoma Fishery Research Laboratory Report No. 72, 47 p.
- Keller, S. J., 1983, Analyses of subsurface brines of Indiana: Indiana Department of Natural Resources, Geological Survey Occasional Paper 41, 30 p.
- Kelley, Priscilla, and Hazlewood, Larry, 2002, Successful brine remediation—the power of people and partnerships, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 13 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
NOTE: This presentation documents the activities of the Southwest Indiana Brine Coalition with several site soil remediation examples.
- Kellogg, G.T., 1958, Summary report on Smackover Creek drainage basin: Little Rock, Arkansas, Arkansas Water Pollution Commission
NOTE: This report documents results of a 5-day sampling study of Smackover Creek in southwestern Arkansas during which the creek was found to be grossly polluted mostly from oilfield brine releases from stripper well operations.
- Kent, R.T., and Bentley, M.E., 1985, Risk assessment of deep well injection systems, in Hazardous wastes in ground water: a soluble dilemma: Dublin, Ohio, National Water Well Association, p. 233-242.
- Kentucky Department of Environmental Protection, 1999, Total maximum daily load development- chlorides for South Fork Red River, Sand Lick Fork, and Stump Cave Branch (Powell County, Kentucky): Kentucky Division of Water Report, 15 p.
Available online at

<http://www.water.ky.gov/NR/rdonlyres/E3D5F5E7-8A0B-4962-A6EA-F9F955F7BE07/0/sfkredTMDL.pdf>

NOTE: This report documents the chloride load for selected stream segments derived from stripper wells in eastern Kentucky. A similar report for another area can be found at <http://www.water.ky.gov/NR/rdonlyres/C1E26A07-86E0-469C-B800-1BFE83B962E8/0/newcombeTMDL.pdf>

Kharaka, Y.K., Ambats, G., and Abbott, M.M., 2004, Impacts of petroleum production on ground and surface waters: Results from the OSPER "B" Site, Osage County, Oklahoma [abs.], in Sublette, K.L., ed., Proceedings of the 11th International Petroleum Environmental Conference, Albuquerque, N.M.: October 12-15, Integrated Petroleum Environmental Consortium (IPEC) and the University of Tulsa. 1 p. Available at <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Kharaka, Y.K., Hostettler, F.D., and Otton, J.K., 2004, Fate and interactions of organic compounds in produced-water releases: Results from the OSPER "A" site, Osage County, OK, [abs.]: Geological Society of America Annual Meeting, Denver, CO., November 7-10, 2004.

Kharaka, Y.K., and Otton, J.K., eds., 2003, Environmental impacts of petroleum production: Initial results from the Osage-Skiatook Petroleum Environmental Research sites, Osage County, Oklahoma: U.S. Geological Survey Water-Resources Investigations Report 03-4260, 156 p. (see individual papers listed separately). Available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Kharaka, Y.K., Otton, J.K., and Abbott, M.M., 2004, Environmental impacts of petroleum production: Results from the OSPER B site, Osage County, OK, USA, in Wanty, R.B., and Seal, R.R., II, eds., Water Rock Interaction, v. 2, Proceedings of the Eleventh International Symposium on Water, Saratoga Springs, New York, July 2004: New York, A.A. Balkema, p. 1601-1605.

Kharaka, Y.K., Thordsen, J.J., and Ambats, Gil, 1995, Environmental degradation associated with exploration for and production of energy sources in U.S.A. in Kharaka, Y.K., and Chudaev, O.V., eds., Water-rock interaction (WRI-8): Rotterdam, A.A. Balkema, p. 25-30.

Kharaka, Y.K., Thordsen, J.J., Kakouros, Evangelos, and Abbott, M.M., 2002, Environmental impacts of petroleum production: 1 and 2: Fate of inorganic and organic chemicals in produced water from the Osage-Skiatook Petroleum Environmental Research sites, Osage County, Oklahoma, in Sublette, Kerry,

- ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 30 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Kharaka, Y.K., Thordsen, J.J., Kakouros, Evangelos, and Herkelrath, W.N., 2005, Impacts of petroleum production on ground and surface waters: results from the Osage-Skiatook Petroleum Environmental Research Project A site, Osage County, Oklahoma: Environmental Geoscience, v. 12, n. 2, p. 127-138.
- Kharaka, Y. K., and Wanty, R. B., 1995, Water quality degradation associated with natural energy sources, in V.E. McKelvey Forum: U. S. Geological Survey Circular 1108, p. 25-27.
- Kharaka, Y.K., Zielinski, R.A. and Smith, B.D., 2003, The chemical composition and distribution of ground water impacted by petroleum production operations: the OSPER A site, Osage County, OK [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Kimball, B.A., 1992, Geochemical indicators used to determine source of saline water in Mesozoic aquifers, Montezuma Canyon area, Utah, in Subitzky, Seymour, ed., Selected papers in the hydrologic sciences, 1988-92: U.S. Geological Survey Water Supply Paper 2340, p. 89-106.
- King, L.J., and Olsen H.W., 1998, Hydraulic conductivity reductions due to interaction between sodium-rich brines and alluvial sediments, in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 20 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Kirwan, Laura, 1987, Inventory and assessment of salt water produced in conjunction with oil and gas for the Little Kanawha River basin of West Virginia: Morgantown, WV, West Virginia University, Master's thesis, 190 p.

- Klemt, W.B., Perkins, R.D., and Alvarez, H.J., 1975, Ground-water resources of part of central Texas with emphasis on the Antlers and Travis Peak Formations: Texas Water Development Board Report 195, v. 1, 63 p.
- Klemt, W.B., Perkins, R.D., and Alvarez, H.J., 1976, Records of wells, chemical analyses of ground water, chemical analyses of oil-field brines, and well location maps, v. 2 of Ground-water resources of part of central Texas with emphasis on the Antlers and Travis Peak Formations: Texas Water Development Board Report 195, 529 p.
- Knecht, A.T., 1988, Final report on the impact of produced water discharges from oil and gas operations on the estuarine environment in Louisiana: a literature review: New Orleans, Louisiana, University of New Orleans, Report produced for the Louisiana Department of Environmental Quality, 84 p.
- Knowles, D.B., 1965, Hydrologic aspects of the disposal of oil-field brines in Alabama: Ground Water, v.3, no.2, p. 22-27. NOTE: Author documents ground water pollution, tree kill, pit infiltration rates, and brine front movement related to a disposal pit in the Pollard oil field.
- Knox, R.C., and Canter, L.W., 1980, Effects of oil and gas field activities on ground water quality: Norman, University of Oklahoma, National Center for Ground Water Research Report No. NCGWR 80-30, 109 p.
- Knuth, M.C., 1987, Determination of the source of salt contamination in a private well in Hudson, Ohio: Akron, Ohio, University of Akron Master's thesis, 63 p.
- Knuth, M., 1988, Complimentary use of EM-31 and dipole-dipole resistivity to locate the source of oil brine contamination; a case study, *in* Proceedings of the second national outdoor action conference on aquifer restoration, ground water monitoring and geophysical methods, Volume II: National Water Well Association, Dublin, Ohio, p. 583-595. NOTE: Author describes results of geophysical surveys of shallow ground water contamination in Ohio related to a buried brine pit.
- Knuth, Martin, Jackson, J.L., and Whittemore, D.O., 1990, An integrated approach to identifying the salinity source contaminating a ground-water supply: Groundwater, v. 28, n. 2, p. 207-214. NOTE: Authors describe geophysical and geochemical techniques used to evaluate source of ground water contamination in Ohio.

- Koehler, Janet, 1988, Electrical resistivity as an approach to evaluating brine contamination of groundwater in the Walker oilfield, Ottawa County, Michigan: Kalamazoo, Michigan, Western Michigan University, Master's thesis, 145 p.
- Kraemer, T.F., 1987, Radium content of central Mississippi salt basin brines: U.S. Geological Survey Open-File Report 87-694, 6 p.
- Kraemer, T.F., and Reid, D.F., 1984, The occurrence and behavior of radium in saline formation water in the U.S. Gulf Coast region: *Isotope Geoscience*, v. 2, n. 2, p. 153-174.
- Kreher, David, and McConnell, Jason, 1998, Brine impact scar-analysis of a complex site in the Tallgrass Prairie Preserve, in Sublette, K.L, ed., *Proceedings of the 5th International Petroleum Environmental Conference*, October 20-23, 1998, Albuquerque, N.M., 39 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Kreitler, C.W., Akhter, M.S., Donnelly, A.C.A., and Wood, W.T., 1988, Hydrogeology of formations used for deep-well injection, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the U.S. Environmental Protection Agency under Cooperative Agreement CR812786-01-0, 204 p.
- Kress, T.M., and Hays, P.D., 2000, Investigation of sources of saltwater intrusion in the alluvial aquifer in parts of Chicot County, Arkansas [abs.]: *Geological Society of America Abstracts with Programs*, v.32, n.3, p. 16.
- Krieger, R.A., 1961, Ground water contamination in the Greensburg oil field, Kentucky, in U.S. Public Health Service, 1961 Symposium on ground water contamination: Robert A. Taft Sanitary Engineering Center Technical Report, pp.91-97.
- Krieger, R.A., Hatchett, J.L., and Poole, J.L., 1957, Preliminary survey of the saline water resources of the United States: U.S. Geological Survey Water Supply Paper 1374, 172 p.
- Krieger, R.A., and Hendrickson, G.E., 1960, Effects of Greensburg oilfield brines on the streams, wells, and springs of the upper Green River basin, Kentucky: Kentucky Geological Survey, Series 10, Report of Investigations No. 2, 36 p.
- Kunze, H.L., 1971, Reconnaissance of the chemical quality of surface waters of the Nueces River Basin, Texas: Texas Water Development Board Report 134, 34 p.

- Kunze, H.L., and Lee, J.N., 1968, Reconnaissance of the chemical quality of surface waters of the Canadian River basin, Texas: Texas Water Development Board Report No. 86, 27 p.
- Lahti, R.M., and Hoekstra, Pieter, 1991, Geophysical surveys for mapping migration of brines from evaporation pits and ponds, in Environmental and Engineering Geophysical Society, Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 1991, p. 65-79.
- Lamming, F.N., Boelter, A.M., and Bergman, H.L., 1990, Assessment of potential environmental impacts of saline oil-field discharges into Salt Creek and the Powder River, Wyoming: year 1 progress report: Wyoming Water Research Center Technical Report WWRC-90-05, 43 p.
- Land Reclamation Research Center and North Dakota Mining and Mineral Resources Research Institute, 1985, Conference on identifying and remedying effects of oilfield brine and drilling fluids on soils and groundwater, April 10, 1985, Dickinson, North Dakota: Mandan, North Dakota, North Dakota State University, Land Reclamation Research Center, 32 p.
- Landa, E.R., and Reid, D.F., Sorption of radium-226 from oil-production brine by sediments and soils: Environmental Geology, v. 5, n. 1, p. 1-8.
- Lang, K.J., and Doll, E.C., 1983, Salt distribution around a buried brine disposal pit: Mandan, North Dakota, North Dakota Land Reclamation Research Center, North Dakota State University, Technical Report No. 1, 10 p.
- Langhus, Bruce, Korphage, M.L., and Denoyelles, Frank, 1999, Halophyte remediation of brine impacted oil and gas sites in Kansas [abs.]: American Association of Petroleum Geologists Bulletin, v. 83, n. 7, p. 1201.
- Lantz, S.E., 1989, Biological remediation of organic and trace metal constituents in hypersaline oil field production waters: Baton Rouge, Louisiana, Louisiana State University Master's thesis, 131 p.
- Lassere, S.L., 2000, Natural remediation of disposed oil-field brines with elevated radium concentrations: New Orleans, Louisiana, University of New Orleans Master's thesis, 163 p.
- Lassere, S.L., Totten, M.W., Hanan, M.A., and Reed, D., 2000, Natural remediation of disposed oil-field brines with

- elevated radium concentrations [abs.]: American Association of Petroleum Geologists Bulletin, v. 84, n. 13.
- Latta, B.F., 1963, Fresh water pollution hazards related to the petroleum industry in Kansas: Kansas Academy of Science, Transactions, v. 66, n. 1, p. 25-33.
- Latta, B.F., 1973, Subsurface disposal of waste in Kansas, in Braunstein, Jules, ed., Underground waste management and artificial recharge, Proceedings of a symposium held at New Orleans, September, 1973, Volume 1, p. 622-633.
- Laudon, R.C., Warner, D.L., Koederitz, L.F., and Dunn-Norman, Shari, 2001, Determination of flow potential from oil reservoirs to aquifers through abandoned wells; implications for area-of-review variances for class II injection wells, in Johnson, K.S. and Merriam, D.F., eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium, Oklahoma City, OK, United States, March 28-29, 2000: Oklahoma Geological Survey Circular 106, p.175-185.
- Lee, J.N., 1986, Shallow ground-water conditions, Tom Green County, Texas: U. S. Geological Survey Water Resources Investigations Report 86-4177, 88 p.
- Leeden, F.V., Cerrillo, L.A., and Miller, D.W., 1975, Groundwater pollution problems in the northwestern United States: Washington, D.C., U.S. Environmental Protection Agency EPA-660/3-75-018, 361 p.
- Lehr, J.H., 1969, A study of groundwater contamination due to saline water disposal in the Morrow County oil fields: Columbus Ohio, The Ohio State University, Water Resources Research Center, Research Project Report A-004-OHIO, 81 p.
- Leifeste, D.K., and Hughes, L.S., 1967, Reconnaissance of the chemistry of surface water of the Trinity River Basin, Texas: Texas Water Development Board Report No. 67, 65 p. NOTE: The authors conclude that specific tributaries of the Trinity River have been affected by oilfield brine and that transient increases in chloride levels in the main river have occurred.
- Leifeste, D.K., and Lansford, M.W., 1968, Reconnaissance of the chemical quality of surface waters of the Colorado River Basin, Texas: Texas Water Development Board Report 71, 78 p.
- Leist, D.W., 1986, Evaluation of water-quality data from Hydrologic Accounting Unit 051100, Green River Basin,

- Kentucky: U.S. Geological Survey Water Resources Investigations Report 85-4208, 49 p.
- Leonard, A.R., and Berry, D.W., 1961, Geology and ground-water resources of southern Ellis County and parts of Trego and Rush Counties: Kansas Geological Survey Bulletin 149, 156 p.
- Leonard, A.R., and Ward, P.E., 1962, Use of Na/Cl ratios to distinguish oil-field from salt-spring brines in western Oklahoma: U.S. Geological Survey Professional Paper 450-B, p. B126-B127.
- Leonard, R.B., 1964, Results of four chemical-quality surveys of the Walnut River basin, Kansas (December 1961 to October 1963): Kansas Environmental Health Services Bulletin, 38 pp.
- Leonard, R.B., 1964, A method for evaluating oil-field-brine pollution of the Walnut River in Kansas, in Geological Survey Research 1964: U.S. Geological Survey Professional Paper 501-B, p. B173-B176.
- Leonard, R.B., 1972, Chemical quality of water in the Walnut River basin, south-central Kansas: U.S. Geological Survey Water-Supply Paper 1982, 113 p.
- Leonard, R.B., and Kleinschmidt, M.K., 1976, Saline water of the Little Arkansas River basin area, south-central Kansas: The University of Kansas at Lawrence, Kansas Geological Survey Chemical Quality Series No. 3, 24 p.
- Levings, G.W., 1984, Reconnaissance evaluation of contamination in the alluvial aquifer in the East Poplar oil field, Roosevelt County, Montana: U.S. Geological Survey Water-Resources Investigations Report 84-4174, 29 p.
- Lewis, Tom, 1958, Stream pollution, in McGrain, Preston and Crawford, T.J., eds., Proceedings of the Technical Session, Kentucky Oil and Gas Association 22nd Annual Meeting, June 5-6, 1958: Kentucky Oil and Gas Association, p. 25-27.
- Liang, J., Karamanos, R.E., and Moir, M.E., 1995, The influence of brine contamination and phospho-gypsum amendments on soil chemical properties and plant response: Communications in Soil Science and Plant Analysis, v. 26, n. 7-8, p. 1033-1057.
- Linder-Lunsford, J.B., Parrett, C., Wilson, J.F., and Eddy-Miller, C.A., 1992, Chemical quality of surface water and mathematical simulation of the surface-water system, Powder River drainage basin, northeastern Wyoming and southeastern

Montana: U.S. Geological Survey Water-Resources
Investigations Report 91-4199, 85 p.

Litke, D. Historical water-quality data for the High Plains
Regional Ground-Water Study Area in Colorado, Kansas,
Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and
Wyoming, 1930-98: U.S. Geological Survey Water-Resources
Investigations Report 00-4254, 65 p. Available at:
<http://pubs.usgs.gov/wri/wri00-4254/pdf/wrir00-4254.pdf>

NOTE: This study provides a comprehensive overview of
historic water quality data in this major aquifer for
evaluation of possible contamination from production
operations. A CD is provided with the digital,
georeferenced data.

Logan, R.W., Beck, G.V., Call, S.M., Houpp, R.E., Metzmeier,
Lythia, Mills, M.R., Roth, C.A., Schneider, C.C., Walker,
D.K., and Westerman, Albert, 1989, Millers Creek drainage
biological and water quality investigation for stream use
designation: Kentucky Dept. for Environmental Protection,
Division of Water, Ecological Support Section Technical
Report No. 25, 93p.

Louis R. Reeder, and Associates, 1978, Impact of oil & gas
production on salinity in major fresh water aquifers
(Arkansas, Louisiana, New Mexico, Oklahoma): Oklahoma City,
Interstate Oil Compact Commission, 481 p.

NOTE: This is one of two studies funded by the Interstate
Oil Compact Commission. See Underground Resource
Management, 1978, for report on Texas aquifer impacts. See
Anonymous, 1978, for discussion of results.

Louisiana Department of Environmental Quality (LDEQ), 1990,
Guidelines for conducting NORM confirmatory surveys of
suspected contamination of land and equipment, and disposal
of NORM waste: Baton Rouge, LA, LDEQ Nuclear Energy
Division, 11 p.

Ludwig, A.H., 1972, Water resources of Hempstead, Lafayette,
Little River, Miller, and Nevada Counties, Arkansas: U.S.
Geological Survey Water Supply Paper 1998, 41 p.

Lyverse, M.A., 1989, Surface geophysical techniques and test
drilling used to assess ground-water contamination by
chlorides in an alluvial aquifer, in Proceedings of the
Third National Outdoor Action Conference on Aquifer
Restoration, Ground Water Monitoring and Geophysical
Methods: Dublin, Ohio, National Water Well Association, p.
993-1006.

- Lyverse, M.A., and Unthank, M.D., 1988, Assessment of groundwater contamination in the alluvial aquifer near West Point, Kentucky: USGS Water-Resources Investigations Report 88-4166, 25 p.
- Mackin, J.G., 1971, A study of the effect of oilfield brine effluents on biotic communities in Texas estuaries: Texas A&M Research Foundation, Project 735, 72 p.
- Mackin, J.G., 1973, A review of significant papers on effects of oil spills and oil field brine discharges on marine biotic communities: Texas A&M Research Foundation, Project 737, 104 p.
- Martinek, Brian, Wrightman, Ed, and Gates, Michael, 1998, The role of electromagnetic conductivity measurements in the discrimination of oilfield brine contamination: implications for limiting liability in property transactions, in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 15 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Mashburn, S.L., Cope, C.C., Puckett, J.O., and Abbott, M.M., 2002, Evaluation of ground water in the Arkansas River alluvial and terrace aquifers, Osage Reservation, Oklahoma 2002: Geological Society of America Abstracts with Programs, v. 34, n. 6, p. 498.
- Mast, R.F., Root, D.H., Williams, L.P., Beeman, W.R., and Barnett, D.L., 1998, Areas of historical oil and gas exploration and production in the conterminous United States: U.S. Geological Survey Geological Investigation Series I-2582, 1 sheet.
- Mast, V.A., 1985, Use of ionic mixing curves in differentiating oil field brine from natural brine in a fresh water aquifer: Ground Water Monitoring Review, v. 5, n. 3, p 65-69.
- Mathis, B.J., 1965, Community structure of benthic macroinvertebrates in an intermittent stream receiving oil field brines: Stillwater, Oklahoma State University, Ph. D. dissertation, 52 p.
- Mathis, B.J., and Dorris, T.C., 1968, Community structure of benthic macro-invertebrates in an intermittent stream receiving oil field brines: American Midland Naturalist, v. 80, p. 429-439.

- McAdoo, G.D., Leggett, E.R., and Long, A.T., 1964, Geology and ground-water resources of Carson County and part of Gray County, Texas; progress report no. 2: Texas Water Commission Bulletin 6402, 27 p.
- McClure, J.W., Jr., 1973, Base metal content of oilfield brines in eastern Kansas [abs.]: Geological Society of America Abstract with Programs, v. 5, n. 4, p. 336.
- McCormick, M.J., 1999, An investigation of oil-field produced water migration in ground water using numerical modeling and parameter estimation at Weld County waste disposal, Fort Lupton, Colorado: Golden, Colorado, Colorado School of Mines, Master's thesis, 147 p.
NOTE: This thesis documents a ground-water plume associated with a commercial oilfield salt-water disposal site.
- McFarland, M.L., Ueckert, D.N., and Hartmann, S., 1987, Revegetation of oil well reserve pits in west Texas: Journal of Range Management, v. 40, p.122.
- McGrain, Preston, and Thomas, G.R., 1951, Preliminary report on the natural brines of eastern Kentucky: Kentucky Geological Survey, Series IX, Report of Investigations No. 3, 22 p.
- McLin, S.G., 1986, Evaluation of aquifer contamination from salt water disposal wells: Proceedings of the Oklahoma Academy of Science, v. 66, p. 53-61. Available online at http://digital.library.okstate.edu/OAS/oas_pdf/v66/p53_61.pdf (checked Aug 2005)
NOTE: This paper uses geochemical techniques to document ground water contamination from an oilfield salt water disposal well in Oklahoma.
- McMillion, L.G., 1965, Hydrologic aspects of disposal of oil-field brines in Texas: Ground Water, v. 3, n. 4, p. 36-42.
NOTE: Author presents an overview of observed pollution problems in Texas summarizing oilfield brine volumes and disposal methods. About 30 % of oilfield brines are disposed of in surface pits and waterways. Shows map of ground water contamination in Gaines County.
- McMillion, L.G., Sr., and Maxwell, B.W., 1970, Determination of the polluttional potential of the Ogallala aquifer by salt water injection: Washington, D.C., Federal Water Quality Administration, Water Pollution Control Research Report, 80 p.
- McMillion, L.G., Sr., and Maxwell, B.W., 1970, Determination of polluttional potential of the Ogallala aquifer by salt

water injection: Washington, D.C., U.S. Environmental Protection Agency Report No.: EPA-FWQA-16060-6/70, 90 p. Available from the National Technical Information Service as PB-202-227.

McNellis, J.M., Morgan, C.O., and Lowell, B.H., 1969, Computer-produced tables, maps, and diagrams as tools in the interpretation of brine data from southeastern Kansas (U.S.A.): Chemical Geology, v. 4, p. 303-324.

Meeks, Matt, 1998, Groundwater contamination in the State of Kansas; its extent, nature, and socio-economic impacts: Kansas Geological Survey Open-file Report No. 98-68, 88 p.

Meents, W.F., 1952, Illinois oil-field brines; their geologic occurrence and chemical composition: Illinois State Geological Survey Petroleum 66, 38 p.

Mehta, Sunil, Fryar, A.E., and Banner, J.L., 2000, Controls on the regional-scale salinization of the Ogallala Aquifer, Southern High Plains, Texas, USA: Applied Geochemistry, v.15, n.6, pp.849-864.

NOTE: This paper describes the geochemistry of a large saline groundwater plume in the Ogallala aquifer of Carson, Gray, and Roberts Counties, Texas that is partly coincident with the Texas Panhandle Oilfield and concludes that an underlying saline Permian unit is the source of the salt. See also the next paper.

Mehta, Sunil, Fryar, A.E., Brady, A.M, and Morin, R.H., 2000, Modeling regional salinization of the Ogallala Aquifer, Southern High Plains, TX, USA: Journal of Hydrology, vol.238, no.1-2, pp.44-64.

Meier, V., 1978, Oil well operation and salt-water intrusion: Industrial Wastes, v. 24, n. 2, p.42-45.

Meinhold, A.F., and Hamilton, L.D., 1990, Radium concentration factors and their use in health and environmental risk assessment in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 293-302.

NOTE: Authors describe radium concentration factors in previous studies of freshwater and marine organisms and their own studies of organisms in brackish-water canals in coastal Louisiana oilfield areas.

- Meisel, K.E., 1985, The use of electrical resistivity to delineate a brine contamination plume in the Walker oil field, Kent County, Michigan: Kalamazoo, Western Michigan University, Master's thesis, 167 p.
- Merrill, S.D., Lang, K.L., and Doll, E.C., 1990, Contamination of soil with oilfield brine and reclamation with calcium chloride: Soil Science, v. 150, n. 1, p. 469-475.
- Mettee, M.F., Harris, S.C., and O'Neil, P.E., 1986, Biological diversity and water quality of streams draining the Gilbertown oil field area, Choctaw County, Alabama: Alabama Geological Survey Circular 120, 32 p.
NOTE: Authors studied a 312-square-mile drainage basin and noted transient increases in conductance 2-5 times background associated with brine releases. They also noted elevated conductivity during low-flow periods on one stream. No effects of fish and invertebrates were documented. They report 1984 production data for oil, gas, and brine for the field.
- Mettee, M.F., O'Neil, P.E., and Harris, S.C., Biological diversity and water quality of streams draining the Blowhorn oil field area, Lamar County, Alabama: Alabama Geological Survey Circular 128, 25 p.
NOTE: Authors note transient increases in conductivity lasting a few months in streams in the oilfield area after rainfall events, but no apparent effects on biota.
- Metzler, D.F., 1957, Pollution problems in Kansas: Kansas Law Review, v. 5, p. 611-625.
- Meyer, Michael, 1986, A summary of ground-water pollution problems in South Dakota: South Dakota Department of Water and Natural Resources, Office of Water Quality, 18 p.
- Michigan Department of Natural Resources, 1982, Assessment of ground-water contamination-inventory of sites: Lansing, Michigan, Groundwater quality, Groundwater management Strategy for Michigan, 242 p.
- Michigan Department of Natural Resources and Michigan Department of Health, 1991, Naturally occurring radioactive materials (NORM) at Michigan oil and gas field sites, Preliminary survey results, variously paginated.
- Millemann, R.E., Haynes, R.J., Boggs, T.A., and Hildebrand, S.G., 1982, Enhanced oil recovery: environmental issues and state regulatory programs: Environment International, v. 7, p. 165-177.

Miller, D.W., ed., 1980, Waste disposal effects on ground water- A comprehensive survey of the occurrence and control of ground-water contamination resulting from waste disposal practices (From "The Report to Congress, Waste Disposal Practices and their effect on ground water", U. S. Environmental Protection Agency, 1977): Berkley, Premier Press, 512 p.

NOTE: The information developed in this report provided some of the documentation for the development of Underground Injection Control regulations by EPA.

Miller, D.W., DeLuca, F.A., and Tessier, T.L., 1974, Ground-water contamination in the northeast states: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/660/2-74-056, 300 p.

Miller, H.T., and Bruce, E.D., 1990, Pathway exposure analysis and the identification of waste disposal options for petroleum production wastes containing naturally occurring radioactive materials in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 731-744.

Miller, H.T., Bruce, E.D., and Cook, L.M., 1991, The management of occupational and environmental exposure of naturally occurring radioactive materials (NORM): Proceedings of the Society of Petroleum Engineers, Annual Technical Conference and Exhibition, Dallas, Texas, Oct. 6-9, 1991, p. 627-636.

Miller, H.T., Bruce, E.D., and Cook, L.M., 1991, Environmental, health, and safety decision making for naturally occurring radioactive materials in producing operations using pathway exposure analysis: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety and the Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 539-547.

Miller, J.C., Hackenberry, P.S., and DeLuca, F.A., 1977, Ground-water pollution problems in the southeastern United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA-600/3-77-012, 329 p.

Moldovanyi, E.P., and Walters, L.M., 1992, Regional trends in water chemistry, Smackover Formation, southwest Arkansas:

geochemical and physical controls: American Association of Petroleum Geologists Bulletin, v. 76, n. 6, p.864-894.

NOTE: The authors sampled and characterized oil and brine production fluids from 87 wells in the Smackover Formation in several counties in southern Arkansas. These brines are noted for their high salinities and bromide content.

Moralwar, Aditya, Sublette, K.L., Ford, L.P., Duncan, Kathleen, Thoma, Greg, and Brokaw, Josh, 2004, Remediation of a spill of crude oil and brine without gypsum [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Morris, E.E., and Bush, W.V., 1986, Extent and source of saltwater intrusion into the alluvial aquifer near Brinkley, Arkansas, 1984: U.S. Geological Survey Water Resources Investigations Report 85-4322, 123 p.

Morris, E.E., 1988, Arkansas ground-water quality, in Moody, D.W., Carr, J., Chase, E.B., and Paulson, R.W., compilers, National Water Summary 1986 - Hydrologic events and groundwater quality: U.S. Geological Survey Water-Supply Paper 2325, p. 165-172.

Morton, R.B., 1986, Effects of brine on the chemical quality of water in parts of Creek, Lincoln, Okfuskee, Payne, Pottawatomie, and Seminole Counties, Oklahoma: Oklahoma Geological Survey Circular 89, 38 p.

Mosely, H.R., Jr., 1983, Summary and analysis of American Petroleum Institute onshore drilling and produced water environmental studies: American Petroleum Institute Bulletin D19, 75 p.

Motts, W.S., 1963, Geology and water resources of Okmulgee County, Oklahoma; Part 2, Water resources of Okmulgee County: Oklahoma Geological Survey Bulletin, p.81-128.

Mount, D.R., Drott, K.R., Gulley, D.D., Fillo, J.P., and O'Neil, P.E., 1990, Use of laboratory toxicity data for evaluating the environmental acceptability of produced water discharge to surface waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992,

San Diego, California: New York, Plenum Press,
Environmental science research, v. 46, p. 175-185.

NOTE: This paper and a companion paper (Gulley and others, 1990) develop a toxicity model useful for predicting toxicity of relatively low TDS produced-water releases using field site waters at locations in Alabama and Wyoming.

Mullino, M.M., and Rayle, M.F., 1992, Produced water radionuclides fate and effects *in*, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 281-292.

NOTE: The authors sampled surface water, bottom water, sediment, and crab and other faunal tissue from sites at and near a wetland produced water discharge and a nearshore platform and analyzed them for Ra-226, Ra-228 and Pb-210.

Munn, D.A., and Stewart, R., 1989, Effect of oil well brine on germination and seedling growth of several crops: Ohio Journal of Science, v. 89, n. 4, p. 92-94.

Munshi, Shoeb, Sublette, Kerry, Jennings, Eleanor, Roberts, Ken, Fisher, J.B., and Tapp, Bryan [abs], 2005, Remediation of a historic brine scar: characterization and development of a remediation protocol *in* Sublette, K.L., Program and abstracts for the 12th International Petroleum Environmental Conference, Nov. 8-11, 2005, Houston, TX: Continuing Engineering and Science Education, University of Tulsa, p. 24-25.

Murphy, E.C., and Kehew, A.E., 1984, The effect of oil and gas well drilling fluids on shallow groundwater in western North Dakota: North Dakota Geological Survey Report of Investigations No. 82, 156 p.

Murphy, E.C., Kehew, A.E., Groenewold, G.H., and Beal, W.A., 1988, Leachate generated by an oil-and-gas brine pond site in North Dakota: Ground Water, v. 26, n. 1, p. 31-38.

NOTE: Authors document ground water contamination and tree kill near two buried brine pits with drillholes and simple geochemistry. The plume penetrates to 70 feet and has moved laterally a few hundred feet.

Musser, D.T., and Smith, R.L., 1985, Case study: *in situ* solidification/fixation of oil field production fluids- a novel technique, *in* Proceedings of the 39th Industrial Waste

Conference, May 8-10, 1984, Purdue University, West Lafayette, Indiana, p.37-43.

Myers, B.N., and Dale, O.C., 1966, Ground-water resources of Bee County, Texas: Texas Water Development Board Report 17, 101 p.

NOTE: Report includes locations of 17 oilfield salt-water disposal pits with geochemical data for them and location and geochemical data for 166 water wells.

Naderi, Abdolnasser, 2000, Naturally occurring radioactive materials and chemical analysis of produced waters: Baton Rouge, Louisiana, Southern University, Master's thesis, 33 p.

Naftz D.L., Peterman Z.E., and Spangler, L.E., 1997, Using ^{87}Sr values to identify sources of salinity to a freshwater aquifer, Greater Aneth Oil Field, Utah, USA: Chemical Geology, v. 141, n. 3, p. 195-209.

NOTE: The authors drew the conclusion that the brines observed were natural and not derived from oilfield operations as previous reports had suggested.

Nativ, Ronit, 1988, Hydrogeology and hydrochemistry of the Ogallala aquifer southern High Plains, Texas Panhandle, and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations 177, 64 p.

Nativ, Ronit, and Guiterrez, G.N., 1987, Hydrogeology and hydrochemistry of Cretaceous aquifers, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology OFWTWI 1987-2, 57 p.

Nativ, Ronit, and Smith, D.A., 1987, Hydrogeology and geochemistry of the Ogallala Aquifer, Southern High Plains: Journal of Hydrology, v. 91, n. 3/4, p. 217-253.

Nelson, F., 1974, Appraisal of saline water in Oklahoma and its future development through desalting: Oklahoma City, Oklahoma Water Resources Board Report INT-OSW-RDPR-75-997, 164 p. (Available through NTIS).

Nemir, C.E., 1985, Groundwater--the changing problem in Texas, in Issues in Groundwater Management, Water Resources Symposium Twelve: Austin, Texas, Center for Research in Water Resources, The University of Texas at Austin, p. 3-9.

Nestrud, C.R., Carty, D.J., Deuel, L.E., and Yensen, N.P., 2003, Halophyte technology mitigates landowner-driven oilfield

saltwater and petroleum hydrocarbon surface impact litigation [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Newport, B.D., 1977, Salt-water intrusion in the United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA-600/8-77-011, 30 p.

Nicholson, Alexander, Jr., and Clebsch, Alfred, Jr., 1961, Geology and ground-water conditions in southern Lea County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Memoir, 123 p.

Norris, F.A., 1972, Evaluation of salt water disposal into potential ground-water resources: U.S. Environmental Protection Agency Report No. EPA 16060HIJ 02/72, 18 p.

Northeast Ohio Areawide Coordinating Agency, 1984, Brine disposal in northeast Ohio: a report on the problem and recommendations for action, final: Cleveland, Ohio, Northeast Ohio Areawide Coordinating Agency, Brine Disposal Task Force, 208 p.
NOTE: This task force surveyed 16 counties in northeast Ohio to document perceptions and problems related to brine disposal.

Novak, S.A., 1986, A methodology for identification of aquifer contamination by gas/oil brines: Kent, Ohio, Kent State University, Master's thesis, 91 p.

Novak, S.A., and Eckstein, Yoram, 1988, Hydrochemical characterization of brines and identification of brine contamination in aquifers: Ground Water, v. 27, n. 3, p.317-324.

O'Connor, H.G., 1974, Geology and ground-water resources of Montgomery County, southeastern Kansas: Kansas Geological Survey Ground Water Series No. 1, 12 p.

O'Connor, H.G., 1974, Brine contamination of Montgomery County, Kansas [abs.] in Geological Survey Research 1970, Chapter A: U.S. Geological Survey Professional Paper No. 700-A, p. A186.

- O'Connor, R.E., and Bayne, C.K., 1959, Electrical resistivity studies in brine pollution problems, in Hambleton, W.W., (ed.); Symposium on geophysics in Kansas: Kansas Geological Survey, Bulletin, No. 137, p. 209-218
- Oddo, J.E., Al-Borno, A., Ortiz, I., Anthony, R., Pope, D.H., Linz, D.G., Frank, J., and Becker, M., 1993, The chemistry, prediction, and treatment of scale containing naturally occurring radioactive materials (NORM), in Antrim gas fields, Michigan: Society of Petroleum Engineers Production Operations Symposium, Oklahoma City, Oklahoma, Proceedings, p. 695-704.
- Oddo, J.E., Sitz, C.D., Ortiz, I., Linz, D.G., Lawrence, A.W., Kan, A.T., and Tomson, M.B., 1993, NORM (naturally occurring radioactive materials) scale formation: a case study of the chemistry, prediction, remediation, and treatment in wells in the Antrim gas field: First Society of Petroleum Engineers/Environmental Protection Agency Exploration and Production Environmental Conference, San Antonio, Texas, March 7-10, 1993, Proceedings, p. 91-100.
- Oddo, J.E., Zhou, Xinliang, Linz, D.G., He, Shiliang, and Tomson, M.B., 1995, The mitigation of NORM scale in the Gulf Coast regions of Texas and Louisiana: a laboratory and field study, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 207-217.
- Oklahoma Department of Environmental Quality, 2002, The State of Oklahoma 2002 water quality assessment integrated report: Oklahoma City, Oklahoma, Oklahoma Department of Environmental Quality, 565 p. Available at: http://www.deq.state.ok.us/WQDnew/305b_303d/2002_integrated_report_final.pdf
NOTE: This report briefly describes (p. 67) cooperative efforts with the Oklahoma Corporation Commission (OCC) to identify ground water and surface water quality problems caused by oil and gas production operations and links reader to an OCC database with 1484 water quality records.
- Oklahoma Water Resources Board, 1975, Salt water detection in the Cimarron terrace, Oklahoma: U.S. Environmental Protection Agency Ecological Research Series EPA-660/3-74-033, 166 p.
- Olive, J.H., Jackson, J.L. and Keller, D., 1992, Effects of oil field brines on biological integrity of two tributaries of

the Little Muskingum River, southeastern Ohio: The Ohio Journal of Science, v. 92, n. 5, p. 139-146.

O'Neil, P.E., 1993, Surface discharge of wastewaters from the production of methane from coal seams in Alabama, the Cedar Cove Model: Geological Survey of Alabama Bulletin 155, 259 p.

Olson, W.C., 1989, Volatile organic contamination of ground water around unlined produced water pits: Socorro, New Mexico, New Mexico Institute of Mining and Technology, Master's thesis, 69 p.

Ong, Kim, 1988, New Mexico ground-water quality, in Moody, D.W., Carr, Jerry, Chase, E.B., and Paulson, R.W., compilers, National Water Summary 1986- Hydrologic events and groundwater quality: U.S. Geological Survey Water-Supply Paper 2325, p. 377-384.

Ortiz, I., Anthony, R.V., Oddo, J.E., Pope, D.H., Frank, J.R., and Becker, D.M., 1993, Study of mechanisms for naturally occurring radioactive materials and souring in gas production facilities in the Antrim shale of the Michigan Basin: Society of Petroleum Engineers Oilfield Chemistry International Symposium, New Orleans, LA, March 2-5, 1993, Proceedings, p. 45-59.

Osborne, Heather, 2003, Revegetation of a remediated brine-contaminated soil: Nacogdoches, Texas, Stephen F. Austin University, Master's thesis, 52 p.

Otto, G.H., 1989, A national survey of naturally occurring radioactive materials (NORM) in petroleum production and gas processing facilities: American Petroleum Institute, Dallas, TX, 265 p.

NOTE: This is a major study of radioactivity associated with oil and natural gas production facilities across the U.S. Individual operators surveyed their facilities and reported data to the author. The Appalachian Basin area is not well represented because of low participation of operators.

Otton, J.K., 2003, Topographic and geologic controls on the distribution and movement of produced water and hydrocarbons at the Osage Skiatook Petroleum Environmental Research site "A" [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated

- Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Otton, J. K., Asher-Bolinder, Sigrid, Owen, D. E. and Hall, Laurel, 1996, Naturally occurring radioactive materials (NORM) and trace elements at oilfield production sites on Sac and Fox Tribal Lands, Lincoln County, Oklahoma: U.S. Geological Survey administrative report submitted to the Department of Justice, Washington, D.C., 27 p.
- Otton, J.K., Asher-Bolinder, Sigrid, Owen, D.E., and Hall, Laurel, 1997, Effects of produced water at some oilfields in southern Illinois: U.S. Geological Survey Open-File Report 97-448, 99 p.
- Otton, J.K., Herkelrath, W.N., Kharaka, Y.K., Zielinski, R.A., and Rice, C.A., 2004, Impact of production fluid releases at the USGS OSPER project "B" site, Osage County, Oklahoma, in Wanty, R.B., and Seal, R.R., II, eds., Water Rock Interaction, v. 2, Proceedings of the Eleventh International Symposium on Water, Saratoga Springs, New York, July 2004: New York, A.A. Balkema, p. 1547-1551.
- Otton, J.K., and Kharaka, Y.K., 2003, The Osage-Skiatook Petroleum Environmental Research Project [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Otton, J.K., and Mercier, T.J., 2000, National watershed susceptibility- evaluation of the impact of oil and gas production operations, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 18 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Otton, J.K., Owen, D.E., Asher-Bolinder, Sigrid, and Hall, Laurel, 1997, Effects of produced waters at oilfield production sites on the Osage Indian Reservation, northeastern Oklahoma: U.S. Geological Survey Open-File Report 97-28, 48 p. Available at: <http://greenwood.cr.usgs.gov/energy/E&E/OF97-28/OF97-28.html>
- Otton, J.K., and Reister, D.B., 2004, Hyperspectral signature of the salt scar and other oilfield disturbed areas at USGS

- Osage-Skiatook Petroleum Environmental Research (OSPER) Site A, northeast Oklahoma--A preliminary report [abs.], in Sublette, K.L., ed., Proceedings of the 11th International Petroleum Environmental Conference, Albuquerque, N.M., October 12-15, Integrated Petroleum Environmental Consortium (IPEC) and the University of Tulsa, 1 p. Available at <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Otton, J.K., and Zielinski, R.A., 1999, Chemical criteria for determining the origin and dispersion of highly soluble salts in soils and waters near an oilfield operation, Logan County, Colorado, in Proceedings of the Fifth International Petroleum Environmental Conference- Environmental issues and solutions in petroleum exploration, production and refining, October 20-23, 1998, Albuquerque, New Mexico: South-central Environmental Resource Alliance and the University of Tulsa, 24 p.
- Otton, J.K., and Zielinski, R.A., 2000, Simple techniques for assessing impacts of oil and gas operations on federal lands; a field evaluation at Big South Fork National River and Recreation Area, Scott County, Tennessee: U.S. Geological Survey Open-File Report 00-499, 51 p. <http://pubs.usgs.gov/of/2000/ofr-00-499/OF00-499.pdf>
- Otton, J.K., and Zielinski, R.A., 2001, Simple techniques for assessing impacts of oil and gas operations on public lands; a field evaluation of a photoionization detector (PID) at a condensate release site, Padre Island National Seashore, Texas: U.S. Geological Survey Open-File Report 01-183, 33 p. <http://pubs.usgs.gov/of/2001/ofr-01-183/OF01-183.pdf>
- Otton, J.K., and Zielinski, R.A., 2002, Produced water and hydrocarbon releases at the Osage-Skiatook petroleum environmental research sites, Osage County, Oklahoma: Introduction and geologic setting, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 39 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Otton, J.K., and Zielinski, R.A., 2004, Three-dimensional architecture of bedrock lithology, weathering, and produced water movement at the USGS Osage Skiatook Petroleum Environmental Research (OSPER) site A, northeast Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October

12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Otton, J.K., Zielinski, R. A., Owen, D.E., Asher-Bolinder, Sigrid, and Hall, Laurel, 1997, Environmental effects of produced waters at oilfield production sites in the Big Sinking Creek and Schumaker Ridge areas, Lee County, Kentucky: U.S. Geological Survey Open File Report 97-511, 41 p.

Otton, J.K., Zielinski, R.A., Smith, B.D., and Keeland, R.D., 2004, Environmental impacts of oil production on soil, bedrock, and vegetation at U.S. Geological Survey OSPER Study Site A, Osage County, Oklahoma [abs.]: 2004 American Association of Petroleum Geologists Annual Meeting, Dallas, TX, April 18-21, 2004, 1 p.

Otton, J.K., Zielinski, R.A., Smith, B.D., Abbott, M.M., and Keeland, R.D., 2005, Environmental impacts of oil production on soil, bedrock, and vegetation at U.S. Geological Survey Osage-Skiatook Petroleum Environmental Research site A, Osage County, Oklahoma: Environmental Geosciences, v. 12, n. 2, p. 73-87.

Paine, J. G., 2003, Determining salinization extent, identifying salinity sources, and estimating chloride mass using surface, borehole, and airborne electromagnetic induction methods: Water Resources Research, v. 39, n. 3, p. 3-1--3-10. Available at:
http://www.beg.utexas.edu/staffinfo/paine-pubs/paine_wrr_200303.pdf

NOTE: This paper and related papers below by Paine and others describe use of several geophysical techniques to detect the extent and volume of several produced water plumes associated with oilfield operations on bedrock and alluvium near the Red River in west Texas.

Paine, J. G., 2004, Chapter 12. Oil-field salinization screening on the Edwards Plateau using airborne geophysics, in Mace, R. E., Angle, E. S., and Mullican, W. F., III, Aquifers of the Edwards Plateau: Texas Water Development Board, Report 360, p. 235-251. Available at:
<http://www.twdb.state.tx.us/publications/reports/GroundWaterReports/GWReports/R360AEPC/Ch12.pdf>

- Paine, J. G., and Collins, E. W., 2003, Applying airborne electromagnetic induction in groundwater salinization and resource studies, West Texas, in Proceedings, Symposium on the Application of Geophysics to Engineering and Environmental Problems: Environmental and Engineering Geophysical Society, p. 722-738. Available at: http://www.beg.utexas.edu/staffinfo/paine-pubs/jgp_sageep03_em.pdf
- Paine, J. G., Dutton, A. R., and Blum, M., 1999, Using airborne geophysics to identify salinization in West Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 257, 69 p.
- Paine, J. G., Dutton, A. R., Mayorga, J. S., and Saunders, G. P., 1997, Identifying oilfield salinity sources with airborne and ground-based geophysics: a West Texas example: The Leading Edge, v. 16, n. 11, p. 1603-1607.
- Paine, J.G., Mayorga, J.S., and Saunders, G.P., 1998, Identifying oil-field salinity sources with airborne and ground-based geophysics, a West Texas example: Bulletin of the South Texas Geological Society, v. 39, n. 1, p. 9-18.
- Parsons, K.E., 1982, Regional variations in chemistry of the oil brines of the "Clinton" sandstone in eastern Ohio: Kent, Ohio, Kent State University Master's thesis, 105 p.
- Pastore, R.J., and Singh, S.P., 1993, Groundwater contamination in Wichita/Sedgwick County revisited [abs.]: Kansas Academy of Science and Missouri Academy of Science, Joint Annual Meeting, Program and Abstracts, v. 13, p. 64.
- Patrick, D.R., Colgan, Wes, III, and Vavrek, M.C., 2003, Molecular methods to describe rhizosphere fungal communities from oil brine contaminated soils [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Payne, S.M., 1989, Modeling of hydrogeologic conditions and ground water quality at an oil well reserve pit, Richland County, Montana: University of Montana, Missoula, MT Master's thesis, 203 p.
- NOTE: Saline water from the site of a reclaimed reserve pit used to hold oilfield brine and drilling fluids has contaminated a shallow alluvial sand and gravel aquifer

along the flood plain of the Yellowstone River. In addition to high chloride (max. 2800 ppm TDS), boron, lithium, barium, strontium, titanium, zinc, beryllium, calcium, magnesium, sodium, potassium, manganese, bicarbonate, sulfate, and nitrates are attributed to the pit. Contamination penetrates no deeper than 5-6 feet in the 15-20 foot thick aquifer.

Payne, S.M., and Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part III, Hydrogeological conditions and ground water quality at an oil well reserve pit, Richland County, Montana: Montana Bureau of Mines and Geology Open-File Report 237C, variously paginated.

Pekas, B.P., 1987, Brine contamination of the Hell Creek aquifer from an unlined drilling-fluid pit in northern Harding County, South Dakota: Rapid City, South Dakota, South Dakota School of Mines and Technology, Master's thesis, 56 p.

Pettyjohn, W.A., 1971, Water pollution by oil-field brines and related industrial wastes in Ohio: Ohio Journal of Science, v. 71, n. 5, p. 257-269.

Pettyjohn, W.A., 1973, Hydrogeologic aspect of contamination by high chloride wastes in Ohio: Water, air, and soil pollution 2, p.35-48.

Pettyjohn, W.A., 1975, Chloride contamination in Alum Creek, central Ohio: Ground Water, v. 13, p. 322-339.
NOTE: Alum Creek has been contaminated by oilfield operations due to direct dumping and use of evaporation pits. Time-series plots of chloride for 1965, 1967, and 1971 show chloride varying from 50-400 ppm.

Pettyjohn, W.A., 1976, Monitoring cyclic fluctuations in ground-water quality: Ground Water, v. 14, n. 6, p.472-480.

Pettyjohn, W.A., 1982, Cause and effect of cyclic changes in ground-water quality: Ground Water Monitoring Review, Winter 1982, v. 2, n. 1, p. 43-49.

Pettyjohn, W.A., 1993, Disposal pits, injection wells, and ground-water contamination, in Eckstein, Yoram and Zaporozec, Alexander, eds., Environmental impact of industrial activities; proceedings of industrial and agricultural impacts on the hydrologic environment: Alexandria, VA , Water Environment Federation, p. 17-27.
NOTE: Author describes ground-water contamination of a nearly 3 square kilometer area in south-central Oklahoma to

- depths of 123 m and the associated abandonment of a municipal well field.
- Pezeshki, S.R., DeLaune, R.D., and Patrick, W.H., 1987, Response of freshwater marsh species, *Panicum hemitomon* Schult., to increased salinity: *Freshwater Biology*, v. 17, n. 2, p. 195-200.
- Phillips, E.J., Landa, E.R., Kraemer, Thomas, and Zielinski, R.A., 2001, Sulfate-reducing bacteria release barium and radium from naturally occurring radioactive material in oil-field barite: *Geomicrobiology Journal*, v. 18, n.2, p. 167-182.
- Pigg, Jimmie, Coleman, M.S., and Duncan, Judy, 1992, An Ecological investigation of the ichthyofauna of the North Canadian River in Oklahoma: 1979-1989, *Proceedings of the Oklahoma Academy of Sciences*, v. 72, p. 21-32.
- Pittman, J.J., Kress, M.W., and Zhang, Hailin, 2001, Comparison of two soil salinity extraction methods, in Sublette, Kerry, ed., *Proceedings of the 8th International Petroleum Environmental Conference*, November 6-9, 2001, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 9 p. Available at: http://ipec.utulsa.edu/Conf2001/conf_toc.html
- Poth, C.W., 1962, The occurrence of brine in western Pennsylvania: *Pennsylvania Bureau of Topographic and Mineral Survey Bulletin M47*, 53 p.
- Powell, W.J., Carroon, L.E., and Averett, J.R., 1963, Water problems associated with oil production in Alabama: *Alabama Geological Survey Circular 22*, 63 p.
NOTE: Authors document widespread surface water contamination associated with brine pit use in Alabama oilfields.
- Powell, W.J., Davis, M.E., Bailey, B.L., and German, E.R., 1973, Water resources monitoring and evaluation- a key to environmental protection in Alabama oilfields: *Alabama Geological Survey Information Series No. 44*, 82 p.
NOTE: Authors document significant decrease in surface water contamination as a result of a monitoring program put in place after the 1963 study (see Powell and others, 1963, above).
- Powers, T.J., 1935, *Studies of the control and effects of oil field brine pollution in Michigan*: State College,

- Pennsylvania, Pennsylvania State College Bachelor's thesis, 68 p.
- Preston, R.D., 1969, Occurrence and quality of groundwater in Shackleford County, Texas: Texas Water Development Board Report 100, 58 p.
- Price, R.D., 1978, Occurrence, quality and availability of ground water in Jones County, Texas: Texas Department of Water Resources Report 215, 235 p.
- Price, R.D., 1979, Occurrence, quality and availability of ground water in Wilbarger County, Texas: Texas Department of Water Resources Report 240, 231 p.
- Raab, P.V., and Frischknecht, F.C., 1985, Investigation of brine contamination using time-domain electromagnetic soundings: U. S. Geological Survey Open-File Report 85-0528, 54 p.
- Rabalais, N.N., Means, J.C., and Boesch, D.F., 1990, Fate and effects of produced water discharges in coastal environments, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 503-514.
- Rall, C.G., and Wright, J.R., Analyses of formation brines in Kansas: U.S. Bureau of Mines Report of Investigations 4974, 40 p.
- Ramirez, Pedro, Jr., 1993, Contaminants in oil field produced waters discharged into the Loch Katrine wetland complex, Park County, Wyoming and their bioconcentration in the aquatic bird food chain: U.S. Fish and Wildlife Service, Region 6, Contaminant Report Number R6/706C/93, 37 p. Available at:
<http://www.r6.fws.gov/contaminants/papers/r6706c93.pdf>
- Ramirez, Pedro, Jr., 1998, Environmental contaminants in sediments from oilfield produced water discharge points: U.S. Fish and Wildlife Service, Region 6, Contaminant Report Number R6/710C/98, 24 p. Available at:
<http://www.r6.fws.gov/contaminants/papers/r6710c98.pdf>
- Ramirez, Pedro, Jr., 2002, Oil field produced water discharges into wetlands in Wyoming: U.S. Fish and Wildlife Services, Region 6, Contaminant Report Number R6/718C/02, 19 p. Available online at
<http://www.r6.fws.gov/contaminants/papers/r6718c02.pdf>

- Ramirez, Pedro, Jr., 2005, Oil field produced water discharges into wetlands: benefits and risks to wildlife: Environmental Geosciences, v. 12, n. 2, p. 65-72.
- Randall, A.D., 1972, Records of wells and test borings in Susquehanna River basin, New York: New York State Department of Environmental Conservation Bulletin No. 69, 92 p.
- Rasouli, Majid, 1988, Fingerprinting oil and gas associated brines of West Virginia: Montgomery, West Virginia, West Virginia Institute of Technology, Master's thesis, 83 p.
- Rattner, B.A., Capizzi, J.L., King, K.A., LeCaptain, L.J., and Melancon, M.J., 1995, Exposure and effects of oil field brine discharges on western sandpipers (*Calidris mauri*) in Nueces Bay, Texas: Bulletin Environmental Contaminant Toxicology, v. 54, p. 683-689.
- Rawson, Jack, 1969, Quantity and quality of low flow in the upper Colorado River basin, Texas: U.S. Geological Survey Open-file Report, 24 p.
NOTE: Author concludes that oilfield brine contributes some salinity at low flow.
- Rawson, Jack, 1980, Source areas of salinity and trends of salt loads in streamflow in the upper Colorado River, Texas: U.S. Geological Survey Open-file Report 80-224, 66 p.
NOTE: Author concludes that natural salt sources provide most of the salinity to the streamflow, but that oilfield brine contributes some.
- Rawson, Jack, Flugrath, M.W., and Hughes, L.S., 1968, Sources of saline water in the upper Brazos River basin, Texas: Progress report to June 1967: U.S. Geological Survey Open-File Report 67-184, 163 p.
NOTE: Authors implicate both natural brine and oil field brines as the sources of salinity.
- Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, 616 p.
NOTE: This symposium volume includes 47 papers dealing with the composition, treatment system and chemicals, discharge characteristics, disposal options, and fate and effects of produced waters in onshore, coastal wetland, and offshore production settings. Papers dealing with produced water salinity and NORM contamination fate and effects are

extracted herein, however many other papers dealing with hydrocarbon effects on biota and other topics are in this volume. Some papers on coalbed methane produced waters in Alabama are included in this volume.

Reed, A.J., and Reed, A.J., Jr., 2002, Application of an electro-dialysis (EDR) process to remediate a brine-impacted aquifer, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 22 p. Available at:

http://ipec.utulsa.edu/Conf2002/tech_sessions.html

NOTE: Although this paper describes a remedial process and its effectiveness, the case example is a produced-water saline plume over 4 miles long developed at the base of the High Plains aquifer of Texas.

Reed, G., Holland, B., and McArthur, A., 1991, Evaluating the real risks of radioactive scale in oil and gas production: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety, and the Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 549-558.

Reed, P.C., Cartwright, Keros, and Osby, Donald, 1981, Electrical earth resistivity surveys near brine holding ponds in Illinois: Illinois State Geological Survey Environmental Geology notes 95, 30 p.

Rees, Rhys, and Buckner, A.W., 1980, Occurrence and quality of ground water in the Edwards-Trinity (Plateau) aquifer in the Trans-Pecos Region of Texas: Texas Department of Water Resources Report 255, 41 p.

Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part I, Overview: Montana Bureau of Mines and Geology Open-File Report 237A, 25 p.

Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part II, Contaminant movement below oil field drilling mud disposal pits: Montana Bureau of Mines and Geology Open-File Report 237B, 115 p.

NOTE: See Payne and Reiten, 1991, for part III; Tomer and Reiten, 1991, for Part IV.

Reiten, J.C., 1992, Water quality of selected lakes in eastern Sheridan County, Montana: Montana Bureau of Mines and Geology Open File Report 244, 46 p.

Reiten, J.C., and Tischmak, Terry, 1993, Appraisal of oilfield contamination in shallow ground water and surface water, eastern Sheridan County, Montana: Montana Bureau of Mines and Geology Open-File Report 260, 300 p.

Renfro, W. C., 1993, Water well contamination investigation on the Price Ranch, Sterling County, Texas: Railroad Commission of Texas, 23 p.

Rettman, P.L., 1987, Groundwater resources of Limestone County, Texas, Texas Department of Water Resources Report No. 299, 97 p.

NOTE: Minor water quality problems noted near a small oilfield near Mexia, Texas.

Rettman, P.L., and Leggat, E.R., 1966, Ground-Water Resources of Gaines County, Texas: Texas Water Commission Report R015, 185 p.

NOTE: Discusses ground water contamination and describes the location of oilfield brine disposal pits.

Richter, B.C., Dutton, A.R., and Kreitler, C.W., 1987, Sources of salt-water pollution in western Tom Greene County: The University of Texas at Austin, Bureau of Economic Geology IAC (86-87)-1003, 100 p.

Richter, B.C., Dutton, A.R., and Kreitler, C.W., 1990, Identification of sources and mechanisms of salt-water pollution affecting ground-water quality--a case study, West Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 191, 43 p.

Richter, B.C., and Kreitler, C.W., 1985, Sources of shallow saline ground water in Concho, Runnels, and Tom Green Counties: The University of Texas at Austin, Bureau of Economic Geology IAC (84-85)-2122, 62 p.

Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt water beneath the Rolling Plains, north-central Texas: Ground Water, v. 24, n. 6, p. 735-742.

Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt-spring and shallow subsurface brines in the Rolling Plains of Texas and southwestern Oklahoma: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 155, 47 p.

Richter, B.C., and Kreitler, C.W., 1987, Sources of ground water salinization in parts of west Texas: Groundwater Monitoring Review, v. 7, n. 4, p 75-84.

Richter, B.C., and Kreitler, C.W., 1991, Identification of sources of ground-water salinization using geochemical techniques: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/600/2-91-064, 258 p.

NOTE: This is a thorough, well-illustrated, exceptionally valuable summary of the sources of salinity in surface waters and ground waters of the U.S. and a review of the geochemical techniques useful in discriminating among them. The discussion of oilfield brines is very helpful and includes state-by-state examples of oilfield brine contamination. The reference list is extensive.

Richter, B.C., Kreitler, C.W., and Bledsoe, B.E., 1993, Geochemical techniques for identifying sources of ground-water salinization: CRC Press, Inc. Boca Raton, Florida, 258 p.

NOTE: Commercially published version of the document above.

Riding, J.R., 1984, Salinity control benefits through regulation of produced water, in Salinity in watercourses and reservoirs, Proceedings of the 1983 International Symposium on State-of-the-Art Control of Salinity, July 13-15, 1983, Salt Lake City, Utah: Boston, Massachusetts, Butterworth Publishers, p. 367-375.

Rittenhouse, Gordon, 1967, Bromine in oil-field waters and its use in determining possibilities of origin of these waters: American Association of Petroleum Geologists Bulletin, v. 51, p. 2430-2440.

NOTE: The author examined the bromine or bromine plus iodine content of 106 samples of oilfield water. The states most represented are Texas and California.

Rittenhouse, Gordon, Fulton, R.B., III, Grabowski, R.J., and Bernard, J.L., 1969, Minor elements in oil-field waters: Chemical Geology, v. 4, n. 1-2, p. 189-209.

NOTE: This paper summarizes results of several hundred analyses for trace elements in oilfield brines across the U.S. and Canada.

Roach, R.W., Carr, R.S., Howard, C.L., and Cain, B.W., 1993, An assessment of produced water impacts in the Galveston Bay system: Houston, Texas, Fish and Wildlife Service report, 38

- p. Available online at:
<http://ifw2es.fws.gov/Documents/R2ES/GalvestonBay1993.pdf>
- Rold, J.W., 1971, Pollution problem in the "Oil Patch" [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, n. 6, p.807-809.
- Ronald, B.S., 1967, A study of groundwater contamination due to oil field brines in Morrow and Delaware Counties, Ohio, with emphasis on detection utilizing electrical resistivity techniques: Columbus Ohio, The Ohio State University, Water Resources Research Center Report, 191 p.
- Rose, A.W., and Dresel, P.E., 1990, Deep brines in Pennsylvania, Chapter 31, in Majumdar, S.K., Miller, E.W., and Parizek, R.R., Water resources in Pennsylvania: availability, quality and management: The Pennsylvania Academy of Science, p. 420-431.
 NOTE: In this paper the authors summarize oilfield water geochemistry in Pennsylvania and note the occurrence of shallow saline waters in several counties in the Appalachian basin and adjacent Valley and Ridge Province. These waters have been mistaken to be the result of oilfield releases.
- Ross, P.D., Jr., 2004, Fungal diversity in oil and brine impacted soils: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 32 p.
- Rubin, Hillel, Young, David, and Buddemeier, Robert, 2001, Sources, transport, and management of salt contamination in the groundwater of south-central Kansas: Kansas Geological Survey Open-file Report 2000-60 (v.2), unpaginated.
 Available online at
http://www.kgs.ku.edu/Hydro/Equus/OFR00_60/index.htm
 NOTE: This study documents major natural salt-water intrusion of shallow aquifers by underlying units and also shows an area of oilfield brine effects (see figure 1).
- Runkle, Donna, Abbott, M.M., and Lucius, J.E., 2001, Saline contamination of soil and water on Pawnee tribal trust land, eastern Payne County, Oklahoma: U.S. Geological Survey Water-Resources Investigations 00-4271, 42 p. Abstract available at:
<http://ok.water.usgs.gov/abstracts/wrir00-4271.html>
- Sack, W.A., Eck, R.W., and Romano, C.R., 1985, Recovery of waste brines for highways applications, in Proceedings of the 40th Industrial Waste Conference, Purdue University, West Lafayette, Indiana, May 14-15, 1985: Boston, MA, Butterworths, p. 213-223.

NOTE: The authors describe brine chemistry, including trace elements, for 49 produced waters from 13 counties in West Virginia giving tabular summaries of the data and discussing their suitability for highway deicing applications.

Sanders, L.L., 1991, Geochemistry of formation waters from the Lower Silurian Clinton Formation (Albion Sandstone), eastern Ohio: American Association of Petroleum Geologists Bulletin, v. 75, n. 10, p.1593-1608.

Sassen, D.S., 2004, Oil-field-brine-induced colloidal dispersion; a case study from southeast Texas [abs.]: Geological Society of America Abstracts with Programs, v. 36, n. 1, p. 24.

Sathaye, J.A., and Grandstaff, D.E., 1996, Water rock interaction and the distribution of salinity in the Illinois basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 80, n. 9, p. 1531.

Sauer, T.C., Jr., Ward, T.J., Brown, J.S., O'Neil, S., and Wade, M.J., 1990, Identification of toxicity in low-TDS produced waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 209-222.

NOTE: This paper describes toxicity to *Ceriodaphnia* and fathead minnows associated with hydrogen sulfide and hydrocarbons in four low TDS water samples (conductivities 2770 to 9930) from Wyoming, Texas, and Louisiana.

Savage, J.E., 1992, Role of the soil ecosystem in land dispersal of oil and gas production brine of the Allegheny Basin: Syracuse, New York, State University of New York Master's thesis, 120 p.

Sayles, Brenda, 1985, Oil well operation impacts on the Pine River, Arenac County. Michigan: Michigan Dept. of Natural Resources, Surface Water Quality Division, WQAU Report No. 04941

Scalf, M.R., Keely, M.R., and LaFevers, C.J., 1973, Ground-water pollution in the south-central states: U.S. Environmental Protection Agency, Office of Research and Development, National Environmental Research Center, Environmental Protection Technology Series EPA-R2-73-268, 135 p.

- Schmidt, K.D., Krancher, J.A., and Bisel, G., Jr., 1981, Brine pollution at Fresno--Twenty-six years later: Ground Water, v. 19, n. 1, p. 12-19.
- Schmidt, Ludwig, and Devine, J.M., 1929, The disposal of oil-field brines: U.S. Bureau of Mines, Report of Investigations 2945, 17 p.
- Schmidt, Ludwig, and Wilhelm, C.J., 1938, Disposal of petroleum wastes on oil producing properties: U.S Bureau of Mines Report of Investigations No. 3394, 21 p.
- Schoff, S.L., Dott, R.H., and Lalicker, D.G., 1941, Contamination of Lake Wewoka and fresh-water sands by disposal of oil-well brines near Wewoka, Seminole County, Oklahoma: U.S. Geological Survey Open-File Report 41-32, 8 p. Abstract available at <http://ok.water.usgs.gov/abstracts/ofr41-32.html>
- Schultz, E.E., 1958, Effects of brine pollution on aquatic organisms in three Michigan streams [abs.]: Michigan Dept. of Natural Resources, Inst. for Fisheries Research Report No. 1548, Abs. No. 144
- Scott, L.M., 1994, On-site and off-site exposure from naturally occurring radioactive material (NORM) on or in soil: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 14 p.
- Scott-Fleming, A.W., Reed, E.V., Tinlin, R.M., and Sever, C., 1983, Use of complex resistivity to assess groundwater quality degradation resulting from oil well brine disposal; case history [abs.]: Society of Exploration Geophysicists Abstracts, v.1983, n.1, p.119-121.
- Sedam, A. C., and Stein, R. B., 1970, Saline ground-water resources of Ohio: U. S. Geological Survey Hydrologic Investigations Atlas 366, 2 sheets.
- Serna, C.J., 1986, An investigation of ground water contamination due to oil field brines in Portage County, Ohio: Miami, Ohio, Miami University of Ohio, Master's thesis, 98 p.
- Sewell, H.J.; Hamilton, W.A.; Farrish, K.W.; and Deuel, L.E., Jr.; Moore, D., 2002, Remediation and re-vegetation of brine impacted soil; a case study [abs.]: Transactions - Gulf Coast Association of Geological Societies, v.52, p.892.

- Shafer, G.H., 1968, Ground-water resources of Nueces and San Patricio Counties, Texas: Texas Water Development Board Report 73, 129 p.
- Shafer, G.H., 1974, Ground-water resources of Duval County, Texas: Texas Water Development Board Report 181, 117 p.
NOTE: Author provides map of brine-producing areas and reviews 1967 data for brine disposal by method. About 13 million barrels went into unlined pits and 10 million barrels was injected. No conclusive evidence of surface water contamination was found.
- Shamberger, V.M., Jr., 1958, Alleged well contamination in relation to brine disposal in Clemville, Matagorda County: Texas Board of Water Engineers Contamination Report, 10 p.
- Shamberger, V.M., 1958, Reconnaissance report on alleged contamination of California Creek near Avoca, Jones County, Texas: Texas Board of Water Engineers Contamination Report No. 5, 14 p.
NOTE: Author concludes that oilfield brines are the source of saline springs along the creekbed and flow from unplugged oilwells. Shamberger wrote an additional four reports from 1958-1960 on soil and ground-water contamination, see page 63 of Friebele and Wolff (1976).
- Shaw, J.E., 1966, An investigation of ground water contamination by oil-field brine disposal in Morrow and Delaware Counties, Ohio: Columbus, Ohio, Ohio State University Master's thesis, 127 p.
- Shedlock, R.J., 1980, Saline water at the base of the glacial-outwash aquifer near Vincennes, Knox County, Indiana: U.S. Geological Survey Water-Resources Investigation 80-65, 54 p.
NOTE: A glacial outwash aquifer near Vincennes, Indiana used for municipal water supply has been impacted by a saline plume 6500 feet long by 1500 feet wide that seems to be entering the aquifer from bedrock fractures near abandoned oil wells west of the water-supply well field.
- Sheridan County (Montana) Conservation District, Oilfield brine contaminated soils in Sheridan County: Accessed January 2005 at: <http://sheridan.mt.nacdnet.org/oilbrine.htm>
- Shipley, F.S., 1988, Oilfield produced brines in coastal environments: scope of the problem and a case example: Proceedings of the 1988 EPA Water Quality Data Assessment, p.1-7.

Shipley, F. S., 1991, Oil field-produced brines in a coastal stream: water quality and fish community recovery following long term impact: The Texas Journal of Science, v, 43, n. 1, p. 51-64.

NOTE: Author evaluated biologic and chemical effects of brine discharges at 10 stations along a small coastal stream and partial stream recovery after cessation of releases in January of 1987. Elevated levels of Ba, B, As, Fe and Hg are noted in stream water and elevated levels of Ba, Fe, As, Cr, and Pb occur in sediment.

Shirazi, G.A., Allen, D.L., and Madden, 1976, An investigation of brine contamination of soils and ground water from a slush pit near Burns Flat, Oklahoma: Oklahoma Water Resources Board, 91 p.

Short, T.M., Black, J.A., and Birge, W.J., 1991, Ecology of a saline stream: community responses to spatial gradients of environmental conditions: Hydrobiologia, v. 226, n. 3, p. 167-178.

Shuler, P.J., Baudoin, D.A., and Weintritt, D.J., 1995, Diagnosis and prevention of NORM at Eugene Island 341-A, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 219-230.

Sidhu, Amarjit, and Mitsch, W.J., 1987, Water pollution from oil and gas recovery in eastern Kentucky watersheds: Water Resources Bulletin, v. 23, n. 5, p. 943-953.

Silvey, W.D., 1967, Occurrence of selected minor elements in the waters of California: U.S. Geological Survey Water-Supply Paper 1535-L, 25 p.

Simcoe, J.H., 1996, Development of a database of West Virginia oil and gas well brines suitable for highway purposes: Morgantown, West Virginia, University of West Virginia Master's thesis, 169 p.

Singh, Shailendra, 2004, Remediation of brine contaminated soils with hay: Tulsa, Oklahoma, University of Tulsa Master's thesis, 161 p.

Skinner, W.D., 1972, Winfield wins a new water supply: Willing Water, v. 16, n. 3, p. 8-9.

Slack, L.J. and Adams, K.R., 2000, Quality of shallow ground water at selected sites in the Dry Creek Oil Field, Franklin

- County, Mississippi, 1999: U.S. Geological Survey Open-file Report 00-292, 13 p.
- Slack, L.J., O'Hara, C.G., and Oakley, W.T., 1996, Brine contamination of ground water in the vicinity of the Brookhaven oil field, Lincoln County, Mississippi: U.S. Geological Survey Water Resources Investigations WRI 96-4023, 27 p.
- Slade, R.M., Jr., and Buszka, P.M., 1994, Characteristics of streams and aquifers and processes affecting the salinity of water in the upper Colorado River basin, Texas: U.S. Geological Survey Water-Resources Investigations Report 94-4036, 81 p.
- S. M. C. Martin, Inc., 1983, The stripper wells of east-central Kentucky: an environmental assessment: S. M. C. Martin Inc. Valley Forge, PA, Report #8412-040-94005.
- Smith, A.L., 1987, Radioactive scale formation: Journal of Petroleum Technology, v. 39, p. 697-706.
- Smith, B.D., Bisdorf, R.J., Horton, R.J., Otton, J.K., and Hutton, R.S., 2002, Preliminary geophysical characterization of two oil production sites, Osage County, Oklahoma-Osage Skiatook Petroleum Environmental Research Project in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 20 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Smith, B.D., Bisdorf, R.J., Slack, L.J., and Mazzella, Aldo, 1997, Evaluation of electromagnetic mapping methods to delineate subsurface saline waters in the Brookhaven oil field, Mississippi in Bell, R.S., ed., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v.1997, pp.685-693.
- Smith, B.D., Otton, J.K., Abbott, M.M., and Witten, A.J., 2003, Electrical geophysical character of areas of shallow brine contamination, Osage Co., Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Smith, B.D., Otton, J.K., Zielinski, R.A., Huang, H., Witten, A.J., and Abbott, M.M., 2004, Conductivity depth imaging of areas of shallow brine plumes at the USGS OSPER Site, Osage Co., Oklahoma in Sublette, K.L., ed., Proceedings of the 11th International Petroleum Environmental Conference, Production and Refining, Albuquerque, N.M.: October 12-15, Integrated Petroleum Environmental Consortium (IPEC) and the University of Tulsa (available on-line report in PDF format) <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Smith, C.R., 1989, Estimating the probability of groundwater contamination in the oil and gas fields of western New York State: Charlottesville, Virginia, University of Virginia Master's thesis, 103 p.

Smith, G.E., 1995, Economic impact of potential NORM regulations, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 181-194.

Smith, J.T., Jr., 2004, The potential of *Myrica Cerifera* and symbiotic fungi for revegetation of oil brine spill sites: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 28 p.

Smith, K.P., Blunt, D.L., Williams, G.P., and Tebes, C.L., 1995, Radiological dose assessment related to management of naturally occurring radioactive materials generated by the petroleum industry, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 231-240.
NOTE: This is one of a series of oilfield NORM dose assessment investigations by Argonne National Laboratory (ANL) personnel. Other oil and gas industry NORM publications by ANL can be found at:
http://www.ead.anl.gov/project/dsp_topicdetail.cfm?topicid=16

Smith, K.P., Wilkey, M.L., and Hames, R.D., 1997, Bibliography of reports, papers, and presentations on Naturally Occurring Radioactive Material (NORM) in petroleum industry wastes: Argonne National Laboratory Report DOE/BC/W-31-109-Eng-38-1, 24 p. Available at:
http://www.ead.anl.gov/pub/dsp_detail.cfm?PubID=736
NOTE: This comprehensive bibliography captures most of what has been published on oilfield NORM through the date of publication. The papers referenced mostly deal with NORM in

solid phases such as scale in pipe and NORM in soils. Only a few papers in the bibliography describe the chemistry of NORM in produced waters. NORM contamination derived from produced waters is a major concern for the oil and gas industry.

Smith, S.J., Naney, J.W., and Berg, W.A., 1985, Nonpoint source impacts on ground water quality in major land resource areas of the southwest in Environmental Protection Agency, Proceedings of a National Conference on Perspectives on Nonpoint Source Pollution, May 19-22, 1985, Kansas City, Missouri, p. 121-124.

Smith, S. J., Schneider, M.L., Masoner, J.R., and Blazs, R.L., 2003, Surface-water quality assessment of the North Fork Red River Basin upstream from Lake Altus, Oklahoma, 2002: U.S. Geological Survey Open-File Report 03-362, 23 p.

Smith, Z.A., 1989, Groundwater in the west: Academic Press, San Diego, California, 308 p.

NOTE: Author reviews supply and demand for ground water, pollution problems, and the legal aspects in 19 western States. Author includes brief discussions of oil and gas production-related problems for some states.

Snively, E.S., 1989, Radionuclides in produced water- a literature review: American Petroleum Institute Publication No. 4504, 85 p.

Sophocleous, M.A., 1984, Groundwater-flow parameter estimation and quality modeling of the Equus beds aquifer in Kansas, U.S.A.: Journal of Hydrology, v. 69, n.1-4, p.197-222.

Sophocleous, M.A., Heidari, M., and McElwee, C.D., 1982, Water quality modeling of the Equus beds aquifer in south-central Kansas: technical completion report: Kansas Water Resources Research Institute Contribution No. 231, 68 p.

Sours, Douglas, Kulfiniski, Frank, and DeWitt, Jeff, 1985, Status of the brine problem in Illinois: Illinois Department of Energy and Natural Resources Report No. RE-EA-85/05, 44 p.

Spaite, P.W., and Smithson, G.R., 1992, Technical and regulatory issues associated with naturally occurring radioactive material (NORM) in the gas and oil industry: Gas Research Institute Report No. GRI-92/0178, 34 p.

Spurlin, G.P., 1999, An overview of brine impacted E&P sites in Sublette, K.L, 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999,

- Houston, Texas, 18 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Stafford, M.R., 1987, Hydrogeology, ground-water chemistry, and resistivity of a contaminated shallow aquifer system in southern Bond County, Illinois: Carbondale, Illinois, Southern Illinois University, Master's thesis, 167 p.
- Steimle & Associates, Inc., 1991, Produced water impacts on Louisiana wetlands: Washington, D.C., Health and Environmental Sciences, API Publication No. 4517, 132 pp.
- Stephens, D.B., and Spaulding, C.P., 1984, Oil-field brine contamination- a case study, Lea County, New Mexico in Whetstone, G.A., ed., Proceedings of the Ogallala aquifer symposium II, Lubbock, Texas: Socorro, New Mexico, New Mexico Institute of Mining and Technology, p. 440-450.
- Stewart, B.G., Knight, J.G., and Cashner, R.C., 1992, Longitudinal distribution and assemblages of fishes of Byrd's Mill Creek, a southern Oklahoma Arbuckle mountain stream: Southwest Naturalist, v. 37, n. 2, p.138-147
- St. Pe, K.M., 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: Baton Rouge, Louisiana, Louisiana Department of Environmental Quality, Water Pollution Control Division, 204 p.
- St. Pe, K.M., Means, Jay, Milan, Charles, Schlenker, Matt, and Courtney, Sherri, 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: a project summary in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 31-42.
- NOTE: This is an excellent summary of the main points of the above-referenced study. The authors describe the hydraulic behavior of the effluent, quantify the pollutants, note uptake of radium-226 by biota in the systems, and document biotoxicity of the produced water and affected sediments. Twenty references are given including some not documented herein.
- Stueber, A.M., Saller, A.H., and Ishida, Hisashi, 1998, Origin, migration, and mixing of brines in the Permian Basin: geochemical evidence from the eastern central basin platform, Texas: American Association of Petroleum Geologists Bulletin, v. 82, n.9, p.1652-1672.

- Sublette, K.L., Beckman, Dennis, Heaton, Kevin, Tsao, David, Zverina, Walter, Davis, Greg, and Sobak, Ed, 2004, Characterization of the root zone of introduced switchgrass growing in soil from an historic salt scar [abs.] *in* Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Sublette, K.L., Fisher, J.B., and Schmidt, Mike, 2003, Oil and saltwater releases from E&P operations in Oklahoma, 1993-2002 [abs.], *in* Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Sublette, K.L., Moralwar, Aditya, Ford, Laura, Duncan, Kathleen, Thoma, Greg, and Brokaw, Josh, 2005, Remediation of a spill of crude oil and brine without gypsum: Environmental Geosciences, v. 12, n. 2, p. 115-125.
- Subra, W.A., 1990, Unsuccessful oil field waste disposal techniques in Vermilion Parish, Louisiana *in* U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 995-999.
- Sullivan, E.J., and Nava, 1999, Use of organic and inorganic solutes in tracing oil-field salt-water sources; delineation of recent versus historic sources *in* Stanley, A., Ed., Proceedings of the Petroleum Hydrocarbons and Organic Chemicals in Ground Water: Prevention, Detection and Remediation Conference, Houston, TX, Nov. 17-19, 1999: Westerville, Ohio, Ground Water Publishing Company, p.331-347.
NOTE: Authors document highly saline, benzene- and toluene-bearing shallow Ogallala aquifer ground water upslope from saline seeps near older and ongoing oil and gas production operations in west Texas.
- Sullivan, E.J., and Paine, J.G., 2000, Identification of sources of saline water in a West Texas tributary using electromagnetic induction methods *in* Powers, M. H., Abou-

- Bakr, Ibrahim, and Cramer, Lynn, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 2000, pp.729-738.
- Sullivent, K.D., 1997, The effect of brine on the microbial degradation of hydrocarbons; a progress report from the Tallgrass Prairie Preserve, Oklahoma [abs.]: American Association of Petroleum Geologists Bulletin, v. 6, p. 112-113.
- Syed, T., Zonge, K.L., Figgins, S., and Anzzolin, A.R., 1985, Application of the controlled source audio magnetotellurics (CSAMT) survey to delineate zones of ground water contamination- a case history in NWWA Conference on surface and borehole geophysical methods in ground water investigations, Feb. 12-14, 1985, Fort Worth, Texas, p. 282-311.
- Taylor, H.D., 1978, Occurrence, quantity, and quality of ground waters in Taylor County, Texas: Texas Department of Water Resources Report 224, 144 p.
- Taylor, Rick, 1991, Electromagnetic mapping of brine contamination in petroleum producing areas: Ontario Petroleum Institute Thirtieth Annual Conference, v.30, Technical Paper No. 10, 13 p.
- Taylor, S.S., Holiman, W.C., and Wilhelm, C.J., 1940, Study of brine disposal systems in Illinois oil fields: U.S. Bureau of Mines Report of Investigations No. 3534, 20 p.
- Tellez. G.T., and Nirmalakhandan, N., 1990, Bioreclamation of oilfield produced wastewaters: characterization and feasibility in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 523-533.
NOTE: Although the main focus of this paper is bioremediation of hydrocarbons in produced waters, analyses of typical produced waters from pits and tanks in southeastern New Mexico are given including concentrations of hydrocarbons and heavy metals.
- Templeton, E.E., and Associates, 1980, Environmentally acceptable disposal of salt brine produced with oil and gas: Ohio Water Development Authority, 52 p.

Terry, S.P., 1996, Effects of surface wastewater disposal on an oil field landscape: Environmental Geosciences, v. 3, p. 115-121.

Texas Department of Agriculture, 1985, Agricultural land and water contamination from injection wells, disposal pits, and abandoned wells used in oil and gas production: Texas Department of Agriculture report, 15 p.

Texas Department of Water Resources, 1978, The Seymour aquifer ground-water quality and availability in Haskell and Knox Counties, Texas, Volume II: Austin, Texas, Texas Department of Water Resources Report 226, 265 p.

Texas Energy and Natural Resources Advisory Council, 1983, Preliminary assessment of soil and ground-water salinity problems in Runnels County, Texas: Texas Energy and Natural Resources Advisory Council Report NRP 83-001, 67 p.

Texas Natural Resource Conservation Commission, 2002, Two total daily maximum loads for total dissolved solids and sulfate in E.V. Spence Reservoir, for Segment 1411: Texas Natural Resource Conservation Commission Report, 27 p. Available at:
http://www.tnrcc.state.tx.us/water/quality/tmdl/spence_final_2nd.pdf

Texas Railroad Commission, 1966, Inspection and pollution report of salt-water disposal pits - Howard, Mitchell, and Sterling Counties, TX: Texas Railroad Commission, Oil and Gas Division, District VIII, Midland, Texas.

Texas Water Commission, 1989, Ground-water quality of Texas-an overview of natural and man-affected conditions: Texas Water Commission Report 89-01, 197 p.

Texas Water Commission and Texas Water Pollution Control Board, 1963, A statistical analysis of data on oil-field brine production and disposal in Texas for the year 1961, from an inventory conducted by the Texas Railroad Commission: Texas Railroad Commission District 1, v. 1, 158 p.

NOTE: This report is a snapshot of oil field brine production across Texas and is often cited in Texas county water resources reports that deal with ground and surface water contamination by oilfield brines.

Thamke, J.N., and Craigg, S.D., 1997, Saline-water contamination in Quaternary deposits and the Poplar River, East Poplar oil field, northeastern Montana: U. S. Geological Survey Water-Resources Investigations Report WRI 97-4000, 37 p.

NOTE: This paper thoroughly documents a substantial area (about 12 mi²) of ground water contamination.

Thamke, J.N., Craigg, S.D., and Mendes, T.M., 1996, Hydrologic data for the East Poplar oil field, Fort Peck Indian Reservation, northeastern Montana: U.S. Geological Survey Open-File Report 95-0749, 92 p., 1 diskette.

Thamke, J.N., Craigg, S.D., and Mendes, T.M., 1998, Use of terrain electromagnetic geophysical methods to map saline-water contamination, East Poplar oil field, northeastern Montana in Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), vol.1998, pp.205-214.

Thamke, J.N., and Midtlyng, K.S., 2003, Ground-water quality for two areas in the Fort Peck Indian Reservation, northeastern Montana, 1993-2000: U.S. Geological Survey Water-Resources Investigations Report 03-4214, 54 p.

Thayer, E.C., and Racioppi, L.M., 1991, Naturally occurring radioactive materials: the next step: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety, and Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 735-742.

Thompson, W.E., 1973, The concentration of selected elements in brines of Perry County, Ohio: Columbus, Ohio, Ohio State University Master's thesis, 64 p.

Thordsen, James, Kharaka, Y.K., and Kakouros, Evangelos, 2004, Removal of contaminant salt from a depleted petroleum field by runoff: results from the OSPER "A" site, Osage County, Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Thordsen, J.J., Kharaka, Y.K., Kakouros, Evangelos, and Ambats, Gil, 2003, Natural remediation of ground water impacted by petroleum production operations: the OSPER A site in Osage County, Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental

Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Thornhill, J.T., 1964, Investigation of ground-water contamination Coletto Creek Oil Field, Victoria County, Texas: Texas Water Commission Report LD-0564-MR, 20 p.

Tinlin, R.M., Hughes, L.J., and Anzzolin, A.R., 1988, The use of controlled source audio magnetotellurics (CSAMT) to delineate zones of ground-water contamination- a case history in American Society for Testing and Materials, Ground-water contamination field methods: ASTM Technical Publication 963, p. 101-118.

Tomer, Mark, and Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part IV, Reclamation of soils damaged by oil field wastes, Richland County, Montana: Montana Bureau of Mines and Geology Open-File Report 237D, 17 p.

Townsel, Mia, 2003, Naturally occurring radioactive materials and metal characteristics of produced waters: Baton Rouge, Louisiana, Southern University Master's thesis, 40 p.

Traylor, R.J., and Estepp, J.D., 2001, Salt water contamination of the Chicot aquifer from historic oil field operations, Tomball Field, Harris County, Texas: Bulletin of the Houston Geological Society, v. 44, n.1, 15 p.

Turner, Alan, 1987, The influence of oil field brine upon macroinvertebrate community structure in three headwater streams of the Pocatalico River: Huntingdon, West Virginia, Marshall University Master's thesis, 119 p.

Ueckert, D.N, Hartmann, Steve, and McFarland, M.L, 1990, Evaluation of containerized shrub seedlings for bioremediation of oilwell reserve pits, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 403-410.
NOTE: Describes artificial revegetation of saline soils using selected halophytes.

Uliana, M.M., 2004, Identifying the source of saline ground water contamination using geochemical data and modeling [abs.]: Geological Society of America Abstracts with Programs, v.36, n.1, p. 26.

Uliana, M.M., 2005 Identifying the source of saline ground water contamination using geochemical data and modeling: Environmental and Engineering Geoscience, v. 11, n.2, p. 107-123.

NOTE: The author concludes that contamination of a shallow aquifer along the Pecos River in West Texas was most likely caused by a deep release of brine, equilibration with halite in the underlying formation, and release of the modified brine into the shallow aquifer with subsequent mineral-phase reactions.

Underground Resource Management, 1978, Impact of oil and gas production on salinity in major freshwater aquifers in Texas: Oklahoma City, Interstate Oil Compact Commission, variously paginated.

U.S. Environmental Protection Agency, 1987, Management of wastes from the exploration, development and production of crude oil, natural gas and geothermal energy: EPA/530-SW-88-003, v. 1-3, 235 p.

U.S. Environmental Protection Agency, 1988, Ambient aquatic life water quality criteria for chloride: U.S. Environmental Protection Agency Report EPA 440/5-88-001, 47 p. Available at:

<http://www.epa.gov/ost/pc/ambientwqc/chloride1988.pdf>

NOTE: This report summarizes the effects of chloride on aquatic life in fresh water and notes that oilfield operations are a significant source for chloride. A substantial reference list is given with many papers describing the effects of salt and NaCl on aquatic life.

U.S. Environmental Protection Agency, 1990, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, 1096 p.

NOTE: This symposium volume presents 91 papers describing most environmental concerns related to oil and gas production. Papers related to produced water releases are listed elsewhere herein.

U.S. General Accounting Office, 1989, Drinking water--safeguards are not preventing contamination from injected oil and gas wastes: Report RCED-89-87, 47 p.

U.S. Geological Survey, 1984, National Water Summary 1983-Hydrologic events and issues: U.S. Geological Survey Water-Supply Paper 2250, 243 p.

- U.S. Geological Survey, 1990-2000, Ground water atlas of the United States: U.S. Geological Survey HA730, published in 13 chapters (A-N). Available at:
<http://capp.water.usgs.gov/gwa/gwa.html>
NOTE: The thirteen atlas chapters cover the entire U.S. including Alaska, Hawaii, and Puerto Rico. Chapters for hydrocarbon-producing states provide basic hydrologic and water-quality information including references to oilfield brine effects for selected aquifers. Discussion of natural ground-water brine contributions to surface waters are also described in several instances. Reference lists are extensive.
- U.S. Soil Conservation Service, 1983, Dryland salinity study, Texas cooperative river basin survey: U.S. Department of Agriculture, Soil Conservation Service report, 123 p.
- Van Biersel, T.P., 1985, Hydrogeology and chemistry of an oil-field brine plume within a shallow aquifer system in southern Bond County, Illinois: Carbondale, Illinois, Southern Illinois University, Master's thesis, 162 p.
- Van Denburgh, A.S., and Rush, F.E., 1974, Water-resources appraisal of Railroad and Penoyer Valleys, east-central Nevada: Nevada Division of Water Resources, Water Resources Reconnaissance Series, Report No. 60, 61 p.
- Van der Leeden, Frits, Cerrillo, L.A., and Miller, D.W., 1975, Ground-water pollution problems in the northwestern United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/660/3-75-018, 341 p.
- Van Hassel, J.H., Cherry, D.S., Hendricks, J.C., and Specht, W.L., 1988, Discrimination of factors influencing biota of a stream receiving multiple-source perturbations: Environmental Pollution, v. 55, n.4, p. 172-287.
- Van Metre, P.C., and Callender, E., 1996, Identifying water-quality trends in the Trinity River, Texas, USA, 1969-1992, using sediment cores from Lake Livingston: Environmental Geology, v. 28, p. 190-200.
- Van Sickle, Virginia, and Groat, C.G., 1990, Oil field brines-another problem for Louisiana's coastal wetlands, in U.S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 659-675.

NOTE: The authors document volumes of produced water releases for 14 fields in various parishes, describe the ecological effects of produced water releases on dominant wetland plants, give detailed organic and major and minor element chemistry of selected discharges, and discuss role of discharges in wetland losses.

Vavrek, M.C., and Colgan, Wes, III, 2003, Use of a hydroseeder to revegetate oil brine spill sites [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Vavrek, M.C., Hunt, Howard, Colgan, Wes, II, and Vavrek, D.L, 2004, Status of oil brine spill site remediation in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 23 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

NOTE: This paper reviews the status of remediation techniques for sites contaminated with brine and/or oil and gives 171 references on soils, saline soils, brine and oil-contaminated soils, and remediation of saline soils in general and oilfield-contaminated soils in particular, only some of which are in this bibliography. The IPEC meeting literature is not captured in the references in this paper.

Veenstra, John, Warden, R.W., and Harris, T.M., 2001, Remediation of brine-impacted soil: evaluation of several performance enhancements coupled with a leachate collection system in Sublette, Kerry, ed., Proceedings of the 8th International Petroleum Environmental Conference, November 6-9, 2001, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 21 p. Available at: http://ipec.utulsa.edu/Conf2001/conf_toc.html

Veil, J.A., Puder, M.G., Elcock, Deborah, and Redweik, R.J., Jr., 2004, A white paper describing produced water from production of crude oil, natural gas, and coal bed methane: U.S. Department of Energy, National Energy Technology Laboratory under Contract W-31-109-Eng-38. Prepared by Argonne National Laboratory, 87 p. Available at: <http://www.ead.anl.gov/pub/doc/ProducedWatersWP0401.pdf>

NOTE: This paper provides an overview of the chemical and physical characteristics of produced water, potential effects on the environment, volumes of produced water generated in the U.S., regulatory requirements and management options, and costs of management.

Wagner, J.F., 1990, Toxicity and radium 226 in produced water-Wyoming's regulatory approach, in U.S. ENVIRONMENTAL PROTECTION AGENCY, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 987-994.

NOTE: Author describes results of toxicity tests of waters from Wyoming oil fields, summarizes results of radium-226 analyses for selected waters, and gives references some of which are not captured herein.

Wait, R.L., and McCollum, M.J., 1963, Contamination of fresh-water aquifers through an unplugged oil-test well in Glynn County, Georgia: Georgia Geological Survey Mineral Newsletter, v. 16, nos. 3-4, p. 74-80.

Waite, B.W., and Blauvelt, S.C., 1988, Oil and gas waste fluids of Pennsylvania: Northeastern Environmental Science, v. 7, n. 2, p. 105-110.

Walker, F.H., 1959, Natural brines of Indiana and adjoining parts of Illinois and Kentucky: Indiana Geological Survey Report of Progress, v.13, 58 p.

NOTE: Author reports the results of analyses of 473 brines by formation from company and State geological survey sources.

Walker, L. E., 1967, Occurrence and quality of ground water in Coleman County, Texas: Texas Water Development Board Report No. R-57, 114 p.

Walker, L.E., 1979, Occurrence, availability and chemical quality of ground-water in the Edwards Plateau region of Texas: Texas Department of Water Resources Report 235, 337 p.

Walters, R.S., and Auchmoody, L.R., 1989, Vegetation re-establishment on a hardwood forest site denuded by brine: Landscape and urban planning, v. 17, n. 2, p.127-133.

Ward, P.E., 1961, Geology and ground-water features of salt springs, seeps, and plains in the Arkansas and Red River basins of western Oklahoma and adjacent parts of Kansas and Texas: U.S. Geological Survey Open-File Report 63-132, 94 p.

NOTE: This report describes salt springs, the bedrock sources, and related ground character in two important drainages in Oklahoma, Texas, and Kansas and demonstrates that bedrock salt sources must be considered in any salt contaminant study. See also the next three papers. The abstract is at <http://ok.water.usgs.gov/abstracts/ofr63-132.html>

Ward, P.E., 1961, Salt springs in Oklahoma: Oklahoma Geological Survey Oklahoma Geology Notes, v. 21, no. 3, p. 81-84.

Ward, P.E., 1961, Shallow halite deposits in northern Woodward and southern Woods Counties, Oklahoma: Oklahoma Geological Survey Oklahoma Geology Notes, v. 21, no. 10, p. 275-277.

Ward, P.E., 1962, Shallow halite deposits in the Flowerpot Shale in southwestern Oklahoma: U.S. Geological Survey Professional Paper 450-E, 14 p.

Ward, P.E., and Wilmoth, B.M., 1968, Ground-water hydrology of the Monongahela River basin in West Virginia: West Virginia Geologic and Economic Survey River Basin Bulletin 1, 54 p.

Warner, D.L., and McConnell, C.L., 1993, Assessment of environmental implications of abandoned oil and gas wells: Journal of Petroleum Technology, v. 45, n.9, p. 874-880.

Weathers, M.L., Moore, K.R., Ford, D.L., and Curlee, C.K., 1994, Reclamation of saltwater-contaminated soil in Big Lake field: Transactions of the Gulf Coast Association of Geological Societies, v. 44, p. 737-743.

NOTE: This paper documents the Texon scar, a major salt scar (11 mi²) that formed in west Texas, the natural remediation of the area, and experimental techniques that were developed to remediate a portion of it.

White, D.E., 1968, Groundwater resources of Upton County, Texas: Texas Water Development Board Report 78, 132 p.

White, D.E., 1971, Groundwater resources of Ward County, Texas: Texas Water Development Board Report 125, 219 p.

NOTE: Author gives TDS and other geochemical data for brine disposal pits in the county, brine volumes and disposal methods by field for 1961 and 1967, and ground water wells where contamination is indicated.

White, G.J., 1992, Naturally occurring radioactive materials (NORM) in oil and gas industry equipment and wastes, a literature review: Bartlesville, Oklahoma, U.S. Dept. of Energy Report DOE/ID/01570-T158, 34 p.

- White, N.F., and Sunada, D.K., 1974, Ground-water quality study: Journal of the irrigation and drainage division, Proceedings of ASCE, v. 100, n. IR3, p.277-292.
- Whitesell, L.E., 2003, Brine impact on water quality in Seminole County, Oklahoma: Eye on Environment (DEPARTMENT OF ENERGY), v. 7, n. 1, p. 3. Available at <http://www.npto.doe.gov/Petroleum/publications/newsletters/eoe/eyewin02.pdf>
- Whittemore, D.O., 1981, Geochemical identification of saltwater sources in the Smoky Hill River Valley, McPherson, Saline, and Dickinson Counties, Kansas: Kansas Geological Survey Open-File Report 81-6, 78 p.
- Whittemore, D.O., 1984, Geochemical identification of salinity sources, in French, R.H., Salinity in watercourses and reservoirs: Proceedings of the 1983 International Symposium on State-of-the-Art Control of Salinity, Salt Lake City, Utah, p. 505-514.
- Whittemore, D.O., 1988, Bromide as a tracer in ground-water studies: geochemistry and analytical determination, in Proceedings of the ground water chemistry conference, Feb, 16-18, 1988, Denver, Colorado: Dublin, Ohio, National Water Well Association, p. 339-360.
- Whittemore, D.O., 1995, Geochemical differentiation of oil and gas brine from other saltwater sources contaminating water resources: case studies from Kansas and Oklahoma: Environmental Geosciences, v. 2, p. 15-31.
- Whittemore, D.O., 2004, Geochemical identification of sources of salinity in ground waters of the High Plains aquifer west of the Johnson oil field in central McPherson County, Kansas: Kansas Geological Survey Open-file Report No. 2004-4, 16 p.
- Whittemore, D.O., Bryson, W.R., Dealy, M.T., O'Connor, R.E., and Schoof, J.E., 1986, Management of oil-field-brine pollution in Kansas via a state task force, in Burkhead, C.E., ed., Thirty-sixth annual conference on environmental engineering, transactions: Kansas University, School of Engineering, and Division of Continuing Education, variously paginated.
- Whittemore, D.O., Grieve, E.R., Young, D.P., and Wilson, B.B., 2005, Water quality in the High Plains aquifer and the Cimarron River in Seward and Meade Counties, Kansas: Kansas Geological Survey Open-File Report 2005-27, 42 p. Available at:

http://www.kgs.ku.edu/Hydro/Publications/2005/OFR05_27/OFR2005_27.pdf

NOTE: As part of a study of the origins of salinity in the aquifer and the river, the authors review data for some aquifer ground waters suspected to be contaminated with oilfield brine and draw the conclusion that the source is natural salts.

Whittemore, D.O., MacFarlane, P.A., Doveton, J.H., Butler, J.J., Jr., Chu, Tyan-Ming, Bassler, Rod, Smith, Martin, Mitchell, James, and Allen, Wade, 1993, The Dakota Aquifer Program Annual Report, FY92: Kansas Geological Survey Open-file Report 93-1, unpaginated. Available online at <http://www.kgs.ukans.edu/Dakota/vol3/fy92/index.htm>

NOTE: See especially "Salinity source investigations in central Kansas".

Whittemore, D.O., and Pollock, L.M., 1979, Determination of salinity sources in water resources of Kansas by minor alkalai metal and halide chemistry: Manhattan, Kansas, Kansas State University, Kansas Water Resources Research Institute Contribution 208, 28 p.

Whittemore, D.O., Sophocleous, M., Bryson, W.R., Schoof, J., and Bell, T.C., 1985, Interagency study of oilfield brine pollution in Kansas, in Schmidt, K.G., ed., Groundwater contamination and reclamation, Proceedings of a symposium held in Tucson, Arizona, August 14-15, 1985: Bethesda, Maryland, American Water Resources Association Technical Publication Series v. 85-2, p 109-116.

Whittemore, D.O., Welch, J.E., Hale, J.M., Hathaway, L.R., and Bird, W., 1987, Soluble salts in unsaturated zone of abandoned brine ponds within oil fields of the Equus beds area, Kansas [abs.]: Midwest Ground Water Conference, Program with Abstracts, n. 32, unpaginated.

Wilhelm, C.J., and Schmidt, L., 1935, Preliminary report on the disposal of oil-field brines in Ritz-Canton oil field, McPherson County, Kansas: U.S. Bureau of Mines Report of Investigations No. 3297, 20 p.

Wilhelm, C.J., Thorne, H.M., and Pryor, M.F., 1936, Disposal of oil-field brines in the Arkansas River drainage area in western Kansas: U.S. Bureau of Mines, Report of Investigations No. 3318, 28 p.

Wilke, Janine, 1991, Use of the Geonics EM-13 and 34-3 to define a contamination plume caused by unauthorized annular

disposal of brine [abs.]: Geological Society of America
Abstracts with Programs, v.23, n.3, p.66.

Williams, C.C., and Bayne, C.K., 1946, Ground-water conditions in Elm Creek Valley, Barber County, Kansas, with special reference to contamination of ground water by oil-field brine: Kansas State Geological Survey Bulletin 64, 1946 Reports of Studies, pt. 3, p. 77-124.

Wilmoth, B.M., 1971, Occurrence of shallow ground water in selected areas of West Virginia in Proceedings of the West Virginia Academy of Science 1970, v. 42, p. 202-208.
NOTE: This and related studies by Wilmoth below document the occurrence of saline formation waters at shallow depths throughout much of West Virginia. This phenomenon must be evaluated wherever produced water releases from oilfield operations are suspected as a source of contamination.

Wilmoth, B.M., 1972, Salty ground water and meteoric flushing of contaminated aquifers in West Virginia: Ground Water, v. 10, n. 1, p. 99-105.
NOTE: Author reviews salt water contamination and natural remediation in several case studies including some oilfield brine contamination.

Wilmoth, B.M., 1975, Development of fresh ground water near salt water in West Virginia: Ground Water, v.13, n.1, p. 25-32.

Wilson, A.J., and Scott, L.M., 1992, Characterization of radioactive piping scale with an evaluation of subsequent land contamination: Health Physics, v. 63, p. 681-685.

Wimberly, E.T., 1973, Reconnaissance of water quality in the vicinity of Sunniland oil field, Collier County, Florida, 1971-72: U.S. Geological Survey Water-Resources Investigations Report 35-73, 10 p.

Wimberly, E.T., 1974, Quality of surface water in the vicinity of oil exploration sites, Big Cypress area, south Florida: U.S. Geological Survey Open-file Report 74-012, 26 p.

Winn, Rosilee, 1992, Delineation of oilfield-brine contamination by electromagnetic-conductivity survey, Midland County, Texas: Odessa, Texas, University of Texas of the Permian Basin, Master's thesis, 78 p.
NOTE: Geophysical surveys show that brines derived from production in the Buchanan field have polluted the Ogallala aquifer.

- Winslow, A.G., Doyel, W.W., and Wood, L.A., 1957, Salt water and its relation to fresh ground water in Harris County, Texas in Contributions to the hydrology of the United States: U.S. Geological Survey Water Supply Paper 1360-F, p. 375-407.
NOTE: Authors evaluate the possible sources of salt-water intrusion in the heavily used aquifers in Harris County, including possible leakage of surface pits and oil wells.
- Winslow, A.G., Hillier, D.E., and Turcan, A.N., Jr., 1968, Saline ground water in Louisiana: U.S. Geological Survey Hydrologic Investigations Atlas HA-310, 4 sheets.
- Winslow, David, 1939, Soil erosion in the Seminole County oil-field [abs.]: Proceedings of the Oklahoma Academy of Sciences, v. 19, p. 159.
- Woodall, D.W., 1998, Tracking oil and gas produced water in an open water estuarine system using salinity as a conservative tracer: Baton Rouge, Louisiana State University, Master's thesis, 194 p.
- Woodall, D.W., Gambrell, R.P., Rabalais, N.N., and DeLaune, R.D., 2001, Developing a method to track oil and gas produced water discharges in estuarine systems using salinity as a conservative tracer: Marine Pollution Bulletin, v. 42, n. 11, p. 1118-1127.
- Wright, J., Pearson, C., Kurt, E.T., and Watkins, J.W., 1957, Analysis of brines from oil-productive formations in Oklahoma: U.S. Bureau of Mines Report of Investigations 5326, 71 p.
- Wunsch, D.R., 1997, Hydrodynamics of the shallow salt-water interface in the unglaciated Appalachian Plateau [abs.]: American Association of Petroleum Geologists Bulletin, v. 81, p.1568.
NOTE: This abstract suggests that shallow saline formation waters are common in the Appalachian basin. This must be considered whenever produced water contamination is thought to be a source of salinity in surface water or ground water in the area. See also papers by Wilmoth.
- Wurbs, R.A., Karama, A.S., Saleh, Ishtiaque, and Ganze, C.K., 1993, Natural salt pollution and water supply reliability in the Brazos River Basin: Texas Water Resources Institute Technical Report No. 160, 170 p. Available online at http://www.twdb.state.tx.us/RWPG/rpgm_rpts/92483332a.pdf

NOTE: This study analyzes TDS, chloride, and sulfate loads for the Brazos River system (Lubbock to Galveston) and analyzes salt management options. The study authors uncritically assume that the salt in the drainage is from natural sources.

Wyoming Department of Environmental Quality, Water Quality Division, 1978, Water quality rules and regulations: chapter VII: surface discharge of water associated with the production of oil and gas: Cheyenne, Wyoming, Department of Environmental Quality, 7 p.

Yates, R.G., 2000, Transportation of brine components and revegetation of a brine spill site in the Tallgrass Prairie Preserve: Tulsa, Oklahoma, University of Tulsa Ph.D. thesis, 295 p.

Yates, Rick, Houston, Lorrie, Tapp, Bryan, Harris, Tom, and Sublette, K.L., 1997, Impacts of brine spills in the Tallgrass Prairie Preserve in Sublette, K.L, ed., Proceedings of the 1997 4th Annual International Petroleum Environmental Conference San Antonio, TX - September 9-12, 1997, 31 p. Available online at:
<http://ipec.utulsa.edu/Conf/4thIPEC.pdf>

Yates, R., Sublette, K., Harris, B., Haggerty, J., and van Waasbergen, R., 1996, Correlation of surface water quality and oil production in Sublette, K.L., ed., Environmental issues and solutions in petroleum exploration, production and refining, Proceedings of the Third International Petroleum Environmental Conference, Sept. 24-27, 1996, vol. 1: Spring field, VA, NTIS, p. 73-87.

Yensen, N.P., Hinchman, R.R., Negri, M.C., Mollock, G.N., Settle, T., Keiffer, C.S., Carty, D.J., Rogers, B., Martin, R., Erickson, R, and Adams, R.H., 2000, Using halophytes to manage oilfield saltwater: disposal by irrigation/ evapotranspiration and remediation of soils in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: University of Tulsa Division of Continuing Education and the Integrated Environmental Consortium, p.1133-1188. Also available online at
<http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Young, J.R., and Madabhushi, G.V., 1978, Salinity problems of groundwater in southern Arkansas counties: Paper presented at the Symposium on salinity problems in groundwater at the Fall meeting of the American Geophysical Union, San

Francisco, December 4-8, 1978: Arkansas Soil and Water Conservation Commission, 19 p.

Zhang, Hailin, Alemayehu, Dejene, and Carter, Brian, 1999, Salt characterization of brine contaminated soils in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Zielinski, R.A., and Budahn, J.R., 2004, Mode of occurrence and environmental mobility of oilfield NORM at USGS research site B, Osage Skiatook Project, northeastern Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Zielinski, R.A., Cathcart, J.D., Hannah, T.L., and Bullock, J.H., Jr., 2003, Determining the distribution of subsurface salt contamination using the composition of oak leaves: a case study at an oil production site, northeast Oklahoma, in Sublette, K. L., ed., Programs and Papers: 10th International Petroleum Environmental Conference, Houston, TX, November 11-14, 2003, 17 p. <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Zielinski, R.A., and Otton, J.K., 1999, Naturally Occurring Radioactive Minerals (NORM) in produced water and oil-field equipment--An issue for the energy industry: U.S. Geological Survey Fact Sheet FS-0142-99, 4 p. Available at: <http://pubs.usgs.gov/fs/fs-0142-99/>

Zielinski, R.A., and Otton, J.K., 2000, Assessment of sources of soil salinity near an oil field production site using the chemistry of surface water and soil leachates, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 14 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

- Zielinski, R.A., Otton, J.K., and Budahn, J.R., 1998, Use of radium isotope data to assess NORM contamination at an E&P site, in Sublette, K.L., ed., Proceedings of the Fourth International Petroleum Environmental Conference, September 9-12, 1997, San Antonio, TX: South-Central Environmental Resource Alliance and University of Tulsa, 15 p.
- Zielinski, R.A., Otton, J.K., and Budahn, J.R., 2001, Use of radium isotopes to determine the age and origin of radioactive barite at oil-field production sites. Environmental Pollution, v. 113, p. 299-309.
- Zielinski, R.A., Rice, C.A., and Otton, J.K., 2002, Use of soil leachates to define the extent of brine-impacted soils and bedrock at the Osage-Skiatook petroleum environmental research "B" site, northwestern Oklahoma, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 30 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Zonge, K.L., Figgins, S.J., and Hughes, L.J., 1985, Use of electrical geophysics to detect sources of groundwater contamination [abs.]: Society of Exploration Geophysics Abstracts, v. 1985, n. 1, p. 147-149.

Geographic index

Alabama

- Collins, G.A., Zelinski, W.P., and Pearson, C.A. 1966, Bromide and iodide in oil-field brines in Tertiary and Cretaceous Formation in Mississippi and Alabama: U.S. Department of the Interior, Bureau of Mines Report of Investigations 6859, 187 p.
- Ellard, J.S., and Lipp, R.L., 1978, Evaluation of water quality data from oilfield areas in South Alabama; specific conductance-chloride relationship: Geological Survey of Alabama, Oil and Gas Report, v. 5, 10 p.
- Hawkins, M.E., Jones, O.W., and Pearson, C.A., 1963: Analysis of brines from oil-productive formations in Mississippi and Alabama: U.S. Department of the Interior, Bureau of Mines Report of Investigations 6167, 22 p.
- Knowles, D.B., 1965, Hydrologic aspects of the disposal of oil-field brines in Alabama: Ground Water, v.3, no.2, p. 22-27.
- Mettee, M.F., Harris, S.C., and O'Neil, P.E., 1986, Biological diversity and water quality of streams draining the Gilbertown oil field area, Choctaw County, Alabama: Alabama Geological Survey Circular 120, 32 p.
- Mettee, M.F., O'Neil, P.E., and Harris, S.C., 1986, Biological diversity and water quality of streams draining the Blowhorn oil field area, Lamar County, Alabama: Alabama Geological Survey Circular 128, 25 p.
- Miller, J.C., Hackenberry, P.S., and DeLuca, F.A., 1977, Ground-water pollution problems in the southeastern United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA-600/3-77-012, 329 p.
- Mount, D.R., Drott, K.R., Gulley, D.D., Fillo, J.P., and O'Neil, P.E., 1990, Use of laboratory toxicity data for evaluating the environmental acceptability of produced water discharge to surface waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 175-185.

O'Neil, P.E., Harris, S.C., Mettee, M.F., Shepard, T.E., and McGregor, 1993, Surface discharge of wastewaters from the production of methane from coal seams in Alabama, the Cedar Cove Model: Geological Survey of Alabama Bulletin 155, 259 p.

Powell, W.J., Carroon, L.E., and Averett, J.R., 1963, Water problems associated with oil production in Alabama: Alabama Geological Survey Circular 22, 63 p.

Powell, W.J., Davis, M.E., Bailey, B.L., and German, E.R., 1973, Water resources monitoring and evaluation- a key to environmental protection in Alabama oilfields: Alabama Geological Survey Information Series No. 44, 82 p.

Alaska

Conn, J.S., Behr-Andres, Christina, Wiegers, Janice, Meggert, Ed, and Glover, Nick, 2001, Remediation of Arctic tundra following petroleum or salt water spills in Second international conference on Contaminants in freezing ground, Cambridge, United Kingdom, July 2-5, 2000: Polar Record, v.37, n.202, p.264-266.

Arizona

Huff, G.F., 2004, Review of knowledge on the occurrence, chemical composition, and potential use for desalination of saline ground water in Arizona, New Mexico, and Texas with a discussion of potential future study needs: U.S. Geological Survey Open-File Report 2004-1197, 13 p. Available only online at <http://water.usgs.gov/pubs/of/2004/1197/ofr2004-1197.pdf>

Arkansas

Arkansas Department of Pollution Control and Ecology, 1984, Arkansas water quality inventory report, 1984: Little Rock, Arkansas, 495 p.

Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.

Fitzpatrick, D.J., 1985, Occurrence of saline water in the alluvial aquifer in the Boeuf-Tensas Basin, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 85-4029, 1 sheet

- Fryberger, J.S., 1972, Rehabilitation of a brine-polluted aquifer: U.S. Environmental Protection Agency, Environmental Protection Technology Series EPA-R2-72-014, 61 p.
- Fryberger, J.S., 1975, Investigation and rehabilitation of a brine-contaminated aquifer: *Ground Water*, v.13, n.2, p. 155-160.
- Huff, G.F., and Bonck, J.P., 1993, Saltwater in shallow aquifers in east-central and northeastern Louisiana and southeastern Arkansas: U.S. Geological Survey Open File Report 93-494, 54 p.
- Kress, T.M., and Hays, P.D., 2000, Investigation of sources of saltwater intrusion in the alluvial aquifer in parts of Chicot County, Arkansas [abs.]: Geological Society of America Abstracts with Programs, v. 32, n. 3, p. 16.
- Louis R. Reeder, and Associates, 1978, Impact of oil & gas production on salinity in major fresh water aquifers (Arkansas, Louisiana, New Mexico, Oklahoma): Oklahoma City, Interstate Oil Compact Commission, 481 p.
- Ludwig, A.H., 1972, Water resources of Hempstead, Lafayette, Little River, Miller, and Nevada Counties, Arkansas: U.S. Geological Survey Water Supply Paper 1998, 41 p.
- Moldovanyi, E.P., and Walters, L.M., 1992, Regional trends in water chemistry, Smackover Formation, southwest Arkansas: geochemical and physical controls: American Association of Petroleum Geologists Bulletin, v. 76, n. 6, p. 864-894.
- Morris, E.E., 1988, Arkansas ground-water quality, in Moody, D.W., Carr, J., Chase, E.B., and Paulson, R.W., compilers, National Water Summary 1986 - Hydrologic events and groundwater quality: U.S. Geological Survey Water-Supply Paper 2325, p. 165-172.
- Morris, E.E., and Bush, W.V., 1986, Extent and source of saltwater intrusion into the alluvial aquifer near Brinkley, Arkansas, 1984: U.S. Geological Survey Water Resources Investigations Report 85-4322, 123 p.
- Nestrud, C.R., Carty, D.J., Deuel, L.E., and Yensen, N.P., 2003, Halophyte technology mitigates landowner-driven oilfield saltwater and petroleum hydrocarbon surface impact litigation [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the

Integrated Petroleum Environmental Consortium (IPEC), 1 p.
Available at:

<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Scalf, M.R., Keely, M.R., and LaFevers, C.J., 1973, Ground-water pollution in the south-central states: U.S. Environmental Protection Agency, Office of Research and Development, National Environmental Research Center, Environmental Protection Technology Series EPA-R2-73-268, 135 p.

Yensen, N.P., Hinchman, R.R., Negri, M.C., Mollock, G.N., Settle, T., Keiffer, C.S., Carty, D.J., Rogers, B., Martin, R., Erickson, R, and Adams, R.H., 2000, Using halophytes to manage oilfield saltwater: disposal by irrigation/ evapotranspiration and remediation of soils in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: University of Tulsa Division of Continuing Education and the Integrated Environmental Consortium, p.1133-1188. Also available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Young, J.R., and Madabhushi, G.V., 1978, Salinity problems of groundwater in southern Arkansas counties: Paper presented at the Symposium on salinity problems in groundwater at the Fall meeting of the American Geophysical Union, San Francisco, December 4-8, 1978: Arkansas Soil and Water Conservation Commission, 19 p.

California

Frischknecht, F.C., 1990, Application of geophysical methods to the study of pollution associated with abandoned and injection wells in Doe, B.R., ed., Proceedings of the U.S. Geological Survey workshop on environmental geochemistry, Reston, VA, April 1986: U.S. Geological Survey Circular 1034, p. 73-77.

Gullikson, D.M., Carraway, W.H., and Gates, G.L., 1961, Chemical analysis and electrical resistivity of selected California oil-field waters: U.S. Department of Interior, Bureau of Mines Report of Investigations No. 5736, 21 p.

Johnson, D.S., Use and abandonment of surface impoundments for the disposal of oilfield produced waters [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, n. 5, p. 686.

Silvey, W.D., 1967, Occurrence of selected minor elements in the waters of California: U.S. Geological Survey Water-Supply Paper 1535-L, 25 p.

Colorado

Feast, C.F., 1984, Meeker dome salinity investigation, in French, R.H., ed., Salinity in watercourses and reservoirs: Butterworth Publishers, Boston, p. 359-365.

Fucik, K.W., 1990, Toxicity identification and characteristics of produced water discharges from Colorado and Wyoming in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 187-207.

McCormick, M.J., 1999, An investigation of oil-field produced water migration in ground water using numerical modeling and parameter estimation at Weld County waste disposal, Fort Lupton, Colorado: Master's thesis, Golden, Colorado, Colorado School of Mines, 147 p.

Rold, J.W., 1971, Pollution problem in the "Oil Patch": American Association of Petroleum Geologists Bulletin, v. 55, n. 6, p.807-809.

Van der Leeden, Frits, Cerrillo, L.A., and Miller, D.W., 1975, Ground-water pollution problems in the northwestern United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/660/3-75-018, 341 p.

White, N.F., and Sunada, D.K., 1974, Ground-water quality study: Journal of the irrigation and drainage division, Proceedings of ASCE, v. 100, n. IR3, p.277-292.

Zielinski, R.A., and Otton, J.K., 2000, Assessment of sources of soil salinity near an oil field production site using the chemistry of surface water and soil leachates in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 14 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

Florida

Hoekstra, Pieter, 1998, Geophysical surveys for mapping brine contamination resulting from oil and gas production, in Bell, R.S., Powers, M.H., Larson, Timothy, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 1998, p. 197-204.

Wimberly, E.T., 1974, Quality of surface water in the vicinity of oil exploration sites, Big Cypress area, south Florida: U.S. Geological Survey Open-file Report 74-012, 26 p.

Georgia

Wait, R.L., and McCollum, M.J., 1963, Contamination of fresh-water aquifers through an unplugged oil-test well in Glynn County, Georgia: Georgia Geological Survey Mineral Newsletter, v. 16, nos. 3-4, p. 74-80.

Illinois

Aubuchon-Fields, P.A., 1991, A geophysical and hydrogeological investigation of two oil field brine plumes located in northwestern Saline County, Illinois: Southern Illinois University, Carbondale, Carbondale, IL, Master's thesis, 208 p.

Bell, A.H., 1957, Brine disposal in Illinois oil fields: Illinois State Geological Survey Circular 244, 12 p.

Butts, T.A., Williams, J.W., and Evans, R.L., 1976, Water quality evaluation of the Rector Creek-North Fork Saline River drainage basins: Illinois State Water Survey, 95 p.

Campbell, C.S., 1993, Elevated sodium levels in surface waters of the Crooked Creek drainage basin, south central Illinois: Edwardsville, Illinois, Southern Illinois University at Edwardsville, Master's thesis, 37 p.

Crandall, D.A., 1985, Development of integrated surface and ground water management in Illinois in Proceedings of the Twentieth Annual Conference of the American Water Resources Association Symposium, Washington, D.C., August 15, 1984, p. 193-199.

Demir, Ilham, 1995, Formation water chemistry and modeling of fluid-rock interaction for improved oil recovery in Aux Vases and Cypress Formations, Illinois Basin: Illinois State Geological Survey, Illinois Petroleum 148, 60 p.

Demir, I., and Seyler, B., 1999, Chemical composition and geologic history of saline waters in Aux Vases and Cypress Formations, Illinois Basin: Aquatic geochemistry, v. 5, n. 3, p.281-311.

Greater Egypt Regional Planning and Development Commission, 1980, Areawide waste treatment and water quality management planning- Oil field brine: a survey of land damage in Hamilton County: Carbondale, Illinois, Greater Egypt Regional Planning and Development Commission Report No. GERPDC 81-579, 55 p.

Greater Egypt Regional Planning and Development Commission, 1982, An overview of oil field brine problems in three Illinois Counties: Carbondale, Illinois, Greater Egypt Regional Planning and Development Commission Report No. GERPDC 82-626, variously paginated.

Hayes, B.R., 1988, Application of numerical model to brine contamination at the Beaver Creek oilfield in Bond County, Illinois: Carbondale Illinois, Southern Illinois University Master's thesis, 150 p.

Hensel, B.R., and McKenna, D.P., eds., 1989, Environmental impacts of oil field brines in southeastern Clay County, Illinois: Illinois State Geological Survey, Open File Series Report 1989-3, 303 p.

Meents, W.F., 1952, Illinois oil-field brines; their geologic occurrence and chemical composition: Illinois State Geological Survey Petroleum 66, 38 p.

Otton, J.K., Asher-Bolinder, Sigrid, Owen, D.E., and Hall, Laurel, 1997, Effects of produced water at some oilfields in southern Illinois: U.S. Geological Survey Open-File Report 97-448, 99 p.

Reed, P.C., Cartwright, Keros, and Osby, Donald, 1981, Electrical resistivity surveys near brine holding ponds in Illinois: Illinois State Geological Survey Environmental Geology Notes 95, 30 p.

Sathaye, J.A., and Grandstaff, D.E., 1996, Water rock interaction and the distribution of salinity in the Illinois basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 80, n. 9, p. 1531.

Sours, Douglas, Kulfiniski, Frank, and DeWitt, Jeff, 1985, Status of the brine problem in Illinois: Illinois Department of Energy and Natural Resources Report No. RE-EA-85/05, 44 p.

Stafford, M.R., 1987, Hydrogeology, ground-water chemistry, and resistivity of a contaminated shallow aquifer system in southern Bond County, Illinois: Carbondale, Illinois, Southern Illinois University, Master's thesis, 167 p.

Taylor, S.S., Holiman, W.C., and Wilhelm, C.J., 1940, Study of brine disposal systems in Illinois oil fields: U.S. Bureau of Mines Report of Investigations No. 3534, 20 p.

Van Biersel, T.P., 1985, Hydrogeology and chemistry of an oil-field brine plume within a shallow aquifer system in southern Bond County, Illinois: Master's thesis, Carbondale, Illinois, Southern Illinois University, 162 p.

Indiana

Eberts, S.M., and George, L.I., 2000, Regional ground-water flow and geochemistry in the Midwestern basins and arches aquifer system in parts of Indiana, Ohio, Michigan, and Illinois: U.S. Geological Survey Professional Paper 1423-C, 103 p.

Gass, T.E., Lehr, J.H., and Heiss, H.W., Jr., 1977, Impact of abandoned wells on ground water: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA/600/3-77-095, 52 p.

Jordan, D.G., 1962, Ground water contamination in Indiana: Journal of the American Water Works Association, v. 54, n. 10, p. 1213-1220.

Keller, S. J., 1983, Analyses of subsurface brines of Indiana: Indiana Department of Natural Resources, Geological Survey occasional paper 41, 30 p.

Kelley, Priscilla, and Hazlewood, Larry, 2002, Successful brine remediation—the power of people and partnerships in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 13 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html

Shedlock, R.J., 1980, Saline water at the base of the glacial-outwash aquifer near Vincennes, Knox County, Indiana: U.S. Geological Survey Water-Resources Investigation 80-65, 54p.

Walker, F.H., 1959, Natural brines of Indiana and adjoining parts of Illinois and Kentucky: Indiana Geological Survey Report of Progress, v.13, 58 pp.

Kansas

The Kansas Geological Survey has been actively involved in studying the impact of natural and anthropogenic salt contamination on ground waters and surface waters. Papers by Whittemore are especially notable. The Kansas Geological Survey has online a searchable oilfield brine geochemistry database containing over 3500 records available at <http://www.kgs.ku.edu/Magellan/Brine/index.html>

Albert, C.A., 1964, Brine in surface water of the Little Arkansas River basin, Kansas: Bulletin Kansas Environmental Health Services, 1-5, p. 15.

Aller, Linda, Hakundy, R.G., and Nielsen, D.M., 1985, Enforcement of regulations governing ground water contamination from underground injection or disposal of salt water in Kansas and Texas: Ada, OK: U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, Project summary, 3 p., 2 maps.

Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.

Bevans, H.E., 1989, Water Resource of Sedgwick County, Kansas: U.S. Geological Survey Water-Resources Investigations Report 88-4225, 119 p.

Bryson, W.R., Schmidt, G.W., and O'Connors, R.E., 1966, Residual salt of brine affected soil and shale, Potwin areas, Butler County, Kansas: Kansas State Department of Health Bulletin 3-1, 28 p.

Buddemeier, R.W., Swain, R.S., Whittemore, D.O., and Young, D.P., 1995, Salt contamination of ground water in south central Kansas: Kansas Geological Survey Public Information Circular 2, 5 p. Available online at: http://www.kgs.ku.edu/Publications/pic2/pic2_1.html

Burrton Task Force, 1984, Report of the Burrton Task Force to the Chief Engineer-Director of the Kansas State Board of

Agriculture, Division of Water Resources, concerning the Proposed Burrton Intensive Ground-Water Use Control Area: Topeka, Kansas Water Agencies, 103 p.

- Butcher, D.L., 1964, A study of subsurface oil field pollution to a municipal groundwater supply, in Symposium on applied geology at Kansas State University: Flint Hills Geological Society, Manhattan, KS, variously paginated
- Carty, D.J., Whittemore, D.O., and Bassett, R.L., 1999, Identifying environmentally detrimental saltwater in oilfields using boron isotopes and anion ratios in Sublette, K.L., 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 34 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Foley, F.D., and Latta, B.F., 1966, Salt water encroachment from industrial operations: Proc. Amer. Water Res. Assoc., v. 2, p.65-63.
- Frye, J.C., and Brazil, J.J., 1943, Ground water in the oil-field areas of Ellis and Russell Counties, Kansas: Kansas Geological Survey Bulletin 50, 104 p.
- Fund, Mary, 1987, The extent of groundwater contamination in Kansas in Symposium, Prevention of groundwater contamination in Kansas: Kansas Law Review, v. 35, n. 2 pp. 353-366.
- Gillespie, J.B., Hargadine, G.D., Myers, N.C., and Hargadine, D.A., 1991, Geohydrologic data for the South Fork Ninnescah River Valley and adjacent plains in Pratt and Kingman Counties, south-central Kansas: U.S. Geological Survey Open-File Report 91-186, 55 p.
- Gloss, S.P., 1990, Wyoming Water Research Center Fiscal Year 1989 Program Report: National Technical Information Service Program Report G1600-01, 57p.
- Gogel, Tony, 1981, Discharge of salt water from Permian rocks to major stream-aquifer systems in central Kansas: Kansas Geological Survey, The University of Kansas at Lawrence, Chemical Quality Series 9, 60 p.
- Gott, G.B., and Hill, J.W., 1953, Radioactivity in some oil fields of southeastern Kansas: U.S. Geological Survey Bulletin 988E, 122p.

- Grandone, P., and Schmidt, L., Survey of subsurface brine-disposal systems in western Kansas oil fields: U.S. Bureau of Mines Report of Investigations No. 3719, 20p. .
- Heidari, M., Sadeghipour, J., and Drici, O., 1987, Velocity control as a tool for optimal plume containment in the Equus Beds aquifer, Kansas: Water Resources Bulletin, v. 23, n. 2, p. 325-335
- Helgesen, J.O., Stullken, L.E., and Rutledge, A.T., 1994, Assessment of nonpoint-source contamination of the High Plains aquifer in south-central Kansas, 1987: U.S. Geological Survey Water-Supply Paper 2381-C, 51 p.
- Jacobs, Michael, Hopson, Kevin, Potter, Al, and Blandford, T.N., 2004, Case study of integrated approach to the cleanup of Ogallala groundwater impacted by oilfield brine, Haskell County, Kansas [abs.]: American Association of Petroleum Geologists, Annual Meeting, Abstracts, v. 13, p. 70
- Johnson, Barb, Hopkins, Bob, and McCall, Wesley, 1999, Direct push electrical logging for rapid site assessment and definition of brine plumes in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Jones, J.F., 1986, Soil salinity resulting from secondary oil recovery in Anderson County, Kansas; effects and reclamation efforts: Masters thesis, Department of Geography, University of Kansas, Lawrence, KS, 104 p.
- Jones, O.S., 1938, Soil and water resources of the Kansas oil area, in Schmidt, L. and Wilhelm, C.J., eds., Disposal of petroleum wastes on oil-producing properties: U.S. Bureau of Mines, Report of Investigations, no. 3394, p. 35-43.
- Jones, O.S., 1942, The state's responsibility in oil and brine pollution originating in oil fields: Kansas State Board of Health, Topeka, KS, 20 p.
- Jones, O.S., 1945, Disposition of oil field brines: Kansas University Publication, 192 p.
- Jones, O.S., 1950, Fresh water protection from pollution arising in the oil fields: Kansas University Publication, 129 p.

- Jones, O.S., 1950, Stream analyses locate oil field pollution sources: *World Oil*, v. 130, n. 2, p. 148-150.
- Krieger, R.A., Hatchett, J.L., and Poole, J.L., 1957, Preliminary survey of the saline water resources of the United States: U.S. Geological Survey Water Supply Paper 1374, 172 p.
- Langhus, Bruce, Korphage, M.L., and Denoyelles, Frank, 1999, Halophyte remediation of brine impacted oil and gas sites in Kansas [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 83, n. 7, p. 1201.
- Latta, B.F., 1963, Fresh water pollution hazards related to the petroleum industry in Kansas: *Kansas Academy of Science, Transactions*, v. 66, n. 1, p. 25-33.
- Latta, B.F., 1973, Subsurface disposal of waste in Kansas in *Underground waste management and artificial recharge*, Volume 1, p. 622-633.
- Leonard, A.R., and Berry, D.W., 1961, Geology and ground-water resources of southern Ellis County and parts of Trego and Rush Counties: *Kansas Geological Survey Bulletin* 149, 156 p.
- Leonard, R.B., 1964, Results of four chemical-quality surveys of the Walnut River basin, Kansas (December 1961 to October 1963): *Kansas Environmental Health Services Bulletin*, 38 p.
- Leonard, R.B., 1964, A method for evaluating oil-field-brine pollution of the Walnut River in Kansas, in *Geological Survey Research 19884: U.S. Geological Survey Professional Paper 501-B*, p. B173-B176.
- Leonard, R.B., 1972, Chemical quality of water in the Walnut River basin, south-central Kansas: *U.S. Geological Survey Water-Supply Paper* 1982, 113 p.
- Leonard, R.B., and Kleinschmidt, M.K., 1976, Saline water of the Little Arkansas River basin area, south-central Kansas: *The University of Kansas at Lawrence, Kansas Geological Survey Chemical Quality Series No. 3*, 24 p.
- Mast, V.A., 1985, Use of ionic mixing curves in differentiating oil field brine from natural brine in a fresh water aquifer: *Ground Water Monitoring Review*, v. 5, n. 3, p. 65-69.
- McClure, J.W., Jr., 1973, Base metal content of oilfield brines in eastern Kansas [abs.]: *Geological Society of America Abstracts with Program*, v. 5, n. 4, p. 336.

- Meeks, Matt, 1998, Groundwater contamination in the State of Kansas; its extent, nature, and socio-economic impacts: Kansas Geological Survey Open-file Report No. 98-68, 88 p.
- Metzler, D.F., 1957, Pollution problems in Kansas: Kansas Law Review, v. 5, p. 611-625
- O'Connor, H.G., 1974, Brine contamination of Montgomery County, Kansas [abs.] in Geological Survey Research 1970, Chapter A: U.S. Geological Survey Professional Paper No. 700-A, p. A186
- O'Connor, H.G., 1974, Geology and ground-water resources of Montgomery County, Kansas: Ground Water Series No.1, 12 p.
- O'Connor, R.E. and Bayne, C.K., 1959, Electrical resistivity studies in brine pollution problems, in Hambleton, W.W., (ed.); Symposium on geophysics in Kansas: Kansas Geological Survey, Bulletin, No. 137, p. 209-218.
- Pastore, R.J. and Singh, S.P., 1993, Groundwater contamination in Wichita/Sedgwick County revisited [abs.]: Kansas Academy of Science and Missouri Academy of Science, Joint Annual Meeting, Program and Abstracts, v. 13, p. 64.
- Rall, C.G., and Wright, J.R., Analyses of formation brines in Kansas: U.S. Bureau of Mines Report of Investigations 4974, 40 p.
- Rubin, Hillel, Young, David, and Buddemeier, Robert, 2001, Sources, transport, and management of salt contamination in the groundwater of south-central Kansas: Kansas Geological Survey Open-file Report 2000-60 (v.2), unpaginated. Available online at http://www.kgs.ku.edu/Hydro/Equus/OFR00_60/index.htm
- Schmidt, Ludwig, and Wilhelm, C.J., 1938, Disposal of petroleum wastes on oil producing properties: U.S Bureau of Mines Report of Investigations No. 3394, 21 p.
- Skinner, W.D., 1972, Winfield wins a new water supply: Willing Water, v. 16, n. 3, p. 8-9.
- Sophocleous, M.A., 1984, Groundwater-flow parameter estimation and quality modeling of the Equus beds aquifer in Kansas, U.S.A.: Journal of Hydrology, v. 69, n.1-4, p.197-222.
- Sophocleous, M.A., Heidari, M., and McElwee, C.D., 1982, Water quality modeling of the Equus beds aquifer in south-central Kansas: technical completion report: Kansas Water Resources Research Institute Contribution No. 231, 68 p.

- Ward, P.E., 1961, Geology and ground-water features of salt springs, seeps, and plains in the Arkansas and Red River basins of western Oklahoma and adjacent parts of Kansas and Texas: U.S. Geological Survey Open-File Report 63-132, 94 p.
- Whittemore, D.O., 1981, Geochemical identification of saltwater sources in the Smoky Hill River Valley, McPherson, Saline, and Dickinson Counties, Kansas: Kansas Geological Survey Open-File Report 81-6, 78 p.
- Whittemore, D.O., 1984, Geochemical identification of salinity sources, in French, R.H., Salinity in watercourses and reservoirs: Proceedings of the 1983 International Symposium on State-of-the-Art Control of Salinity, Salt Lake City, Utah, p. 505-514.
- Whittemore, D.O., 1995, Geochemical differentiation of oil and gas brine from other saltwater sources contaminating water resources: case studies from Kansas and Oklahoma: Environmental Geosciences, v. 2, p. 15-31.
- Whittemore, D.O., 2004, Geochemical identification of sources of salinity in ground waters of the High Plains aquifer west of the Johnson oil field in central McPherson County, Kansas: Kansas Geological Survey Open-file Report No. 2004-4, 16 p.
- Whittemore, D.O., Bryson, W.R., Dealy, M.T., O'Connor, R.E., and Schoof, J.E., 1986, Management of oil-field-brine pollution in Kansas via a state task force, in Burkhead, C.E., ed., Thirty-sixth annual conference on environmental engineering, transactions Kansas University, School of Engineering, and Division of Continuing Education, variously paginated
- Whittemore, D.O., MacFarlane, P.A., Doveton, J.H., Butler, J.J., Jr., Chu, Tyan-Ming, Bassler, Rod, Smith, Martin, Mitchell, James, and Allen, Wade, 1993, The Dakota Aquifer Program Annual Report, FY92: Kansas Geological Survey Open-file Report 93-1, unpaginated. Available online at <http://www.kgs.ukans.edu/Dakota/vol3/fy92/index.htm>
- Whittemore, D.O., and Pollock, L.M., 1979, Determination of salinity sources in water resources of Kansas by minor alkalai metal and halide chemistry: Manhattan, Kansas, Kansas State University, Kansas Water Resources Research Institute Contribution 208, 28 p.
- Whittemore, D.O., Sophocleous, M., Bryson, W.R., Schoof, J., and Bell, T.C., 1985, Interagency study of oilfield brine pollution in Kansas, in Schmidt, K.D., ed., Groundwater

contamination and reclamation, Proceedings of a symposium held in Tucson, Arizona, August 14-15, 1985: American Water Resources Association Technical Publication Series TPS 85-2, p. 109-116.

Whittemore, D.O., Welch, J.E., Hale, J.M., Hathaway, L.R., and Bird, W., 1987, Soluble salts in unsaturated zone of abandoned brine ponds within oil fields of the Equus beds area, Kansas [abs.]: Midwest Ground Water Conference, Program with Abstracts, n. 32, unpaginated.

Wilhelm, C.J. and Schmidt, L., 1935, Preliminary report on the disposal of oil-field brines in Ritz-Canton oil field, McPherson County, Kansas: U.S. Bureau of Mines Report of Investigations No. 3297, 20 p.

Wilhelm, C.J., Thorne, H.M., and Pryor, M.F., 1936, Disposal of oil-field brines in the Arkansas River drainage area in western Kansas: U.S. Bureau of Mines, Report of Investigations No. 3318, 28 p.

Williams, C.C., and Bayne, C.K., 1946, Ground-water conditions in Elm Creek Valley, Barber County, Kansas, with special reference to contamination of ground water by oil-field brine: Kansas State Geological Survey Bulletin 64, 1946 Reports of Studies, pt. 3, p. 77-124.

Kentucky

Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.

Cosgrove, W.M., Howard, H.S., and Schultz, D.A., 1988, Water chemistry and benthic macroinvertebrate improvements one year following discontinuation of oil brine discharges in the Blaine Creek watershed, Martha, Kentucky: Athens, Georgia, U.S. Environmental Protection Agency, open-file report, unnumbered pages.

Eger, C.K., and Vargo, J.S., 1989, Prevention; ground water contamination at the Martha oil field, Lawrence and Johnson counties, Kentucky in Testa, S.M., ed., Environmental concerns in the petroleum industry, Proceedings of a symposium, American Association of Petroleum Geologists, Pacific Section, 1989 annual convention, Palm Springs, CA, United States, May 10-12, 1989, p. 83-105.

Evaldi, R.D., and Kipp, J.A., 1991, Effects of oil production on water resources in the Kentucky River basin, Kentucky: U.S.

Geological Survey Water-Resources Investigations Report 90-4191, 58 p.

Evangelou, V.P. and Marsi, M., 2003, Influence of ionic strength on sodium-calcium exchange of two temperate climate soils: Plant and soil, v. 250, n.2, p. 307-313.

Gass, T.E., Lehr, J.H., and Heiss, H.W., Jr., 1977, Impact of abandoned wells on ground water: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA/600/3-77-095, 52 p.

Hopkins, H.T., 1963, The effect of oil-field brines on the potable ground water in the Upper Big Pitman Creek Basin, Kentucky: Kentucky Geological Survey, Series 10, Report of Investigations No. 4, 36 p.

Kentucky Department of Environmental Protection, 1999, Total maximum daily load development- chlorides for South Fork Red River, Sand Lick Fork, and Stump Cave Branch (Powell County, Kentucky): Division of Water Report, 15 p.

Krieger, R.A., 1961, Ground water contamination in the Greensburg oil field, Kentucky in U.S. Public Health Service, 1961 Symposium on ground water contamination: Robert A. Taft Sanitary Engineering Center Technical Report, p.91-97.

Kreiger, R.A., and Hendrickson, G.E., 1960, Effects of Greensburg oilfield brines on the streams, wells, and springs of the upper Green River basin, Kentucky: Kentucky Geological Survey, Series 10, Report of Investigations No. 2, 36 p.

Lewis, Tom, 1958, Stream pollution, in McGrain, Preston and Crawford, T.J., eds., Proceedings of the Technical Session, Kentucky Oil and Gas Association 22nd Annual Meeting, June 5-6, 1958: Kentucky Oil and Gas Association, p. 25-27.

Logan, R.W., Beck, G.V., Call, S.M., Houp, R.E., Metzmeier, Lythia, Mills, M.R., Roth, C.A., Schneider, C.C., Walker, D.K., and Westerman, Albert, 1989, Millers Creek drainage biological and water quality investigation for stream use designation: Kentucky Dept. for Environmental Protection, Division of Water, Ecological Support Section Technical Report No. 25, 93 p.

Lyverse, M.A., 1989, Surface geophysical techniques and test drilling used to assess ground-water contamination by chlorides in an alluvial aquifer, in Proceedings of the Third National Outdoor Action Conference on Aquifer

Restoration, Ground Water Monitoring and Geophysical Methods: Dublin, Ohio, National Water Well Association, p. 993-1006.

Lyverse, M.A., and Unthank, M.D., 1988, Assessment of groundwater contamination in the alluvial aquifer near West Point, Kentucky: USGS Water-Resources Investigations Report 88-4166, 25 p.

McGrain, Preston and Thomas, G.R., 1951, Preliminary report on the natural brines of eastern Kentucky: Kentucky Geological Survey, Series IX, Report of Investigations No. 3, 22 p.

S. M. C. Martin, Inc., 1983, The stripper wells of east-central Kentucky: an environmental assessment: S. M. C. Martin Inc. Valley Forge, PA, Report #8412-040-94005.

Short, T.M., Black, J.A., and Birge, W.J., 1991, Ecology of a saline stream: community responses to spatial gradients of environmental conditions: Hydrobiologia, v. 226, n. 3, p. 167-178.

Sidhu, Amarjit, and Mitsch, W.J., 1987, Water pollution from oil and gas recovery in eastern Kentucky watersheds: Water Resources Bulletin, v. 23, n. 5, p. 943-953.

Van Hassenl, J.H., Cherry, D.S., Hendricks, J.C., and Specht, W.L., 1988, Discrimination of factors influencing biota of a stream receiving multiple-source perturbations: Environmental Pollution, v. 55, n.4, p. 172-287.

Wunsch, D.R., 1997, Hydrodynamics of the shallow salt-water interface in the unglaciated Appalachian Plateau [abs.]: American Association of Petroleum Geologists Bulletin, v. 81, p. 1568.

Louisiana

Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.

Bass, Aaron, 1998, Accidental oilfield brine spill impact study: a survey of the magnitude and distribution of accidental brine spills in the Louisiana coastal wetlands conservation area: final report: Louisiana Geological Survey report submitted to the Louisiana Coastal Management Division, Louisiana Department of Natural Resources, 55 p.

Bass, A.S., 1999, Magnitude, distribution and impacts of accidental brine spills in the Louisiana Coastal Wetland

Conservation Plan area: American Association of Petroleum Geologists Bulletin, v. 83, n. 8, p. 1347-1348.

Bernier, Rene, Myers, Jim, and Hall, Jerry, 2002, Re-vegetation of brine damaged soil: a soil rebuilding approach in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html

Boesch, D.F. and N.N. Rabalais, eds., 1989, Produced waters in sensitive coastal habitats: an analysis of impacts, central coastal Gulf of Mexico: OCS Report/MMS 89-0031, U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, 157 p.

Boesch, D.F. and N.N. Rabalais, eds., 1989, Environmental impact of produced water discharges in coastal Louisiana: Report to the Louisiana Division of the Mid Continent Oil and Gas Association, Louisiana Universities Marine Consortium, Chauvin, LA, 287 p.

Bolton, J.E., 2003, Revegetation of oil brine spill sites: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 73 p.

Chipman, R.K., 1959, Studies of tolerance of certain freshwater fishes to brine water from oil wells: Ecology, v. 40, n. 2, p. 299-302.

Colgan, Wes, III, and Vavrek, M.C., 2003, Symbiotic fungi and plant performance in oil brine contaminated soil [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Collins, A.G., 1970, Geochemistry of some petroleum-associated waters from Louisiana: U.S. Bureau of Mines Report of Investigations 7326, 31 p.

Continental Shelf Associates, Inc., 1997, Monitoring environmental recovery at terminated produced water discharge sites in coastal Louisiana waters: draft report, February 1997: Jupiter, Florida, Continental Shelf

- Associates, Inc., Report for the Department of Energy, released as DOE/MT/92001-22, variously paginated.
- Fletcher, P.A., Cornette, C.A., Sustala, D.R., and Dolence, T.W., 1995, Preparation of naturally occurring radioactive material (NORM) for hydraulic fracturing disposal: a case study, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 737-747.
- Goodin, D.A., 2001, Remediation of an oil contaminated wetland and the effects of crude oil and brine on two-year old Loblolly Pine (*Pinus taeda*) seedlings: Baton Rouge, Louisiana State University Ph.D. thesis, 137 p.
- Greer, C.R., and Landress, M.R., 1995, In-situ radium activity measurements for NORM assessment and remediation, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 253-260.
- Hanan, M. A., 1981, Geochemistry and mobility in sediments of radium from oil-field brines: Grand Bay, Plaquemines Parish, Louisiana: M.S. Thesis, University of New Orleans, 89 p.
- Hanor, J.S., 1984, Salinity and geochemistry of subsurface brines in south Louisiana and their potential for reaction with injected waste waters: U.S. Department of Energy Report, DOE/NV/10174-3, P. 277-346.
- Hanor, J.S., 1997, Limitations of the use of conventional ground water techniques in characterizing the fate of produced waters in on-shore Gulf Coast sediments: American Association of Petroleum Geologists Bulletin, v. 81, n. 9, p.1576-1577.
- Hanor, J.S., 1998, Pathways of shallow subsurface migration of saline oil field wastes at a commercial disposal site in South Louisiana: Transactions- Gulf Coast Association of Geological Societies, v. 48, p. 107-118.
- Haque, S.M., 1989, Environmental effects of surface brine disposal in Golden Meadow oil and gas field, Lafourche Parish, Louisiana [abs.]: Geological Society of America, 1989 Annual Meeting, Abstracts with Programs, p. A187.
- Huff, G.F., 1994, Geohydrologic controls on the distribution and origin of brackish water in the Mississippi River alluvial

- aquifer of eastern Morehouse Parish, Louisiana, and southern Chicot County, Arkansas [abs.]: American Association of Petroleum Geologists Bulletin, v. 78, n. 9, p. 1461.
- Huff, G.F. and Bonck, J.P., 1993, Saltwater in shallow aquifers in east-central and northeastern Louisiana and southeastern Arkansas: U.S. Geological Survey Open File Report 93-494, 54 p.
- Huff, G.F. and Hanor, J.S., 1997, Sr isotopic composition of oil-field brines in the Wilcox Group of eastern central Louisiana; identification of sources of saline contamination: American Association of Petroleum Geologists Bulletin, v. 81, n. 9, p.1578.
- Hughes, L.S., and Leifeste, D.K., 1964, Reconnaissance of the chemical quality of surface water in of the Sabine River Basin, Texas and Louisiana: Texas Water Commission Bulletin No. 6405, 64 p.
- Knecht, A.T., 1988, Final report on the impact of produced water discharges from oil and gas operations on the estuarine environment in Louisiana: a literature review: New Orleans, Louisiana, University of New Orleans, Report produced for the Louisiana Department of Environmental Quality, 84 p.
- Lafleur, R.A., 1970, Water conservation and the petroleum industry: Institute on Mineral Law, v. 16, p.17-18.
- Lassere, S.L, 2000, Natural remediation of disposed oil-field brines with elevated radium concentrations: New Orleans, Louisiana, University of New Orleans Master's thesis, 163 p.
- Lassere, S.L., Totten, M.W., Hanan, M.A., and Reed, D., 2000, Natural remediation of disposed oil-field brines with elevated radium concentrations [abs.]: American Association of Petroleum Geologists Bulletin, v. 84, n. 13.
- Louis R. Reeder, and Associates, 1978, Impact of oil & gas production on salinity in major fresh water aquifers (Arkansas, Louisiana, New Mexico, Oklahoma): Oklahoma City, Interstate Oil Compact Commission, 481 p.
- Meinhold, A.F., and Hamilton, L.D., 1990, Radium concentration factors and their use in health and environmental risk assessment in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego,

- California: New York, Plenum Press, Environmental science research, v. 46, p. 293-302.
- Mullino, M.M., and Rayle, M.F., 1992, Produced water radionuclides fate and effects *in*, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 281-292.
- Oddo, J.E., Zhou, Xinliang, Linz, D.G., He, Shiliang, and Tomson, M.B., 1995, The mitigation of NORM scale in the Gulf Coast regions of Texas and Louisiana: a laboratory and field study, *in* Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 207-217.
- Osborne, Heather, 2003, Revegetation of a remediated brine-contaminated soil: Nacogdoches, Texas, Stephen F. Austin University, Master's thesis, 52 p.
- Pezeshki, S.R., DeLaune, R.D., and Patrick, W.H., 1987, Response of freshwater marsh species, *Panicum hemitomom* Schult., to increased salinity: *Freshwater Biology*, v. 17, n. 2, p. 195-200
- Rabalais, N.N., Means, J.C., and Boesch, D.F., 1990, Fate and effects of produced water discharges in coastal environments, *in* U.S. ENVIRONMENTAL PROTECTION AGENCY, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 503-514.

- Ross, P.D., Jr., 2004, Fungal diversity in oil and brine impacted soils: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 32 p.
- Sauer, T.C., Jr., Ward, T.J., Brown, J.S., O'Neil, S., and Wade, M.J., 1990, Identification of toxicity in low-TDS produced waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 209-222.
- Scalf, M.R., Keely, M.R., and LaFevers, C.J., 1973, Ground-water pollution in the south-central states: U.S. Environmental Protection Agency, Office of Research and Development, National Environmental Research Center, Environmental Protection Technology Series EPA-R2-73-268, 135 p.
- Sewell, H.J.; Hamilton, W.A.; Farrish, K.W.; and Deuel, L.E., Jr.; Moore, D., 2002, Remediation and re-vegetation of brine impacted soil; a case study [abs.]: Transactions - Gulf Coast Association of Geological Societies, v.52, p.892.
- Smith, J.T., Jr., 2004, The potential of Myrica Cerifera and symbiotic fungi for revegetation of oil brine spill sites: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 28 p.
- St. Pe, K.M., 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: Baton Rouge, Louisiana, Louisiana Department of Environmental Quality, Water Pollution Control Division, 204 p.
- St. Pe, K.M., Means, Jay, Milan, Charles, Schlenker, Matt, and Courtney, Sherri, 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: a project summary in U.S. ENVIRONMENTAL PROTECTION AGENCY, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 31-42.
- Steimle & Associates, Inc., 1991, Produced water impacts on Louisiana wetlands: Washington, D.C., Health and Environmental Sciences, API Publication No. 4517, 132 pp.
- Subra, W.A., 1990, Unsuccessful oil field waste disposal techniques in Vermilion Parish, Louisiana, in, Proceedings

of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, New Orleans, Louisiana: U.S. Environmental Protection Agency, p. 995-999.

U. S. Environmental Protection Agency, 1993, A preliminary risk assessment of management and disposal options for oil field wastes and piping contaminated with NORM in the State of Louisiana: Washington, D.C., U. S. Environmental Protection Agency, Office of Air and Radiation, 172 p.

Van Sickel, Virginia, and Groat, C.G., 1990, Oil field brines- another problem for Louisiana's coastal wetlands, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 659-675.

Vavrek, M.C. and Colgan, Wes, III, 2003, Use of a hydroseeder to revegetate oil brine spill sites [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Warner, D.L., and McConnell, C.L., 1993, Assessment of environmental implications of abandoned oil and gas wells: Journal of Petroleum Technology, v. 45, n.9, p. 874-880

Woodall, D.W., 1998, Tracking oil and gas produced water in an open water estuarine system using salinity as a conservative tracer: Baton Rouge, Louisiana State University, Master's thesis, 194 p.

Woodall, D.W., Gambrell, R.P., Rabalais, N.N., and DeLaune, R.D., 2001, Developing a method to track oil and gas produced water discharges in estuarine systems using salinity as a conservative tracer: Marine Pollution Bulletin, v. 42, n. 11, p. 1118-1127

Michigan

Dollar, P.S., Frape, S.K., and McNutt, R.H., 1991, Geochemistry of formation waters, southwestern Ontario, Canada and southern Michigan, U.S.A.: implications for origin and evolution: Ontario Geological Survey Open File report 5743, 72 p.

- Gass, T.E., Lehr, J.H., and Heiss, H.W., Jr., 1977, Impact of abandoned wells on ground water: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA/600/3-77-095, 52 p.
- Koehler, Janet, 1988, Electrical resistivity as an approach to evaluating brine contamination of groundwater in the Walker oilfield, Ottawa County, Michigan: Master's thesis, Kalamazoo, Michigan, Western Michigan University
- Meisel, K.E., 1985, The use of electrical resistivity to delineate a brine contamination plume in the Walker oil field, Kent County, Michigan: Master's thesis, Western Michigan University, Kalamazoo, MI
- Michigan Department of Natural Resources, 1982, Assessment of ground-water contamination-inventory of sites: Lansing, 242 p.
- Michigan Department of Natural Resources and Michigan Department of Health, 1991, Naturally occurring radioactive materials (NORM) at Michigan oil and gas field sites, Preliminary survey results
- Oddo, J.E., Al-Borno, A., Ortiz, I., Anthony, R., Pope, D.H., Linz, D.G., Frank, J., and Becker, M., 1993, The chemistry, prediction, and treatment of scale containing naturally occurring radioactive materials (NORM) in Antrim gas fields, Michigan: Society of Petroleum Engineers Production Operations Symposium, Oklahoma City, Oklahoma, Proceedings, p. 695-704.
- Oddo, J.E., Sitz, C.D., Ortiz, I., Linz, D.G., Lawrence, A.W., Kan, A.T., and Tomson, M.B., 1993, NORM (naturally occurring radioactive materials) scale formation: a case study of the chemistry, prediction, remediation, and treatment in wells in the Antrim gas field: First Society of Petroleum Engineers/Environmental Protection Agency Exploration and Production Environmental Conference, San Antonio, Texas, March 7-10, 1993, Proceedings, p. 91-100.
- Ortiz, I., Anthony, R.V., Oddo, J.E., Pope, D.H., Frank, J.R., and Becker, D.M., 1993, Study of mechanisms for naturally occurring radioactive materials and souring in gas production facilities in the Antrim shale of the Michigan Basin: Society of Petroleum Engineers Oilfield Chemistry International Symposium, New Orleans, LA, March 2-5, 1993, Proceedings, p. 45-59.

Powers, T.J., 1935, Studies of the control and effects of oil field brine pollution in Michigan: State College, Pennsylvania, Pennsylvania State College Bachelor's thesis, 68 p.

Sayles, B., 1985, Oil well operation impacts on the Pine River, Arenac County. Michigan: Michigan Dept. of Natural Resources, Surface Water Quality Division, WQAU Report No. 04941

Schultz, E.E., 1958, Effects of brine pollution on aquatic organisms in three Michigan streams [abs.]: Michigan Dept. of Natural Resources, Inst. for Fisheries Research Report No. 1548, Abs. No. 144

Taylor, Rick, 1991, Electromagnetic mapping of brine contamination in petroleum producing areas: Ontario Petroleum Institute Thirtieth Annual Conference, v.30, Technical Paper No. 10, 13 p.

Mississippi

Baughman, W.T., and McCarty, J.E., 1974, Water resources of Wayne County: Mississippi Geologic, Economic, and Topographic Survey Bulletin, n. 117, p. 241-293.

Collins, G.A., Zelinski, W.P., and Pearson, C.A., 1966, Bromide and iodide in oil-field brines in Tertiary and Cretaceous Formation in Mississippi and Alabama: U.S. Department of the Interior, Bureau of Mines Report of Investigations 6859, 187 p.

Hawkins, M.E., Jones, O.W., and Pearson, C.A., 1963: Analysis of brines from oil-productive formations in Mississippi and Alabama: U.S. Department of the Interior, Bureau of Mines Report of Investigations 6167, 22 p.

Kalkhoff, S. J., 1986, Brine contamination of shallow ground water and streams in the Brookhaven Oil Field, Lincoln County, Mississippi: U.S. Geological Survey Water-resources investigations report 86-4087, 57 p.

Kalkhoff, S. J., 1986, Brine contamination of freshwater aquifers and streams in petroleum producing areas in Mississippi: U.S. Geological Survey Water-Resources Investigations Report 85-4117, 108 p.

Kalkhoff, S.J., 1993, Brine contamination of shallow ground water and streams in the Baxterville Oil Field Area, Lamar and

Marion Counties, Mississippi: U.S. Geological Survey Water-Resources Investigations Report 93-4147, 37 p.

Kraemer, T.F., 1987, Radium content of central Mississippi salt basin brines: U.S. Geological Survey Open-File Report 87-694, 6 p.

Miller, J.C., Hackenberry, P.S., and DeLuca, F.A., 1977, Ground-water pollution problems in the southeastern United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA-600/3-77-012, 329 p.

Slack, L.J. and Adams, K.R., 2000, Quality of shallow ground water at selected sites in the Dry Creek Oil Field, Franklin County, Mississippi, 1999: U.S. Geological Survey Open-file Report 00-292, 13 p.

Slack, L.J., O'Hara, C.G., and Oakley, W.T., 1996, Brine contamination of ground water in the vicinity of the Brookhaven oil field, Lincoln County, Mississippi: U.S. Geological Survey Water Resources Investigations WRI 96-4023, 27 p.

Smith, B.D., Bisdorf, R.J., Slack, L.J., and Mazzella, Aldo, 1997, Evaluation of electromagnetic mapping methods to delineate subsurface saline waters in the Brookhaven oil field, Mississippi in Bell, R.S., ed., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v.1997, pp.685-693.

Warner, D.L., and McConnell, C.L., 1993, Assessment of environmental implications of abandoned oil and gas wells: Journal of Petroleum Technology, v. 45, n.9, p. 874-880.

Montana

Evans, G.B., Jr., and Barck, J.A., 1995, Reclamation of soil affected by salts: investigation, assessment, planning, and implementation in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 641-653.

Levings, G.W., 1984, Reconnaissance evaluation of contamination in the alluvial aquifer in the East Poplar oil field, Roosevelt County, Montana: U.S. Geological Survey Water-Resources Investigations Report 84-4174, 29 p.

- Linder-Lunsford, J.B., Parrett, C., Wilson, J.F., and Eddy-Miller, C.A., 1992, Chemical quality of surface water and mathematical simulation of the surface-water system, Powder River drainage basin, northeastern Wyoming and southeastern Montana: U.S. Geological Survey Water-Resources Investigations Report 91-4199, 85 p.
- Payne, S.M., 1990, Modeling of hydrogeologic conditions and ground water quality at an oil well reserve pit, Richland County, Montana: University of Montana, Missoula, MT Master's thesis, 203 p.
- Payne, S.M. and Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part III, Hydrogeological conditions and ground water quality at an oil well reserve pit, Richland County, Montana: Montana Bureau of Mines and Geology Open-File Report 237C, variously paginated.
- Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part I, Overview: Montana Bureau of Mines and Geology Open-File Report 237A, 25 p.
- Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part II, Contaminant movement below oil field frilling mud disposal pits, Fairview, Montana: Montana Bureau of Mines and Geology Open-File Report 237B, variously paginated.
- Reiten, J.C., 1992, Water quality of selected lakes in eastern Sheridan County, Montana, Montana Bureau of Mines and Geology Open File Report 244, 46 p.
- Reiten, J.C. and Tischmak, Terry, 1993, Appraisal of oilfield contamination in shallow ground water and surface water, eastern Sheridan County, Montana: Montana Bureau of Mines and Geology Open-File Report 260, variously paginated.
- Sheridan County (Montana) Conservation District, Oilfield brine contaminated soils in Sheridan County: Accessed January 2005 at: <http://sheridan.mt.nacdnet.org/oilbrine.htm>
- Thamke, J.N. and Craigg, S.D., 1997, Saline-water contamination in Quaternary deposits and the Poplar River, East Poplar oil field, northeastern Montana: U. S. Geological Survey Water-Resources Investigations Report WRI 97-4000, 37 p.
- Thamke, J.N., Craigg, S.D., and Mendes, T.M., 1996, Hydrologic data for the East Poplar oil field, Fort Peck Indian

Reservation, northeastern Montana: U.S. Geological Survey Open-File Report 95-0749, 92 p., 1 diskette.

Thamke, J.N., Craig, S.D., and Mendes, T.M., 1998, Use of terrain electromagnetic geophysical methods to map saline-water contamination, East Poplar oil field, northeastern Montana in Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v.1998, p. 205-214.

Thamke, J.N. and Midtlyng, K.S., 2003, Ground-water quality for two areas in the Fort Peck Indian Reservation, northeastern Montana, 1993-2000: U.S. Geological Survey Water-Resources Investigations Report 03-4214, 54 p.

Tomer, Mark and Reiten, J.C., 1991, Impacts of oil field wastes on soil and ground water in Richland County, Montana, Part IV, Reclamation of soils damaged by oil field wastes, Richland County, Montana: Montana Bureau of Mines and Geology Open-File Report 237D, 17 p.

Van der Leeden, Frits, Cerrillo, L.A., and Miller, D.W., 1975, Ground-water pollution problems in the northwestern United States: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/660/3-75-018, 341 p.

Nebraska

Hibbs, B.J., 1989, Investigation of a brine contaminated aquifer in southeastern Hitchcock County, Nebraska: Lincoln, Nebraska, University of Nebraska, Master's thesis, 300 p.

Nevada

Van Denburgh, A.S., and Rush, F.E., 1974, Water-resources appraisal of Railroad and Penoyer Valleys, east-central Nevada: Nevada Division of Water Resources, Water Resources Reconnaissance Series, Report No. 60, 61 p.

New Mexico

Bristol, Sky, 1998, Environmental contaminants in water, sediment, and biological samples from playa lakes in southeastern New Mexico- 1992, draft report: Albuquerque, New Mexico, Environmental Contaminants Program, Fish and Wildlife Service, 23 p. Available online at:
http://ifw2es.fws.gov/Documents/R2ES/WWTP_Wetlands_Contaminant_Report-FINAL.pdf

- Dutton, A.R., 1987, Origin of brine in the San Andreas Formation, evaporite confining system, Texas Panhandle and eastern New Mexico: Geological Society of America Bulletin, v. 99, n. 1, p. 103-112.
- Eicemen, G.A., McConnon, J.T., Zaman, M., Shuey, C., and Earp, D., 1986, Hydrocarbons and aromatic hydrocarbons in groundwater surrounding an earthen waste disposal pit in the Duncan oil field of New Mexico: International Journal of Environmental Analytical Chemistry, v. 24, n. 2, p. 143-162.
- Herczeg, A.L., Simpson, H.J., Anderson, R.F., Trier, R.M., Mathieu, G.G., and Deck, B.L., 1988, Uranium and radium mobility within the Delaware basin, southeastern New Mexico, U.S.A.: Chemical Geology (Isotope Geosciences Section), v. 72, p. 181-196.
- Hicks, R.T., Hamilton, David, and Simunek, Jirka, 2004, Fate and transport of chloride from produced water spills to ground water, Lea County, New Mexico [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Hicks, R.T., Hamilton, David, Simunek, Jirka, and Libersky, Jason, 2004, A simple tool to predict impact to ground water from produced water spills [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Hiss, W.L., Peterson, J.B., and Ramsey, T.R., 1969, Saline water in southeastern New Mexico in Proceedings of Symposium on the geochemistry of subsurface brines, Kansas University, March 25-26, 1968: Chemical Geology, v. 4, n. 1-2, p. 341-360.
- Hiss, W.L., 1975, Water-quality data from oil and gas wells in part of the Permian Basin, southeastern New Mexico and western Texas: U.S. Geological Survey Open-file Report 75-579, 283 p.

- Huff, G.F., 2004, Review of knowledge on the occurrence, chemical composition, and potential use for desalination of saline ground water in Arizona, New Mexico, and Texas with a discussion of potential future study needs: U.S. Geological Survey Open-File Report 2004-1197, 13 p. Available only online at <http://water.usgs.gov/pubs/of/2004/1197/ofr2004-1197.pdf>
- Louis R. Reeder, and Associates, 1978, Impact of oil & gas production on salinity in major fresh water aquifers (Arkansas, Louisiana, New Mexico, Oklahoma): Oklahoma City, Interstate Oil Compact Commission, 481 p.
- Nativ, Ronit, 1988, Hydrogeology and hydrochemistry of the Ogallala aquifer southern High Plains, Texas Panhandle, and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations 177, 64 p.
- Nativ, Ronit and Guitierrez, G.N., 1987, Hydrogeology and hydrochemistry of Cretaceous aquifers, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology OFWTWI 1987-2, 57 p.
- Nicholson, Alexander, Jr., and Clebsch, Alfred, Jr., 1961, Geology and ground-water conditions in southern Lea County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Memoir, 123 p.
- Ong, Kim, 1988, New Mexico ground-water quality, in Moody, D.W., Carr, Jerry, Chase, E.B., and Paulson, R.W., compilers, National Water Summary 1986- Hydrologic events and groundwater quality: U.S. Geological Survey Water-Supply Paper 2325, p. 377-384.
- Scalf, M.R., Keely, M.R., and LaFevers, C.J., 1973, Ground-water pollution in the south-central states: U.S. Environmental Protection Agency, Office of Research and Development, National Environmental Research Center, Environmental Protection Technology Series EPA-R2-73-268, 135 p.
- Stephens, D.B., and Spaulding, C.P., 1984, Oil-field brine contamination- a case study, Lea County, New Mexico in Whetstone, G.A., ed., Proceedings of the Ogallala aquifer symposium II, Lubbock, Texas: New Mexico Institute of Mining and Technology, p. 440-450.
- Tellez. G.T., and Nirmalakhandan, N., 1990, Bioreclamation of oilfield produced wastewaters: characterization and feasibility in, Ray, J. P., and Engelhardt, F. R., eds.,

1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 523-533.

U.S. Geological Survey, 1984, National Water Summary 1983-Hydrologic events and issues: U.S. Geological Survey Water-Supply Paper 2250, 243 p.

Zonge, K.L., Figgins, S.J., and Hughes, L.J., 1985, Use of electrical geophysics to detect sources of groundwater contamination [abs.]: Society of Exploration Geophysics Abstracts, v. 1985, n. 1, p. 147-149.

New York

Atkinson, J.F., Matsumoto, M.R., Bunn, M.D., and Hodge, D.S., 1990, Use of solar ponds to reclaim salt products from brine waters from oil and gas well operations in New York, in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 523-533.

Crain, L.J., 1966, Ground-water resources of the Jamestown area, New York: State of New York Conservation Department, Water Resources Commission Bulletin No. 58, 167 p.

Crain, L.J., 1969, Ground-water pollution from natural gas and oil production in New York: New York State Water Resources Commission Report of Investigation No. 5, 15 p.

Gilday, W.M., and Edick, R.G., preparers and reviewers, 1999, An investigation of naturally occurring radioactive materials (NORM) in oil and gas wells in New York State: Albany, New York, Department of Environmental Conservation, 35 p., variously paginated appendices.

Goodman, W.M., Castle, J.W., and Mazor, Emanuel, 1998, Shallow saline groundwaters of the Queenston-Medina subcrop, western New York State [abs.]: American Association of Petroleum Geologists Bulletin, v. 82, n. 9, p. 1767.

Harrison, S.S., 1985, Contamination of aquifers by overpressuring the annulus of oil and gas wells: Ground Water, v. 23, n. 3, p. 317-324.

Miller, D.W., DeLuca, F.A., and Tessier, T.L., 1974, Ground-water contamination in the northeast states: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/660/2-74-056, 300 p.

Randall, A.D., 1972, Records of wells and test borings in Susquehanna River basin, New York: New York State Department of Environmental Conservation Bulletin No. 69, 92 p.

Savage, J.E., 1992, Role of the soil ecosystem in land dispersal of oil and gas production brine of the Allegheny Basin: Syracuse, New York, State University of New York Master's thesis, 120 p.

Smith, C.R., 1989, Estimating the probability of groundwater contamination in the oil and gas fields of western New York State: Master's thesis, University of Virginia, 103 p.

North Dakota

Beal, W.A., 1986, Contaminant migration of oil-and-gas drilling fluids within the glaciated sediments of north-central North Dakota: Aberdeen, University of North Dakota, Master's thesis, 242 p.

Doll, E.C., 1989, Chemical analysis of soils contaminated with oilfield brine: Mandan, N.D., North Dakota State University, Land Reclamation Research Center Bulletin No. 521, 9 p.

Doll, E.C., Lang, K.L., and Merrill, S.D., 1990, Contamination of soil with oilfield brine and reclamation with calcium chloride: Soil Science, v. 150, n. 1, p.469-475.

Downey, J.S., 1984, Hydrodynamics of the Williston basin in Geohydrology of the Dakota aquifer, Proceedings of the first C.V. Theis Conference on geohydrology, October 5-6, 1982, Lincoln, Nebraska: Worthington, OH, National Well Association, p.92-98

Foss, J.E., Richardson, J.L., Prunty, L.D., Sweeney, M.D., Cudworth, D.K., and Hoag, B.K., 1985, Identification of salt-seepage areas from oilfield brine pits: North Dakota State University, Fargo, N.D., Final report to North Dakota Water Resources Research Institute, 31 p.

Land Reclamation Research Center and North Dakota Mining and Mineral Resources Research Institute, 1985, Conference on

identifying and remedying effects of oilfield brine and drilling fluids on soils and groundwater, April 10, 1985, Dickinson, North Dakota: Mandan, North Dakota, North Dakota State University, Land Reclamation research Center, 32 p.

Lang, K.J., and Doll, E.C., 1983, Salt distribution around a buried brine disposal pit: Mandan, North Dakota, North Dakota Land Reclamation Research Center, North Dakota State University, Technical Report No. 1, 10 p.

Murphy, E.C. and Kehew, A.E., 1984, The effect of oil and gas well drilling fluids on shallow groundwater in western North Dakota: North Dakota Geological Survey Report of Investigations No. 82, 156 p.

Murphy, E.C., Kehew, A.E., Groenewold, G.H., and Beal, W.A., 1988, Leachate generated by an oil-and-gas brine pond site in North Dakota: Ground Water, v. 26, n. 1, p. 31-38.

Ohio

Adams, Vincent, 1980, Oil-brine contamination of Marion Township, Hocking County: Athens, Ohio, Ohio University, Master's thesis, 90 p.

Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.

Bair, E. S. and Digel, R. K., 1990, Subsurface transport of inorganic and organic solutes from experimental road spreading of oil-field brine: Ground water monitoring review, v. 10, n. 3, p. 94.

Barton, A.C. and Bair, E.S., 1997, Assessment of ground-water quality impacts caused by land spreading of saline oil and gas exploration and production wastes: American Association of Petroleum Geologists Bulletin, v. 81, p. 1545.

Barton, G. J., Burruss, R. C., and Ryder, R. T. 1998, Water quality in the vicinity of Mosquito Creek Lake, Trumbull County, Ohio, in relation to the chemistry of locally occurring oil, natural gas, and brine: U.S. Geological Survey Water-Resources Investigations Report 98-4180, 46 p.

Boster, R.S., 1967, A study of ground-water contamination due to oil-field brines in Morrow and Delaware Counties, Ohio, with emphasis on detection utilizing electrical resistivity techniques: Columbus, Ohio, Ohio State University, Master's thesis, 191 p.

- Breen, K.J., Angelo, C.G., Masters, R.W., and Sedam, A.C., 1985, Chemical and isotopic characteristics of brines from three oil- and gas-producing sandstones in eastern Ohio, with applications to the geochemical tracing of brine sources: U.S. Geological Survey Water-Resources Investigations Report 84-4314, 58 p.
- Breen, K .J., and Dumouchelle, D. H., 1991, Geohydrology and quality of water in Lucas, Sandusky, and Wood Counties, northwestern Ohio: U. S. Geological Survey Water-Resources Investigations Report 91-4024, 234 p.
- Chapman, M.J. and Bair, E.S., 1992, Mapping a brine plume using surface geophysical methods in conjunction with ground water quality: Ground Water Monitoring Review, v. 12, n. 3, p. 203-209.
- Coen, A.W., III, 1990, Ground-water levels, flow, and specific conductance in unconsolidated aquifers near Lake Erie, Cleveland to Conneaut, Ohio, September 1984: U. S. Geological Survey Water-Resources Investigations Report 89-4202, 22 p. Abstract available at <http://oh.water.usgs.gov/reports/Abstracts/wrir.89-4202.html>
- Dambach, C. A., and Olive, J.H., 1969, Development of biological indices to pollution levels in streams affected by acid mine drainage and oil field brine wastes: Columbus, Ohio State University, State of Ohio Water Resources Center, Research project completion report, Project no. A-003-Ohio, 90 p.
- Darner, R. A., 2002, Water and bed-sediment quality in the vicinity of Berlin Lake, Ohio, 2001: U.S. Geological Survey Water-Resources Investigations Report 02-4246, 31 p.
- Denig-Chakroff, David, 1984, Analysis of quantities produced from oil and gas wells, Morgan County, Ohio: Columbus, Ohio, Ohio State University, Master's thesis, 61 p.
- Eberts, S.M., 1991, Geohydrology and water quality in northern Portage County, Ohio, in relation to deep-well brine injection: U.S. Geological Survey Water-Resource Investigations Report 90-4158, 63 p.
- Eberts, S.M., Blair, E.S., and de Roche, J.T., 1990, Geohydrology, ground-water quality, and simulated ground-water flow, Geauga County, Ohio: U.S. Geological Survey Water-Resource Investigations Report 90-4026, 117 p.
- Eberts, S.M., and George, L.I., 2000, Regional ground-water flow and geochemistry in the Midwestern basins and arches aquifer

- system in parts of Indiana, Ohio, Michigan, and Illinois:
U.S. Geological Survey Professional Paper 1423-C, 103 p.
- Elmer E. Templeton, and Associates, 1980, Environmentally acceptable disposal of salt brines produced with oil and gas: a report for the Ohio Water Development Authority: Ohio Water Development Authority, 125 p.
- Federal Water Pollution Control Administration, 1967, Recommendations for water pollution control in Raccoon Creek basin, Ohio: Federal Water Pollution Control Administration, Ohio Basin Regional Report, 81 p.
- Harrison, S.S., 1985, Contamination of aquifers by overpressuring the annulus of oil and gas wells: Ground Water, v. 23, n. 3, p. 317-324
- Jagucki, M.L., and Darner, R.A., Ground-water quality in Geauga County, Ohio--review of previous studies, status in 1999, and comparison of 1986 and 1999 data: U.S. Geological Survey Water-Resources Investigations Report 01-4160, 66 p.
- Kalka, M.S., 1991, Investigation of fate of heavy metals of oil field brines used as an anti-dust agent on roads in northeastern Ohio: Kent, Ohio, Kent State University, Master's thesis, 140 p.
- Kalka, M.S., Eckstein, Yoram, and Dahl, P.S., 1989, Investigation of fate of heavy metals of oil field brines used as an anti-dust agent on roads in northeastern Ohio [abs.]: Geological Society of America, Abstracts with Programs, p. A243.
- Keiffer C.H, and Ungar I.A., 2001, The effect of competition and edaphic conditions on the establishment of halophytes on brine effected soils: Wetlands Ecology and Management, v. 9, n. 6, p. 469-481.
- Keiffer C.H, and Ungar I.A., 2002, Germination and establishment of halophytes on brine-affected soils: Journal of Applied Ecology, v. 39, n. 3, p. 402-415.
- Knuth, M.C., 1987, Determination of the source of salt contamination in a private well in Hudson, Ohio: Akron, Ohio, University of Akron Master's thesis, 63 p.
- Knuth, M., 1988, Complimentary use of EM-31 and dipole-dipole resistivity to locate the source of oil brine contamination, in Proceedings of the second national outdoor action conference on aquifer restoration, ground water monitoring

- and geophysical methods, Volume II: National Water Well Association, Dublin, Ohio, p. 583-959.
- Knuth, Martin, Jackson, J.L., and Whittemore, D.O., 1990, An integrated approach to identifying the salinity source contaminating a ground-water supply: *Ground Water*, v. 28, n. 2, p. 207-214.
- Lehr, J.H., 1969, A study of groundwater contamination due to saline water disposal in the Morrow County oil fields: Columbus Ohio, The Ohio State University, Water Resources Research Center, Research Project Report A-004-OHIO, 81 p.
- Munn, D.A. Stewart, R., 1989, Effect of oil well brine on germination and seedling growth of several crops: *Ohio Journal of Science*, v. 89, n. 4, p. 92-94.
- Northeast Ohio Areawide Coordinating Agency, 1984, Brine disposal in northeast Ohio: a report on the problem and recommendations for action, final: Cleveland, Ohio, Northeast Ohio Areawide Coordinating Agency, Brine Disposal Task Force, 208 p.
- Novak, S.A., 1986, A methodology for identification of aquifer contamination by gas/oil brines: Kent, Ohio, Kent State University, Master's thesis, 91 p.
- Novak, S.A., and Eckstein, Yoram, 1988, Hydrochemical characterization of brines and identification of brine contamination in aquifers: *Ground Water*, v. 27, no. 3, p.317-324.
- Olive, J.H., Jackson, J.L. and Keller, D., 1992, Effects of oil field brines on biological integrity of two tributaries of the Little Muskingum River, southeastern Ohio: *The Ohio Journal of Science*, v. 92, n. 5, p. 139-146.
- Parsons, K.E., 1982, Regional variations in chemistry of the oil brines of the "Clinton" sandstone in eastern Ohio: Kent, Ohio, Kent State University Master's thesis, 105 p.
- Pettyjohn, W.A., 1971, Water pollution by oil-field brines and related industrial wastes in Ohio: *Ohio Journal of Science*, v. 71, n. 5, p. 257-269.
- Pettyjohn, W.A., 1973, Hydrogeologic aspect of contamination by high chloride wastes in Ohio: *Water, Air, and Soil Pollution* 2, p. 35-48.

- Pettyjohn, W.A., 1975, Chloride contamination in Alum Creek, central Ohio: Groundwater, v. 13, p. 322-339.
- Pettyjohn, W.A., 1976, Monitoring cyclic fluctuations in ground-water quality: Ground Water, v. 14, n. 6, p.472-480.
- Pettyjohn, W.A., 1982, Cause and effect of cyclic changes in ground-water quality: Ground Water Monitoring Review, Winter 1982, p. 43-49.
- Ronald, B.S., 1967, A study of groundwater contamination due to oil field brines in Morrow and Delaware Counties, Ohio, with emphasis on detection utilizing electrical resistivity techniques: Columbus, Ohio, The Ohio State University, Water Resources Research Center Report, 191 p.
- Sanders, L.L., 1991, Geochemistry of formation waters from the Lower Silurian Clinton Formation (Albion Sandstone), eastern Ohio: American Association of Petroleum Geologists Bulletin, v. 75, n. 10, p.1593-1608
- Sedam, A. C., and Stein, R. B., 1970, Saline ground-water resources of Ohio: U. S. Geological Survey Hydrologic Investigations Atlas 366, 2 sheets.
- Serna, C.J., 1986, An investigation of ground water contamination due to oil field brines in Portage County, Ohio: Miami, Ohio, Miami University of Ohio, Master's thesis, 98 p.
- Shaw, J.E., 1966, An investigation of ground water contamination by oil-field brine disposal in Morrow and Delaware Counties, Ohio: Columbus, Ohio, Ohio State University, M.S. Thesis, 127 p.
- Templeton, E.E., and Associates, 1980, Environmentally acceptable disposal of salt brine produced with oil and gas: Ohio Water Development Authority, 52 p.
- Thompson, W.E., 1973, The concentration of selected elements in brines of Perry County, Ohio: Columbus, Ohio, Ohio State University Master's thesis, 64 p.
- Wilke, Janine, 1991, Use of the Geonics EM-13 and 34-3 to define a contamination plume caused by unauthorized annular disposal of brine [abs.]: Geological Society of America Abstracts with Programs, v. 23, n. 3, p. 66.

Oklahoma

The Oklahoma Water Resources Board (OWRB) is the State water agency with the charter to study water quality. The Oklahoma Corporation Commission has responsibility for oil and gas operations in the State with the exception of Native American lands. The Oklahoma Energy Resources Board uses funds from a voluntary fee on oil and gas production to conduct cleanup of orphaned damaged production sites in the State.

A comprehensive bibliography of water investigations for Oklahoma is available at

http://ok.water.usgs.gov/bib_list.html

Abbott, M.A., 1998, Freshwater resources and saline water near the Sac and Fox Nation Tribal lands, eastern Lincoln County, Oklahoma: U.S. Geological Survey Water-Resources Investigations Report 96-4173, 58 p. Abstract available at: <http://ok.water.usgs.gov/abstracts/wrir96-4173.html>

Abbott, M.A., 2000, Water quality of the Quaternary and Ada-Vamoosa aquifers on the Osage Reservation, Osage County, Oklahoma, 1997: U.S. Geological Survey Water-Resources Investigations Report 99-4231, 76 p. Available at: <http://water.usgs.gov/pubs/wri/wri994231/>

Abbott, M.A., 2000, Water quality of the Quaternary and Ada-Vamoosa aquifers on the Osage Reservation, Osage County, Oklahoma, 1997 in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 67 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

Abbott, M.M. and Tortorelli, R.L., 2002, Surface-water characteristics and quality on the Osage Reservation, Osage County, Oklahoma, 1999: U.S. Geological Survey Water Resources Investigations Report 02-4060, 68 p. Available at: <http://water.usgs.gov/pubs/wri/wri02-4060/>

Abbott, M.M., and Tortorelli, R.L., Becker, M.F., and Trombley, T.J., 2003, Overview of water resources in and near Wichita and Affiliated Tribes Treaty Lands in Western Oklahoma: U.S. Geological Survey Water Resources Investigations Report 03-4024, 52 p. Available at: <http://water.usgs.gov/pubs/wri/wri034024/>

Atalay, A., Pyle, T.A., and Lynch, R.A., 1999, Strategy for restoration of brine-disturbed land: Journal of Soil Contamination, v. 8, n.3, p. 307-328.

- Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.
- Beckman, D.D., Heaton, Kevin, Kopec, C.J., and Hamilton, R.G., 2000, Salty soil remediation at the Tallgrass Prairie in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 19 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Beckman, Dennis, Heaton, K.P., Tsao, D.T., and Zverina, Walter, 2003, Tallgrass Prairie Preserve: recent successes in restoring an historic brine scar [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Billingsley, Patricia, 2003, Establishing appropriate water quality criteria for salinity minerals in watersheds in Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Carter, K.E., 2002, Remediation of brine-impacted soils using hay: Tulsa, Oklahoma, University of Tulsa, Master's thesis, 215 p.
- Carty, D.J., Whittemore, D.O., and Bassett, R.L., 1999, Identifying environmentally detrimental saltwater in oilfields using boron isotopes and anion ratios in Sublette, K.L, 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 34 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Cates, D.A., Knox, R.C., and Sabatini, D.A., 1996, The impact of ion exchange processes on subsurface brine transport as observed on piper diagrams: Ground Water, vol. 34, no. 3, pp. 532-544.

- Clemens, H.P., and Finnell, J.C., 1955, Biological conditions in a brine-polluted stream in Oklahoma: Trans. Amer. Fish Soc., v. 85, p. 18-27.
- Collins, A.G., 1969, Chemistry of some Anadarko Basin brines containing high concentrations of iodide: Chemical Geology, v. 4, no. 1-2, p. 169-187.
- Fisher, J.B. and Sublette, K.L., 2005, Environmental releases from exploration and production operations in Oklahoma: type, volume, causes, and prevention: Environmental Geosciences, v. 12, n. 2, p. 89-99.
- Fitter, F.P., 1995, Fate and transport of oilfield brines in recharge areas of the Central Oklahoma aquifer: Norman, Oklahoma, University of Oklahoma, Master's thesis, 132 p.
- Fitterman, D.V., 1985, Mapping of brine contamination in Osage County, Oklahoma, using transient electromagnetic soundings: U.S. Geological Survey Open-File Report 85-210, 58 p.
- Ford, Laura, Singh, Shailendra, Carter, Kimberly, Sublette, K.L., and Duncan, Kathleen, 2003, Remediation of brine spills with hay, year 2 [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Frischknecht, F.C., 1990, Application of geophysical methods to the study of pollution associated with abandoned and injection wells in Doe, B.R., ed., Proceedings of the U.S. Geological Survey workshop on environmental geochemistry, Reston, VA, April 1986: U.S. Geological Survey Circular 1034, p. 73-77.
- Fryberger, J.S., 1976, Subsurface brine disposal-be reasonable: Ground water, v. 14, n. 3, p. 150-156.
- Godsy, E.M., Hostettler, F.D., Warren, Ean, Paganelli, V.V., and Kharaka, Y.K., 2002, Environmental impacts of petroleum production: the fate of petroleum and other organics associated with produced water from the Osage-Skiatook Petroleum Environmental Research sites, Osage County, Oklahoma in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the

Integrated Petroleum Environmental Consortium (IPEC), 20 p.
Available at:

http://ipec.utulsa.edu/Conf2002/tech_sessions.html

Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Harris, Tom, Dewan, C., High, Andrea, Tapp, Bryan, and Sublette, Kerry, Remediation of brine-impacted soil with a subsurface drainage system: year 2 of the Barnard No. 1 project in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 11 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Harris, T.L., Dewan, Christina, Tapp, J.B., and Sublette, Kerry, 2000, Transport processes in the remediation of brine-impacted soil in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

Harris, Tom, McConnell, Jason, and Schulte, Kim, 1998, Physicochemical characterization of brine-impacted soil in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 13 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>

Harris, Tom, Schulte, Kim, High, Andrea, Yates, Rick, and Sublette, Kerry, 1998, Remediation of brine-impacted soil with a leachate collection system in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 18 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>

Harris, T.M., Tapp, J.B., and Sublette, Kerry, 2005, Remediation of oil-field brine-impacted soil using a subsurface drainage system and hay: Environmental Geosciences, v. 12, n. 2, p. 101-113

Herkelrath, W.N., and Kharaka, Y.K., 2002, Hydrologic controls on the subsurface transport of oil-field brine at the Osage-Skiatook Petroleum Environmental Research "B" site in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 16 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html

Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Herkelrath, W.N. and Kharaka, Y.K., 2003, Hydrology and subsurface transport of oil-field brine at the Osage-Skiatook Petroleum Environmental Research (OSPER B) site, Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:

<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Herkelrath, W.N. and Kharaka, Y.K., 2004, Hydrology and subsurface transport of oil-field brine at the Osage-Skiatook Petroleum Environmental Research "A" site, Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:

<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Hostettler, Frances, Godsy, E.M., and Kharaka, Y.K., 2003, The fate of petroleum releases from the Osage-Skiatook Petroleum Environmental Research (OSPER) sites, Osage County, Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Irwin, J.H., and Morton, R.B., 1969, Hydrogeologic information on the Glorieta sandstone and the Ogallala Formation in the Oklahoma panhandle and adjoining areas as related to underground waste disposal: U.S. Geological Survey Circular 630, 26 p.

Jones, J.L., Veenstra, J.N., Sherif, N.Y., Painter, S.J., Harris, T.M., and Perumallapalli, Dorathy, 2000, Remediation of oilfield brine scars with subsurface drainage and a solar evaporation pond, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

- Kampbell, D.H, An, Y.-J., Kirby, W.J., and Abbott, M.M., 2002, Impact of oil production releases on some soil chemical properties at the O.S.P.E.R. field site, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 7 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Kampbell, D.H, Jewell, K.P., Niell, R.E., Smith, M. W., and Abbott, M.M., 2003, Nearby lake sediment quality and seedling tree survival on eroded oily waste/brine contaminated soil, in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 5 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Keeland, B.D. McCoy, J.W., and Otton, J.K., 2003, Effects of produced water and hydrocarbon releases on vegetation at site A of the Osage-Skiatook petroleum environmental research project, Osage County, Oklahoma, in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 14 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Keeton, Dee, Limnological effects of introducing oil field brine into farm ponds to reduce the turbidity: Oklahoma Fishery Research Laboratory Report No. 72, 47 p.
- Kharaka, Yousif, Ambats, Gil, and Abbott, M.M., 2004, Impacts of petroleum production on ground and surface waters: results from the OSPER "B" site, Osage County, Oklahoma [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Kharaka, Y.K., Thordsen, J.J., Kakouros, Evangelos, and Abbott, M.M., 2002, Environmental impacts of petroleum production: 1 and 2: Fate of inorganic and organic chemicals in produced

- water from the Osage-Skiatook Petroleum Environmental Research sites, Osage County, Oklahoma, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 30 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Kharaka, Y.K., Thordsen, J.J., Kakouros, Evangelos, and Herkelrath, W.N., 2005, Impacts of petroleum production on ground and surface waters: results from the Osage-Skiatook Petroleum Environmental Research Project A site, Osage County, Oklahoma: Environmental Geoscience, v. 12, n. 2, p. 127-138.
- Kharaka, Y.K., Zielinski, R.A. and Smith, B.D., 2003, The chemical composition and distribution of ground water impacted by petroleum production operations: the OSPER A site, Osage County, OK [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- King, L.J. and Olsen H.W., 1998, Hydraulic conductivity reductions due to interaction between sodium-rich brines and alluvial sediments, in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 20 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Kreher, David and McConnell, Jason, 1998, Brine impact scar-analysis of a complex site in the Tallgrass Prairie Preserve, in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 39 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Krieger, R.A., Hatchett, J.L., and Poole, J.L., 1957, Preliminary survey of the saline water resources of the United States: U.S. Geological Survey Water Supply Paper 1374, 172 p.
- Leonard, A.R., and Ward, P.E., 1962, Use of Na/Cl ratios to distinguish oil-field from salt-spring brines in western Oklahoma: U.S. Geological Survey Professional Paper 450-B, p. B126-B127.

- Louis R. Reeder, and Associates, 1978, Impact of oil & gas production on salinity in major fresh water aquifers (Arkansas, Louisiana, New Mexico, Oklahoma): Oklahoma City, Interstate Oil Compact Commission, 481 p.
- McLin, S.G., 1986, Evaluation of aquifer contamination from salt water disposal wells: Proceedings of the Oklahoma Academy of Science, v. 66, p. 53-61.
- McMillion, Leslie, 1970, Determination of the pollutional potential of the Ogallala aquifer by salt water injection: Available from the National Technical Information Service, PB-202-227, June 1970, 80 p.
- McMillion, L.G., Sr., and Maxwell, B.W., 1970, Determination of the pollutional potential of the Ogallala aquifer by salt water injection: Washington, D.C., Federal Water Quality Administration, Water Pollution Control Research Report, 80 p.
- Martinek, Brian, Wrightman, Ed, and Gates, Michael, 1998, The role of electromagnetic conductivity measurements in the discrimination of oilfield brine contamination: implications for limiting liability in property transactions, in Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 15 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Mashburn, S.L., and Sughru, M.P., 2004, Chloride in ground water and surface water in the vicinity of selected surface-water sampling sites in the beneficial use monitoring program of Oklahoma, 2003: U.S. Geological Survey Scientific Investigations Report 2004-5060, 35 p. Available at: <http://www.deq.state.ok.us/WQDnew/pubs/sir045060.book.pdf>
- Mathis, B.J., 1965, Community structure of benthic macro-invertebrates in an intermittent stream receiving oil field brines: Stillwater, Oklahoma State University, unpublished Ph. D. dissertation, 52 p.
- Mathis, B.J., and Dorris, T.C., 1968, Community structure of benthic macro-invertebrates in an intermittent stream receiving oil field brines: American Midland Naturalist, v. 80, p. 429-439.
- Moralwar, Aditya, Sublette, K.L., Ford, L.P., Duncan, Kathleen, Thoma, Greg, and Brokaw, Josh, 2004, Remediation of a spill of crude oil and brine without gypsum [abs.], in Sublette,

- Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Morton, R.B., 1986, Effects of brine on the chemical quality of water in parts of Creek, Lincoln, Okfuskee, Payne, Pottawatomie, and Seminole Counties, Oklahoma: Oklahoma Geological Survey Circular 89, 37 p. ???
- Motts, W.S., 1963, Geology and water resources of Okmulgee County, Oklahoma; Part 2, Water resources of Okmulgee County: Oklahoma Geological Survey Bulletin, p.81-128.
- Munshi, Shoeb, Sublette, Kerry, Jennings, Eleanor, Roberts, Ken, Fisher, J.B., and Tapp, Bryan [abs], 2005, Remediation of a historic brine scar: characterization and development of a remediation protocol in Sublette, K.L., Program and abstracts for the 12th International Petroleum Environmental Conference, Nov. 8-11, 2005, Houston, TX: Continuing Engineering and Science Education, University of Tulsa, p. 24-25.
- Musser, D.T. and Smith, R.L., 1985, Case study: *in situ* solidification/fixation of oil field production fluids- a novel technique, in Proceedings of the 39th Industrial Waste Conference, May 8-10, 1984, Purdue University, West Lafayette, Indiana, p.37-43.
- Nelson, F., 1974, Appraisal of saline water in Oklahoma and its future development through desalting: Oklahoma City, Oklahoma Water Resources Board Report INT-OSW-RDPR-75-997, 164 p. (Available through NTIS).
- Oklahoma Department of Environmental Quality, 2002, The State of Oklahoma 2002 water quality assessment integrated report: Oklahoma City, Oklahoma, Oklahoma Department of Environmental Quality, 565 p. Available at: http://www.deq.state.ok.us/WQDnew/305b_303d/2002_integrated_report_final.pdf
- Oklahoma Water Resources Board, 1975, Salt water detection in the Cimarron terrace, Oklahoma: U.S. Environmental Protection Agency Ecological Research Series EPA-660/3-74-033, 166 p.

- Otton, J.K., 2003, Topographic and geologic controls on the distribution and movement of produced water and hydrocarbons at the Osage Skiatook Petroleum Environmental Research site "A" [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Otton, J. K., Asher-Bolinder, Sigrid, Owen, D. E. and Hall, Laurel, 1996, Naturally occurring radioactive materials (NORM) and trace elements at oilfield production sites on Sac and Fox Tribal Lands, Lincoln County, Oklahoma: U.S. Geological Survey administrative report submitted to the Department of Justice, Washington, D.C., 27 p.
- Otton, J.K., Owen, D.E., Asher-Bolinder, Sigrid, and Hall, Laurel, 1997, Effects of produced waters at oilfield production sites on the Osage Indian Reservation, northeastern Oklahoma: U.S. Geological Survey Open-File Report 97-28, 48 p.
- Otton, J.K., and Reister, D.B., 2004, Hyperspectral signature of the salt scar and other oilfield disturbed areas at USGS Osage-Skiatook Petroleum Environmental Research (OSPER) Site A, northeast Oklahoma--A preliminary report [abs.]: in Sublette, K.L., ed., Proceedings of the 11th International Petroleum Environmental Conference, Albuquerque, N.M., October 12-15, Integrated Petroleum Environmental Consortium (IPEC) and the University of Tulsa (available on-line report in PDF format)
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Otton, J.K., and Zielinski, R.A., 2002, Produced water and hydrocarbon releases at the Osage-Skiatook petroleum environmental research sites, Osage County, Oklahoma: Introduction and geologic setting in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 39 p. Available at:
http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Otton, J.K. and Zielinski, R.A., 2004, Three-dimensional architecture of bedrock lithology, weathering, and produced water movement at the USGS Osage Skiatook Petroleum Environmental Research (OSPER) site A, northeast Oklahoma

- [abs.] *in* Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Otton, J.K., Zielinski, R.A., Smith, B.D., Abbott, M.M., and Keeland, R.D., 2005, Environmental impacts of oil production on soil, bedrock, and vegetation at U.S. Geological Survey Osage-Skiatook Petroleum Environmental Research site A, Osage County, Oklahoma: Environmental Geosciences, v. 12, n. 2, p. 73-87.
- Pettyjohn, W.A., 1993, Disposal pits, injection wells, and ground-water contamination, *in* Eckstein, Yoram and Zaporozec, Alexander, eds., Environmental impact of industrial activities; proceedings of industrial and agricultural impacts on the hydrologic environment: Alexandria, VA , Water Environment Federation, p. 17-27.
- Pittman, J.J., Kress, M.W., and Zhang, Hailin, 2001, Comparison of two soil salinity extraction methods, *in* Sublette, Kerry, ed., Proceedings of the 8th International Petroleum Environmental Conference, November 6-9, 2001, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 9 p. Available at:
http://ipec.utulsa.edu/Conf2001/conf_toc.html
- Raab, P.V. and Frischknecht, F.C., 1985, Investigation of brine contamination using time-domain electromagnetic soundings: U. S. Geological Survey Open-File Report 85-0528, 54 p.
- Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt-spring and shallow subsurface brines in the Rolling Plains of Texas and southwestern Oklahoma: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 155, 47 p.
- Runkle, Donna, Abbott, M.M., and Lucius, J.E., 2001, Saline contamination of soil and water on Pawnee tribal trust land, eastern Payne County, Oklahoma: U.S. Geological Survey Water-Resources Investigations 00-4271, 42 p.
- Scalf, M.R., Keely, M.R., and LaFevers, C.J., 1973, Ground-water pollution in the south-central states: U.S. Environmental Protection Agency, Office of Research and Development,

National Environmental Research Center, Environmental Protection Technology Series EPA-R2-73-268, 135 p.

- Schoff, S.L., Dott, R.H., and Lalicker, D.G., 1941, Contamination of Lake Wewoka and fresh-water sands by disposal of oil-well brines near Wewoka, Seminole County, Oklahoma: U.S. Geological Survey Open-File Report 41-32, 8 p.
- Shirazi, G.A., Allen, D.L., and Madden, 1976, An investigation of brine contamination of soils and ground water from a slush pit near Burns Flat, Oklahoma: Oklahoma Water Resources Board, 91 p.
- Singh, Shailendra, 2004, Remediation of brine contaminated soils with hay: Tulsa, Oklahoma, University of Tulsa Master's thesis, 161 p.
- Smith, B.D., Bisdorf, R.J., Horton, R.J., Otton, J.K., and Hutton, R.S., 2002, Preliminary geophysical characterization of two oil production sites, Osage County, Oklahoma-Osage Skiatook Petroleum Environmental Research Project in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>
- Smith, B.D., Otton, J.K., Abbott, M.M., and Witten, A.J., 2003, Electrical geophysical character of areas of shallow brine contamination, Osage Co., Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Smith, S.J., Naney, J.W., and Berg, W.A., 1985, Nonpoint source impacts on ground water quality in major land resource areas of the southwest in Environmental Protection Agency, Proceedings of a National Conference on Perspectives on Nonpoint Source Pollution, May 19-22, 1985, Kansas City, Missouri, p. 121-124
- Smith, Z.A., 1989, Groundwater in the west: Academic Press, San Diego, California, 308 p.

- Spurlin, G.P., 1999, An overview of brine impacted E&P sites in Sublette, K.L., 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 18 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Stewart, B.G., Knight, J.G., and Cashner, R.C., 1992, Longitudinal distribution and assemblages of fishes of Byrd's Mill Creek, a southern Oklahoma Arbuckle mountain stream: Southwest Naturalist, v. 37, n. 2, p.138-147.
- Sublette, K.L., Fisher, J.B., and Schmidt, Mike, 2003, Oil and saltwater releases from E&P operations in Oklahoma, 1993-2002 [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Sublette, K.L., Moralwar, Aditya, Ford, Laura, Duncan, Kathleen, Thoma, Greg, and Brokaw, Josh, 2005, Remediation of a spill of crude oil and brine without gypsum: Environmental Geosciences, v. 12, n. 2, p. 115-125.
- Sullivent, K.D., 1997, The effect of brine on the microbial degradation of hydrocarbons; a progress report from the Tallgrass Prairie Preserve, Oklahoma [abs.]: American Association of Petroleum Geologists Bulletin, v. 6, p. 112-113.
- Thordsen, James, Kharaka, Y.K., and Kakouros, Evangelos, 2004, Removal of contaminant salt from a depleted petroleum field by runoff: results from the OSPER "A" site, Osage County, Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Thordsen, J.J., Kharaka, Y.K., Kakouros, Evangelos, and Ambats, Gil, 2003, Natural remediation of ground water impacted by petroleum production operations: the OSPER A site in Osage County, Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing

Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Tinlin, R.M., Hughes, L.J., and Anzzolin, A.R., 1988, The use of controlled source audio magnetotellurics (CSAMT) to delineate zones of ground-water contamination- a case history in American Society for Testing and Materials, Ground-water contamination field methods: ASTM Technical Publication 963, p. 101-118.

Veenstra, John, Warden, R.W., and Harris, T.M., 2001, Remediation of brine-impacted soil: evaluation of several performance enhancements coupled with a leachate collection system in Sublette, Kerry, ed., Proceedings of the 8th International Petroleum Environmental Conference, November 6-9, 2001, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 21 p. Available at: http://ipec.utulsa.edu/Conf2001/conf_toc.html

Ward, P.E., 1961, Geology and ground-water features of salt springs, seeps, and plains in the Arkansas and Red River basins of western Oklahoma and adjacent parts of Kansas and Texas: U.S. Geological Survey Open-File Report 63-132, 94 p.

Ward, P.E., 1961, Salt springs in Oklahoma: Oklahoma Geological Survey Oklahoma Geology Notes, v. 21, no. 3, p. 81-84.

Ward, P.E., 1961, Shallow halite deposits in northern Woodward and southern Woods Counties, Oklahoma: Oklahoma Geological Survey Oklahoma Geology Notes, v. 21, no. 10, p. 275-277.

Ward, P.E., 1962, Shallow halite deposits in the Flowerpot Shale in southwestern Oklahoma: U.S. Geological Survey Professional Paper 450-E, 14 p.

Whitesell, L.E., 2003, Brine impact on water quality in Seminole County, Oklahoma: Eye on Environment (DEPARTMENT OF ENERGY), v. 7, n. 1, p. 3 Available at
<http://www.npto.doe.gov/Petroleum/publications/newsletters/eoe/eyewin02.pdf>

Whittemore, D.O., 1995, Geochemical differentiation of oil and gas brine from other saltwater sources contaminating water resources: case studies from Kansas and Oklahoma: Environmental Geosciences, v. 2, p. 15-31

- Winslow, David, 1939, Soil erosion in the Seminole County oil-field [abs.]: Proceedings of the Oklahoma Academy of Sciences, v. 19, p. 159.
- Wright, J., Pearson, C., Kurt, E.T., and Watkins, J.W., 1957, Analysis of brines from oil-productive formations in Oklahoma: U.S. Bureau of Mines Report of Investigations 5326, 71 p.
- Yates, R.G., 2000, Transportation of brine components and revegetation of a brine spill site in the Tallgrass Prairie Preserve: Tulsa, Oklahoma, University of Tulsa Ph.D. thesis, 295 p.
- Yates, R., Sublette, K., Harris, B., Haggerty, J., and van Waasbergen, R., 1996, Correlation of surface water quality and oil production in Sublette, K.L., ed., Environmental issues and solutions in petroleum exploration, production and refining, Proceedings of the Third International Petroleum Environmental Conference, Sept. 24-27, 1996, vol. 1: Springfield, VA, NTIS, p. 73-87.
- Yates, Rick, Houston, Lorrie, Tapp, Bryan, Harris, Tom, and Sublette, K.L., Impacts of brine spills in the Tallgrass Prairie Preserve in Sublette, K.L., ed., Proceedings of the 1997 4th Annual International Petroleum Environmental Conference San Antonio, TX - September 9-12, 1997, 31 p. Available online at: <http://ipec.utulsa.edu/Conf/4thIPEC.pdf>
- Zielinski, R.A., and Budahn, J.R., 2004, Mode of occurrence and environmental mobility of oilfield NORM at USGS research site B, Osage Skiatook Project, northeastern Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Zielinski, R.A., Cathcart, James, Hannah, Tammy, and Bullock, John, Jr., 2003, Determining the distribution of subsurface salt contamination using the composition of oak leaves: a case study at an oil production site, northeast Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated

Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Zielinski, R.A., Otton, J.K., and Budahn, J.R., 2001, Use of radium isotopes to determine the age and origin of radioactive barite at oil-field production sites. *Environmental Pollution*, v. 113, p. 299-309.

Zielinski, R.A., Rice, C.A., and Otton, J.K., 2002, Use of soil leachates to define the extent of brine-impacted soils and bedrock at the Osage-Skiatook petroleum environmental research "B" site, northwestern Oklahoma, in Sublette, Kerry, ed., *Proceedings of the 9th International Petroleum Environmental Conference*, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 30 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Zielinski, R.A., Rice, C.A., and Otton, J.K., 2003, Use of soil leachates to define the extent of brine-impacted soils and bedrock at the Osage-Skiatook petroleum environmental research "B" site, northwestern Oklahoma, in Kharaka, Y. K., and Otton, J.K., eds., *Environmental impacts of petroleum production: initial results from the Osage-Skiatook petroleum environmental research sites*, Osage County, Oklahoma: U.S. Geological Survey Water Resources Investigations Report 03-4260, p. 124-132.
<http://pubs.water.usgs.gov/wri034260/>

Zonge, K.L., Figgins, S.J., and Hughes, L.J., 1985, Use of electrical geophysics to detect sources of groundwater contamination: *Society of Exploration Geophysics Abstracts [abs.]*, v. 1985, n. 1, p. 147-149

Pennsylvania

Barb, C.F., 1931, *Oil-field waters of Pennsylvania*: State College, Pennsylvania, Pennsylvania State College, Mineral Industries Experiment Station Bulletin No. 8, 37 p.

Erb, J.E., 1988, Management of oil and gas brines—Pennsylvania's regulatory reform: *Northeast Environmental Science*, v. 7, n. 2, p. 121-123

Gass, T.E., Lehr, J.H., and Heiss, H.W., Jr., 1977, *Impact of abandoned wells on ground water*: U.S. Environmental Protection Agency, Office of Research and Development,

Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA/600/3-77-095, 52 p.

Harrison, S.S., 1985, Contamination of aquifers by overpressuring the annulus of oil and gas wells: *Ground Water*, v. 23, n. 3, p. 317-324

Jones, S.B. and Waite, B.A., 1989, Management of oil and gas production brines in the Allegheny Basin: *Northeastern Environmental Science*, v. 7, n. 2, p 99-104.

Miller, D.W., DeLuca, F.A., and Tessier, T.L., 1974, Ground-water contamination in the northeast states: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory Report EPA/660/2-74-056, 300 p.

Poth, C.W., 1962, The occurrence of brine in western Pennsylvania: Pennsylvania Bureau of Topographic and Mineral Survey Bulletin M47, 53 p.

Rose, A.W. and Dresel, P.E., 1990, Deep brines in Pennsylvania, Chapter 31, in Majumdar, S.K., Miller, E.W., and Parizek, R.R., *Water resources in Pennsylvania: availability, quality and management: The Pennsylvania Academy of Science*, p. 420-431.

U.S. Geological Survey, 1984, National Water Summary 1983-Hydrologic events and issues: U.S. Geological Survey Water-Supply Paper 2250, 243 p.

Waite, B.W. and Blauvelt, S.C., 1988, Oil and gas waste fluids of Pennsylvania: *Northeastern Environmental Science*, v. 7, n. 2, p 99105-110.

Walters, R.S., and Auchmoody, L.R., 1989, Vegetation re-establishment on a hardwood forest site denuded by brine: *Landscape and urban planning*, v. 17, p. 127-133.

South Dakota

Gass, T.E., Lehr, J.H., and Heiss, H.W., Jr., 1977, Impact of abandoned wells on ground water: U.S. Environmental Protection Agency, Office of Research and Development, Robert S. Kerr Environmental Research Laboratory, Ecological Research Series EPA/600/3-77-095, 52 p.

Jorgensen, D.G., 1968, An aquifer test used to investigate a quality of water anomaly: *Ground Water*, v. 6, n. 6, p. 18-20.

Meyer, Michael, 1986, A summary of ground-water pollution problems in South Dakota: South Dakota Department of Water and Natural Resources, Office of Water Quality, 18 p.

Pekas, B.P., 1987, Brine contamination of the Hell Creek aquifer from an unlined drilling-fluid pit in northern Harding County, South Dakota: Master's thesis, Rapid City, South Dakota, South Dakota School of Mines and Technology

Tennessee

Otton, J.K., and Zielinski, R.A., 2000, Simple techniques for assessing impacts of oil and gas operations on federal lands; a field evaluation at Big South Fork National River and Recreation Area, Scott County, Tennessee: U.S. Geological Survey Open-File Report 00-499, 51 p.
<http://pubs.usgs.gov/of/2000/ofr-00-499/OF00-499.pdf>

Texas

Various state agencies have investigated the impact of oilfield brines on surface waters and ground waters in the State of Texas. The largest contributions come from the State water agencies which have been known by several names through time: Texas State Board of Water Engineers, 1913-1962; Texas Water Development Board (TWDB), 1957-present; Texas Water Commission, 1962-1965 and 1977-1993; Texas Water Rights Commission, 1965-1977; and the Texas Department of Water Resources, 1977-1985. In 1993, the air, water quality and waste management agencies were merged to form the Texas Natural Resources Conservation Commission. Publications of these various State entities are a major source of information on oilfield brine effects in the State. Many ground water reports, bulletins, and contractor reports of the TWBD are available online at:

<http://www.twdb.state.tx.us/publications/pub.asp>

A very useful county index for the TWBD reports can be found at:
<http://www.twdb.state.tx.us/publications/reports/Publications%20Catalog/County%20Index.pdf>

The Railroad Commission of Texas has oversight on oil and gas production operations in Texas and has conducted investigations of oilfield brine contamination and reports have been published by them (see Renfro, 1993, for example). They also conduct well plugging operations to avert brine and hydrocarbon contamination of surface and ground waters and site reclamation efforts.

The listings below do not capture all of the State water agency reports that have oilfield contamination information. The reader should seek out county and multi-county water resource studies not shown here for further information about the presence of oilfield brine effects.

Aller, Linda, Hakundy, R.G., and Nielsen, D.M., 1985, Enforcement of regulations governing ground water contamination from underground injection or disposal of salt water in Kansas and Texas: Ada, Oklahoma, U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, Project summary, 3 p., 2 maps

Andreasen, J.D., and Spears, R.W., 1983, Toxicity of Texan petroleum well brine to the Sheepshead minnow (*Cyprinodon variegatus*), a common estuarine fish: Bulletin of Environmental Contamination and Toxicology, v.30, p. 277-283.

Armstrong, H.W., Fucik, K., Anderson, J.W., and Neff, J.M., 1986, Effects of oilfield brine effluent on sediments and benthic organisms in Trinity Bay, Texas: Marine Environmental Research, v. 2, n. 1, p 55-69.

Armstrong, N.E. and Ward, G.W., 1998, Analysis of point source discharges (including oil field brine discharges) in the Corpus Christi Bay National Estuary Program study area: Austin, Texas, Texas Natural Resource Conservation Commission, CCBNEP Publication No. 30, 224 p.

Ashworth, J. B., 1990, Evaluation of ground-water resources in parts of Loving, Pecos, Reeves, Ward, and Winkler counties, Texas: Texas Water Development Board Report 317, 51 p.

Ashworth, J.B., and Christian, R, 1989, Evaluation of ground-water resources in parts of Midland, Reagan, and Upton counties, Texas: Texas Water Development Board Report 312, 52 p.

Ashworth, J. B., and Coker, D., 1993, Test hole investigation of a contamination site in Sterling County, Texas: Texas Water Development Board, Open File Report prepared for the Railroad Commission of Texas, 114 p.

Bozzo, W., Chatelain, M., Salinas, J., and Wiatt, W., 1990, Brine impacts to a Texas salt marsh and subsequent recovery, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 129-139.

- Brewster, J., 1979, Operators present testimony in defense of playa lake disposal: *Drill Bit*, v. 28, n. 4, p 26-27.
- Burnitt, S.C., 1963, City of Hawkins, Wood County, Texas: investigation of ground-water contamination: Texas Water Commission Report No. LD-0162-MR, 24 p.
- Burnitt, S.C., 1963, Reconnaissance of soil damage and ground-water quality, Fisher County, Texas: Texas Water Commission Memorandum Report 63-02, 51 p.
- Burnitt, S.C., 1963, Henderson oil field area, Rusk County, Texas, an investigation of ground-water contamination: Texas Water Commission Memorandum Report 0262, 13 p.
- Burnitt, S.C., Adams, J.B., Rucker, O.C., and Porterfield, H.C., 1963, Effects of surface disposal of oil-field brine on the quality and development of ground water in the Ogallala Formation, High Plains of Texas, and a hydrologic study of brine disposal into surface pits: Texas Water Commission, 115 p.
- Burnitt, S.C. and Crouch, R.L., 1964, Investigation of ground-water contamination, P.H.D., Hackberry, and Storie oil fields, Garza County, Texas: Texas Water Commission Report , 98 p.
- Burnitt, S.C., Holloway, H.D., and Thornhill, J.T., 1962, Reconnaissance survey of salt water disposal in the Mexla, Negro Creek, and Cedar Creek oil fields, Limestone County, Texas: Texas Water Commission Memorandum Report No. 62-02, 27 p.
- Dutton, A.R., Richter, B.C., and Kreitler, C.W., 1989, Brine discharge and salinization, Concho River watershed, West Texas: *Ground water*, v. 27, n. 3, p.375
- Carr, J.E., Halasz, S.J., and Peters, J.B., 1980, Geohydrology of the Keechi, Mount Sylvan, Oakwood, and Palestine salt domes in the northeast Texas salt-dome basin: U.S. Geological Survey Open-File Report 80-2044, 39p.
- Cronin, J.G., Follett, C.R., Shafer, G.H., and Rettman, P.L., 1963, Reconnaissance investigation of the ground-water resources of the Brazos River basin, Texas: Texas Water Commission Bulletin 6310, 152 p.
- Crouch, R.L., 1964, Investigation of ground-water contamination in the Juliana and West Jud oil fields, Haskell and

- Stonewall Counties, Texas: Texas Water Commission Report LD-0364-MR, 18 p.
- Crouch, R.L., 1964, Investigation of alleged ground-water contamination, Tri-Rue and Ride oil fields, Scurry County, Texas: Texas Water Commission Report LD-0464-MR, 16 p.
- Crouch, R.L., and Burnitt, S.C., 1965, Investigation of ground-water contamination, Vealmoor oil field, Howard and Borden Counties, Texas: Texas Water Commission Report LD-0265, 40 p.
- Crouch, R.L., Burnitt, S.C., and Porterfield, H.H., 1965, Investigation of ground-water contamination in the Vealmoor oil field, Howard and Borden counties, Texas: Texas Water Commission Report, 54 p.
- Fink, B.E., 1965, Investigation of ground- and surface-water contamination near Harrold, Willbarger County, Texas: Texas Water Commission Report LD-0365, 23 p.
- Fisher, R.S., 1995, Geologic, geochemical, and geographic controls on NORM in produced water from Texas oil, gas, and geothermal reservoirs, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 195-205.
- Follett, C.R., 1966, Ground water resources of Caldwell County, Texas: Texas Water Development Board Report 12, 138 p.
- Follett, C.R., and Gabrysch, R.K., 1965, Ground-water resources of De Witt County, Texas: Texas Water Commission Bulletin 6518, 113 p.
- Friebele, C.D. and Wolff, H.A., 1976, Annotated bibliography of Texas water resources reports: Texas Water Development Board, Report 199, 156 p.
- Fryar, A.E., Kreitler, C.W., Akhter, M.C., Avakian, A.J., and Mullican, W.F., III, 1994, A methodology to evaluate regional hydraulic controls on flow from hydrocarbon reservoirs into overlying aquifers [abs.]: American Association of Petroleum Geologists Bulletin, v. 78, n.9, p.1458.
- Garza, Sergio, and Wesselman, J.B., 1959, Geology and ground-water resources of Winkler County, Texas: Texas Board of Water Engineers Bulletin 5916, 200 p.

- Grabhorn, Merle, 1996, Cost-effective method of performing preliminary assessments of oil field brine contamination: a case study in Sublette, K.L., ed., Environmental issues and solutions in petroleum exploration, production and refining, Proceedings of the Third International Petroleum Environmental Conference, Sept. 24-27, 1996, vol. 1: Springfield, VA, NTIS, p. 31-50.
- Grabhorn, Merle, 1997, Using geostatistics to track areas affected by oilfield brine: Eye on Environment (DEPARTMENT OF ENERGY), Jan 1997, P. 1-4. Available online at <http://www.npto.doe.gov/Petroleum/publications/newsletters/oe/Jan97/page1-4.html>
- Guitierrez, G.N., Heaton, K.P., and Sitton, Mike, 2003, Restoration of produced water release to east Texas forest land [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Hartmann, S., Ueckert, D.N., and McFarland, M.L., 1990, Evaluation of leaching and gypsum for enhancing reclamation and revegetation of oil well reserve pits in a semiarid area, 1990, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 431-441.
- Hembree, C.H., and Blakey, J.F., 1963, Chemical quality of surface water in the Hubbard Creek watershed, Texas; progress report: Texas Water Commission Bulletin 6411, 45 p.
- Heffernan, T.L., 1972, The effect of oilfield brine on the Mission River, Aransas Bay area: Texas Parks and Wildlife Department, Coastal Fisheries Project Report, p. 37-77.
- Hewatt, W.G., 1950, Studies on bleedwater dispersal in the natural waters around oil fields in southern Louisiana: final report on one phase of project 9, oyster mortality investigation: College Station, Texas, Texas A and M Research Foundation Project 9 Report, 37 p.
- Hiss, W.L., 1975, Water-quality data from oil and gas wells in part of the Permian Basin, southeastern New Mexico and western Texas: U.S. Geological Survey Open-file Report 75-579, 283 p.

- Hoekstra, Pieter, 1998, Geophysical surveys for mapping brine contamination resulting from oil and gas production, in Bell, R.S., Powers, M.H., Larson, Timothy, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 1998, p. 197-204.
- Holloway, H.D., 1964, Investigation of alleged ground-water contamination near Kilgore, Gregg County, Texas: Texas Water Commission Report LD-0664, 14 p.
- Hopkins, Janie, 1993, Water quality evaluation of the Ogallala aquifer: Texas Water Development Board Report No. 342, 41 p.
- Hovorka, S.D., Paine, J.G., and Dutton, A.R., 1999, Permeability structure of a north Texas Permian fluvial and Quaternary terrace system delimited by saline plumes: American Association of Petroleum Geologists Bulletin, v. 1999, p. A63.
- Hudak, P., 2003, Arsenic, nitrate, chloride and bromide contamination in the Gulf Coast aquifer, south-central Texas, USA: International Journal of Environmental Studies, v. 60, n. 2, p. 123-133.
- Hudak P.F., and Blanchard S., 1997, Land use and groundwater quality in the Trinity group outcrop of north-central Texas, USA: Environment International, v. 23, n. 4, p. 507-517.
- Hudak P.F., and Wachal D.J., 2001, Effects of brine injection wells, dry holes, and plugged oil/gas well chloride, bromide, and barium concentrations in the Gulf Coast Aquifer, southeast Texas, USA: Environment International, June 2001, vol. 26, no. 7, p. 497-503.
- Huff, G.F., 2004, Review of knowledge on the occurrence, chemical composition, and potential use for desalination of saline ground water in Arizona, New Mexico, and Texas with a discussion of potential future study needs: U.S. Geological Survey Open-File Report 2004-1197, 13 p. Available only online at <http://water.usgs.gov/pubs/of/2004/1197/ofr2004-1197.pdf>
- Hughes, L.S., and Leifeste, D.K., 1964, Reconnaissance of the chemical quality of surface water in of the Sabine River Basin, Texas and Louisiana: Texas Water Commission Bulletin No. 6405, 64 p.

- Hughes, L.S., and Leifeste, D.K., 1967, Reconnaissance of the chemical quality of surface water in of the Nueches River Basin, Texas: U.S. Geological Survey Water Supply Paper 1839-A, 63 p.
- Jacob, B.L., 1974, North Fork alluvial decontamination project, Hubbard Creek watershed: Washington, D.C., U.S. Environmental Protection Agency, EPA-660/2-74-019, 49 p.
- Johnson, K.S., 1986, Dissolution of salt on the east flank of the Permian Basin in the southwestern U.S.A.: Journal of Hydrology, v. 54, p. 75-93.
- Kreitler, C.W., Akhter, M.S., Donnelly, A.C.A., and Wood, W.T., 1988, Hydrogeology of formations used for deep-well injection, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the U.S. Environmental Protection Agency under Cooperative Agreement CR812786-01-0, 204 p.
- Kunze, H.L., and Lee, J.N., 1968, Reconnaissance of the chemical quality of surface waters of the Canadian River basin, Texas: Texas Water Development Board Report No. 86, 27 p.
- Kunze, H.L., 1971, Reconnaissance of the chemical quality of surface waters of the Nueces River Basin, Texas: Texas Water Development Board Report 134, 34 p.
- Lahti, R.M. and Hoekstra, Pieter, 1991, Geophysical surveys for mapping migration of brines from evaporation pits and ponds in Environmental and Engineering Geophysical Society, Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v.1991, p.65-79
- Laudon, R.C., Warner, D.L., Koederitz, L.F., and Dunn-Norman, Shari, 2001, Determination of flow potential from oil reservoirs to aquifers through abandoned wells; implications for area-of-review variances for class II injection wells in Johnson, K.S. and Merriam, D.F., eds., Petroleum systems of sedimentary basins in the southern Midcontinent, 2000 symposium: Oklahoma Geological Survey Circular 106, pp.175-185
- Leifeste A.K., and Hughes L.S., 1967, Reconnaissance of the chemical quality of surface waters of the Trinity River Basin, Texas: Texas Water Development Board Report 67, 65 p.

- Leifeste, D.K., and Lansford, M.W., 1968, Reconnaissance of the chemical quality of surface waters of the Colorado River Basin, Texas: Texas Water Development Board Report 71, 78 p.
- Mackin, J.G., 1971, A study of the effect of oilfield brine effluents on biotic communities in Texas estuaries: Texas A&M Research Foundation project 735 final report to Humble Oil and Refining Company, 72 p.
- Mackin, J.G., 1973, A review of significant papers on effects of oil spills and oil field brine discharges on marine biotic communities: Texas A&M Research Foundation, Project 737, 104 p.
- McAdoo, G.D., Leggett, E.R., Long, A.T., 1964, Geology and ground-water resources of Carson County and part of Gray County, Texas; progress report no. 2: Texas Water Comm. Bull. 6402, 27 p.
- McFarland, M.L., Ueckert, D.N., and Hartmann, S., 1987, Revegetation of oil well reserve pits in west Texas: J. Range Management, v. 40, p.122.
- McMillion, L.G., 1965, Hydrologic aspects of disposal of oil-field brines in Texas: Ground Water, v. 3, n. 4, p. 36-42.
- Mehta, Sunil, Fryar, A.E., and Banner, J.L., 2000, Controls on the regional-scale salinization of the Ogallala Aquifer, Southern High Plains, Texas, USA: Applied Geochemistry, vol.15, no.6, pp.849-864
- Mehta, Sunil, Fryar, A.E., Brady, A.M, and Morin, R.H., 2000, Modeling regional salinization of the Ogallala Aquifer, Southern High Plains, TX, USA: Journal of Hydrology, vol.238, no.1-2, pp.44-64
- Miller, D.W., 1980, ed., Waste disposal effects on ground water: Premier Press, 512 p.
- Myers, B.N., and Dale, O.C., 1966, Ground-water resources of Bee County, Texas: Texas Water Development Board Report 17, 101 p.
- Nativ, Ronit, 1988, Hydrogeology and hydrochemistry of the Ogallala aquifer southern High Plains, Texas Panhandle, and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations 177, 64 p.

- Nativ, Ronit and Guitierrez, G.N., 1987, Hydrogeology and hydrochemistry of Cretaceous aquifers, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology OFWTWI 1987-2, 57 p.
- Nativ, Ronit and Smith, D.A., 1987, Hydrogeology and geochemistry of the Ogallala Aquifer, Southern High Plains: Journal of Hydrology, v. 91, n. 3/4, p. 217-253.
- Nemir, C.E., 1985, Groundwater--the changing problem in Texas, in Issues in Groundwater Management, Water Resources Symposium Twelve, Center for Research in Water Resources, The University of Texas at Austin, Austin Texas, p 3-9.
- Nielson, K.K., Rogers, V.C., and Bollenbacher, M.K., 1988, Safety analysis for the safe disposal of naturally-occurring radioactive materials in Texas: Rogers and Associates Engineering Report RAE-8818-1
- Oddo, J.E., Zhou, Xinliang, Linz, D.G., He, Shiliang, and Tomson, M.B., 1995, The mitigation of NORM scale in the Gulf Coast regions of Texas and Louisiana: a laboratory and field study, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 207-217.
- Paine, J. G., 2003, Determining salinization extent, identifying salinity sources, and estimating chloride mass using surface, borehole, and airborne electromagnetic induction methods: Water Resources Research, v. 39, n. 3, p. 3-1--3-10.
- Paine, J. G., and Collins, E. W., 2003, Applying airborne electromagnetic induction in groundwater salinization and resource studies, West Texas: in Proceedings, Symposium on the Application of Geophysics to Engineering and Environmental Problems: Environmental and Engineering Geophysical Society, p. 722-738 (CDROM).
- Paine, J. G., and Collins, E. W., 2004, Reconnaissance geophysical investigations of salinization along the upper Colorado River (TMDL segment 1426), Coke and Runnels Counties, Texas: The University of Texas at Austin, Bureau of Economic Geology, final report prepared for Texas Commission on Environmental Quality, under contract no. 582-4-56385, 39 p.
- Paine, J. G., Dutton, A. R., and Blum, M., 1999, Using airborne geophysics to identify salinization in West Texas: The

University of Texas at Austin, Bureau of Economic Geology
Report of Investigations No. 257, 69 p.

Paine, J. G., Dutton, A. R., Mayorga, J. S., and Saunders, G. P., 1997, Identifying oilfield salinity sources with airborne and ground-based geophysics: a West Texas example: The Leading Edge, v. 16, n. 11, p. 1603-1607.

Paine, J.G., Mayorga, J.S., and Saunders, G.P., 1998, Identifying oil-field salinity sources with airborne and ground-based geophysics, a West Texas example: Bulletin of the South Texas Geological Society, v. 39, n. 1, p. 9-18

Paine, J. G., 2004, Chapter 12. Oil-field salinization screening on the Edwards Plateau using airborne geophysics, in Mace, R. E., Angle, E. S., and Mullican, W. F., III, Aquifers of the Edwards Plateau: Texas Water Development Board, Report 360, p. 235-251

Preston, R.D., 1969, Occurrence and quality of groundwater in Shackelford County, Texas: Texas Water Development Board Report 100, 58p.

Price, R.D., 1978, Occurrence, quality and availability of ground water in Jones County, Texas: Texas Department of Water Resources Report 215, 235 p.

Price, R.D., 1979, Occurrence, quality and availability of ground water in Wilbarger County, Texas: Texas Department of Water Resources Report 240, 231 p.

Rattner, B.A., Capizzi, J.L., King, K.A., LeCaptain, L.J., and Melancon, M.J., 1995, Exposure and effects of oil field brine discharges on western sandpipers (*Calidris mauri*) in Nueces Bay, Texas: Bulletin Environmental Contaminant Toxicology, v. 54, p. 683-689.

Rawson, Jack, 1969, Quantity and quality of low flow in the upper Colorado River basin, Texas: U.S. Geological Survey Open-file Report, 24 p.

Rawson, Jack, 1980, Source areas of salinity and trends of salt loads in streamflow in the upper Colorado River, Texas: U.S. Geological Survey Open-file Report 80-224, 66 p.

Rawson, Jack, Flugrath, M.W., and Hughes, L.S., 1968, Sources of saline water in the upper Brazos River basin, Texas: Progress report to June 1967: U.S. Geological Survey Open-File Report 67-184, 163 p.

- Reed, A.J. and Reed, A.J., Jr., 2002, Application of an electro-dialysis (EDR) process to remediate a brine-impacted aquifer in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 22 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
- Reed, E.L. 1961. A study of salt water pollution of the Colorado River, Scurry and Mitchell Counties, Texas. CRMWD, Big Spring, Texas.
- Rees, Rhys, and Buckner, A.W., 1980, Occurrence and quality of ground water in the Edwards-Trinity (Plateau) aquifer in the Trans-Pecos Region of Texas: Texas Department of Water Resources Report 255, 41 p.
- Renfro, W. C., 1993, Water well contamination investigation on the Price Ranch, Sterling County, Texas: Railroad Commission of Texas, 23 p.
- Rettman, P.L., 1987, Groundwater resources of Limestone County, Texas, Texas Department of Water Resources Report No. 299, 97 p.
- Rettman, P.L., and Leggat, E.R., 1966, Ground-Water Resources of Gaines County, Texas: Texas Water Commission Report R015, 185 p.
- Richter, B.C., Dutton, A.R., and Kreitler, C.W., 1987, Sources of salt-water pollution in western Tom Green County: The University of Texas at Austin, Bureau of Economic Geology IAC (86-87)-1003, 100 p.
- Richter, B.C., Dutton, A.R., and Kreitler, C.W., 1990, Identification of sources and mechanisms of salt-water pollution affecting ground-water quality--a case study, West Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 191, 43p.
- Richter, B.C., and Kreitler, C.W., 1985, Sources of shallow saline ground water in Concho, Runnels, and Tom Green Counties: The University of Texas at Austin, Bureau of Economic Geology IAC (84-85)-2122, 62 p.
- Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt water beneath the Rolling Plains, north-central Texas: Ground Water, v. 24, n. 6, p. 735-742.

- Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt-spring and shallow subsurface brines in the Rolling Plains of Texas and southwestern Oklahoma: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 155, 47 p.
- Richter, B.C., and Kreitler, C.W., 1987, Sources of ground water salinization in parts of west Texas: Groundwater Monitoring Review, v. 7, n. 4, p 75-84.
- Roach, R.W., Carr, R.S., Howard, C.L., and Cain, B.W., 1993, An assessment of produced water impacts in the Galveston Bay system: Houston, Texas, Fish and Wildlife Service report, 38 p. Available online at:
<http://ifw2es.fws.gov/Documents/R2ES/GalvestonBay1993.pdf>
- Sassen, D.S., 2004, Oil-field-brine-induced colloidal dispersion; a case study from southeast Texas [abs.]: Geological Society of America Abstracts with Programs, v. 36, n. 1, p. 24.
- Sauer, T.C., Jr., Ward, T.J., Brown, J.S., O'Neil, S., and Wade, M.J., 1990, Identification of toxicity in low-TDS produced waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 209-222.
- Scalf, M.R., Keely, M.R., and LaFevers, C.J., 1973, Ground-water pollution in the south-central states: U.S. Environmental Protection Agency, Office of Research and Development, National Environmental Research Center, Environmental Protection Technology Series EPA-R2-73-268, 135 p.
- Schmidt, Ludwig, and Devine, J.M., 1929, The disposal of oil-field brines: U.S. Department of the Interior, Bureau of Mines, Report of Investigations 2945, 17 p.
- Shaffer, G.H., 1968, Ground-water resources of Nueces and San Patricio Counties, Texas: Texas Water Development Board Report 73, 129 p.
- Shamberger, V.M., 1958, Reconnaissance report on alleged contamination of California Creek near Avoca, Jones County, Texas: Texas Board of Water Engineers Contamination Report No. 5, 14 p.

- Shamberger, V.M., Jr., 1958, Alleged well contamination in relation to brine disposal in Clemville, Matagorda County: Texas Board of Water Engineers Contamination Report, 10 p.
- Shipley, F.S., 1988, Oilfield produced brines in coastal environments: scope of the problem and a case example: Proceedings of the 1988 EPA Water Quality Data Assessment, p.1-7.
- Shipley, F. S., 1991, Oil field-produced brines in a coastal stream: water quality and fish community recovery following long term impact: The Texas Journal of Science, v, 43, n. 1, p. 51-64.
- Slade, R.M., Jr., and Buszka, P.M., 1994, Characteristics of streams and aquifers and processes affecting the salinity of water in the upper Colorado River basin, Texas: U.S. Geological Survey Water-Resources Investigations Report 94-4036, 81 p.
- Smith, S.J., Naney, J.W., and Berg, W.A., 1985, Nonpoint source impacts on ground water quality in major land resource areas of the southwest in Environmental Protection Agency, Proceedings of a National Conference on Perspectives on Nonpoint Source Pollution, May 19-22, 1985, Kansas City, Missouri, p. 121-124.
- Stueber, A.M., Saller, A.H., and Ishida, Hisashi, 1998, Origin, migration, and mixing of brines in the Permian Basin: geochemical evidence from the eastern central basin platform, Texas: American Association of Petroleum Geologists Bulletin, v. 82, n.9, p.1652-1672.
- Sullivan, E.J., and Nava, 1999, Use of organic and inorganic solutes in tracing oil-field salt-water sources; delineation of recent versus historic sources in Stanley, A., Ed., Proceedings of the Petroleum Hydrocarbons and Organic Chemicals in Ground Water: Prevention, Detection and Remediation Conference, Houston, TX, Nov. 17-19, 1999: Westerville, Ohio, Ground Water Publishing Company, p.331-347.
- Sullivan, E.J. and Paine, J.G., 2000, Identification of sources of saline water in a West Texas tributary using electromagnetic induction methods in Powers, M. H., Abou-Bakr, Ibrahim, and Cramer, Lynn, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 2000, pp.729-738.

Taylor, H.D., Occurrence, quantity, and quality of ground waters in Taylor County, Texas: Texas Dept. of Water Resources Report 224, 144 p.

Texas Department of Agriculture, 1985, Agricultural land and water contamination from injection wells, disposal pits, and abandoned wells used in oil and gas production: Texas Department of Agriculture report, 15 p.

Texas Department of Agriculture, 1985, Agricultural land and water contamination from injection wells, disposal pits, and abandoned wells used in oil and gas production: Texas Department of Agriculture report, 15 p.

Texas Dept. of Water Resources, 1978, The Seymour aquifer ground-water quality and availability in Haskell and Knox Counties, Texas, Volume II: Austin, Texas, Texas Dept. of Water Resources Report 226, 265 p.

Texas Energy and Natural Resources Advisory Council, 1983, Preliminary assessment of soil and ground-water salinity problems in Runnels County, Texas: Texas Energy and Natural Resources Advisory Council Report NRP 83-001, 67 p.

Texas Natural Resource Conservation Commission, 2002, Two total daily maximum loads for total dissolved solids and sulfate in E.V. Spence Reservoir, for Segment 1411: Texas Natural Resource Conservation Commission Report, 27 p. Available at:
http://www.tnrcc.state.tx.us/water/quality/tmdl/spence_final_2nd.pdf

Texas Railroad Commission, 1966, Inspection and pollution report of salt-water disposal pits - Howard, Mitchell, and Sterling Counties, TX: Texas Railroad Commission, Oil and Gas Division, District VIII, Midland, Texas.

Texas Water Commission, 1989, Ground-water quality of Texas-an overview of natural and man-affected conditions: Texas Water Commission Report 89-01, 197 p.

Texas Water Commission and Texas Water Pollution Control Board, 1963, A statistical analysis of data on oil-field brine production and disposal in Texas for the year 1962, from an inventory conducted by the Texas Railroad Commission: Texas Railroad Commission District 1, v. 1, 158 p.

Thornhill, J.T., 1964, Investigation of ground-water contamination, Coletto Creek Oil Field, Victoria County, Texas: Texas Water Commission Report LD-0564-MR, 20 p.

- Traylor, R.J. and Estepp, J.D., 2001, Salt water contamination of the Chicot aquifer from historic oil field operations, Tomball Field, Harris County, Texas: Bulletin of the Houston Geological Society, v. 44, n.1, 15 p.
- Uliana, M.M., 2004, Identifying the source of saline ground water contamination using geochemical data and modeling [abs.]: Geological Society of America Abstracts with Programs, v.36, n.1, p. 26.
- Uliana, M.M., 2005 Identifying the source of saline ground water contamination using geochemical data and modeling: Environmental and Engineering Geoscience, v. 11, n.2, p. 107-123.
- Underground Resource Management, 1978, Impact of oil and gas production on salinity in major freshwater aquifers in Texas: Oklahoma City, Interstate Oil Compact Commission, variously paginated.
- U.S. Soil Conservation Service, 1983, Dryland salinity study, Texas cooperative river basin survey: U.S. Department of Agriculture, Soil Conservation Service report, 123 p.
- Van Metre, P.C., and Callender, E., 1996, Identifying water-quality trends in the Trinity River, Texas, USA, 1969-1992, using sediment cores from Lake Livingston: Environmental Geology, v. 28, p. 190-200.
- Walker, L. E., 1967, Occurrence and quality of ground water in Coleman County, Texas: Texas Water Development Board Report No. R-57, 114 p.
- Walker, L.E., 1979, Occurrence, availability and chemical quality of ground-water in the Edwards Plateau region of Texas: Texas Department of Water Resources Report 235, 337 p.
- Ward, P.E., 1961, Geology and ground-water features of salt springs, seeps, and plains in the Arkansas and Red River basins of western Oklahoma and adjacent parts of Kansas and Texas: U.S. Geological Survey Open-File Report 63-132, 94 p.
- Weathers, M.L., Moore, K.R., Ford, D.L. and Curlee, C.K., 1994, Reclamation of saltwater-contaminated soil in Big Lake Field: Transactions of the Gulf Coast Association of Geological Societies, v. 44, p. 737-743.
- White, D.E., 1968, Groundwater resources of Upton County, Texas: Texas Water Development Board Report 78, 132 p.

Winn, Rosilee, 1992, Delineation of oilfield-brine contamination by electromagnetic-conductivity survey, Midland County, Texas: Master's thesis, University of Texas of the Permian Basin, Odessa, Texas, 78 p.

Winslow, A.G., Doyel, W.W., and Wood, L.A., 1957, Salt water and its relation to fresh ground water in Harris County, Texas in Contributions to the hydrology of the United States: U.S. Geological Survey Water Supply Paper 1360-F, p. 375-407.

Wurbs, R.A., Karama, A.S., Saleh, Ishtiaque, and Ganze, C.K., 1993, Natural salt pollution and water supply reliability in the Brazos River Basin: Texas Water Resources Institute Technical Report No. 160, 170 p.

Utah

Baker, F.G., and Brendrecke, C.M., 1983, Seepage from oil-field brine disposal ponds in Utah: Ground Water, v. 21, n. 3, p. 317-324.

Baker, F.G., and Brendeckce, C.M., 1983, Seepage from oilfield brine ponds in the northern Uintah Basin, Utah [abs.]: Eos, Transactions, American Geophysical Union, v. 64, n.18, p.224.

Goode, H.D. and Feltis, R.D., 1962, Water production from oil wells of the Uinta basin, Uintah and Duchesne Counties, Utah: Utah Geological and Mineral Survey, 32 p.

Gwynn, J.W., 1995, Resistivities and chemical analyses of selected oil and gas field, water well, and spring waters, Utah: Utah Geological Survey Circular C-87, 142 p.

Kimball, B.A., 1992, Geochemical indicators used to determine source of saline water in Mesozoic aquifers, Montezuma Canyon area, Utah, in Subitzky, Seymour, ed., Selected papers in the hydrologic sciences, 1988-92: U.S. Geological Survey Water Supply Paper 2340, p. 89-106.

Naftz D.L., Peterman Z.E., and Spangler L.E., 1997, Using ^{87}Sr values to identify sources of salinity to a freshwater aquifer, Greater Aneth Oil Field, Utah, USA: Chemical Geology, v. 141, n. 3, p. 195-209.

West Virginia

- Bain, G.L., 1970, Salty ground water in West Virginia with a discussion of the Pocatalico River basin above Sissonville: U.S. Geological Survey Circular 11, 31 p.
- Bower, R.F., 1969, Effects of oil-field operations on ground water in parts of the Middle and Bradford districts, Pennsylvania: Morgantown, West Virginia, University of West Virginia, Master's thesis, 43 p.
- Carlston, C.W., and Graeff, G.D., Jr., 1955, Ground-water resources of the Ohio River valley in West Virginia: West Virginia Geological and Economic Survey, v. XXII, part III, Variouslly paginated.
- Hoskins, H.A., 1947, Analyses of West Virginia brines: West Virginia Geological and Economic Survey Report of Investigations No. 1, 22 p.
- Kirwan, Laura, 1987, Inventory and assessment of salt water produced in conjunction with oil and gas for the Little Kanawha River basin of West Virginia: Master's thesis, Morgantown, WV, West Virginia University, 190 p.
- Rasouli, Majid, 1988, Fingerprinting oil and gas associated brines of West Virginia: Montgomery, West Virginia, West Virginia Institute of Technology, Master's thesis, 83 p.
- Sack, W.A., Eck, R.W., and Romano, C.R., 1985, Recovery of waste brines for highways applications in Proceedings of the 40th Industrial Waste Conference, Purdue University, West Lafayette, Indiana, May 14-15, 1985: Boston, MA, Butterworths, p. 213-223.
- Simcoe, J.H., 1996, Development of a database of West Virginia oil and gas well brines suitable for highway purposes: Morgantown, West Virginia, University of West Virginia Master's thesis, 169 p.
- Turner, Alan, 1987, The influence of oil field brine upon macroinvertebrate community structure in three headwater streams of the Pocatalico River: Huntingdon, West Virginia, Marshall University Master's thesis, 119 p.
- Wilmoth, B.M., 1971, Occurrence of shallow ground water in selected areas of West Virginia in Proceedings of the West Virginia Academy of Science 1970, v. 42, p. 202-208.
- Wilmoth, B.A., 1972, Salty ground water and meteoric flushing of contaminated aquifers in West Virginia: Ground Water, v. 10, no. 1, p. 99-105.

Wilmoth, B.M., 1975, Development of fresh ground water near salt water in West Virginia: *Ground Water*, v.13, n.1, p. 25-32.

Wyoming

Atkinson, S.F., Miller, G.D., Curry, D.S., and Lee, S.B., 1986, Salt water intrusion: Lewis Publishers, 390 p.

Boelter, A.M., Environmental effects of saline oil-field discharges on surface waters: Wyoming Water Resources Center Research Brief 93-104, 1 map sheet.

Boelter, A.M., Lamming, F.N., Farag, A.M., and Bergman, H.L., 1992, Environmental effects of saline oil-field discharges on surface waters: *Environmental Toxicology and Chemistry*, v. 11, n. 8, p 1187-1195.

Gelb, Daniel, 1992, Oilfield produced water treatment using constructed surface flow and wetland systems: Golden, Colorado, Colorado School of Mines Master's thesis, 198 p.

Gloss, S.P., 1990, Wyoming Water Research Center Fiscal Year 1989 Program Report: National Technical Information Service Program Report G1600-01, 57p.

Herrera, A.W., 1996, Distribution of radium-226 in a wetland receiving oil-field discharge waters: Cheyenne, Wyoming, University of Wyoming, Master's thesis, 71 p.

Lamming, F.N., Boelter, A.M., and Bergman, H.L., 1990, Assessment of potential environmental impacts of saline oil-field discharges into Salt Creek and the Powder River, Wyoming: year 1 progress report: Wyoming Water Research Center Technical Report WWRC-90-05, 43 p.

Linder-Lunsford, J.B., Parrett, C., Wilson, J.F., and Eddy-Miller, C.A., 1992, Chemical quality of surface water and mathematical simulation of the surface-water system, Powder River drainage basin, northeastern Wyoming and southeastern Montana: U.S. Geological Survey Water-Resources Investigations Report 91-4199, 85 p.

Mount, D.R., Drott, K.R., Gulley, D.D., Fillo, J.P., and O'Neil, P.E., 1990, Use of laboratory toxicity data for evaluating the environmental acceptability of produced water discharge to surface waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992,

- San Diego, California: New York, Plenum Press,
Environmental science research, v. 46, p. 175-185.
- Newport, B.D., 1977, Salt-water intrusion in the United States:
U.S. Environmental Protection Agency, Office of Research and
Development, Robert S. Kerr Environmental Research
Laboratory Report EPA-600/8-77-011, 30 p.
- Ramirez, Pedro, Jr., 1993, Contaminants in oil field produced
waters discharged into the Loch Katrine wetland complex,
Park County, Wyoming and their bioconcentration in the
aquatic bird food chain: U.S. Fish and Wildlife Service
Contaminant Report Number R6/706C/93, 37 p. Available at:
<http://www.r6.fws.gov/contaminants/papers/r6706c93.pdf>
- Ramirez, Pedro, Jr., 1998, Environmental contaminants in
sediments from oilfield produced water discharge points:
U.S. Fish and Wildlife Service, Region 6, Contaminant Report
Number R6/710C/98, 24 p. Available at:
<http://www.r6.fws.gov/contaminants/papers/r6710c98.pdf>
- Ramirez, Pedro, Jr., 2002, Oil field produced water discharges
into wetlands in Wyoming: U.S. Fish and Wildlife Services,
Region 6, Contaminant Report Number R6/718C/02, 19 p.
Available at:
<http://www.r6.fws.gov/contaminants/papers/r6718c02.pdf>
- Ramirez, Pedro, Jr., 2005, Oil field produced water discharges
into wetlands: benefits and risks to wildlife: Environmental
Geosciences, v. 12, n. 2, p. 65-72.
- Sauer, T.C., Jr., Ward, T.J., Brown, J.S., O'Neil, S., and Wade,
M.J., 1990, Identification of toxicity in low-TDS produced
waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992,
Produced water: technological/ environmental issues and
solutions, Proceedings of the 1992 International Produced
Water Symposium, February 4-7, 1992, San Diego, California:
New York, Plenum Press, Environmental science research, v.
46, p. 209-222.
- Van der Leeden, Frits, Cerrillo, L.A., and Miller, D.W., 1975,
Ground-water pollution problems in the northwestern United
States: U.S. Environmental Protection Agency, Office of
Research and Development, Robert S. Kerr Environmental
Research Laboratory Report EPA/660/3-75-018, 341 p.
- Wyoming Department of Environmental Quality, Water Quality
Division, 1978, Water quality rules and regulations: chapter
VII: surface discharge of water associated with the

production of oil and gas: Cheyenne, Wyo., Dept. of
Environmental Quality, 7 p.

Topical index

Biological effects of produced water releases

- American Petroleum Institute, 1991, Produced water impacts on Louisiana wetlands: Washington, D.C., American Petroleum Institute.
- Andreasen, J.D., and Spears, R.W., 1983, Toxicity of Texan petroleum well brine to the Sheepshead minnow (*Cyprinodon variegatus*), a common estuarine fish: Bulletin of Environmental Contamination and Toxicology, v.30, p. 277-283.
- Armstrong, H.W., Fucik, K., Anderson, J.W., and Neff, J.M., 1977, Effects of oilfield brine effluent on benthic organisms in Trinity Bay, Texas: Washington, D.C., American Petroleum Institute Publication 4291, 82 p.
- Armstrong, H.W., Fucik, K., Anderson, J.W., and Neff, J.M., 1986, Effects of oilfield brine effluent on sediments and benthic organisms in Trinity Bay, Texas: Marine Environmental Research, v. 2, n. 1, p 55-69.
- Bass, Aaron, 1998, Accidental oilfield brine spill impact study: a survey of the magnitude and distribution of accidental brine spills in the Louisiana coastal wetlands conservation area: final report: Louisiana Geological Survey report submitted to the Louisiana Coastal Management Division, Louisiana Department of Natural Resources, 55 p.
- Bass, A.S., 1999, Magnitude, distribution and impacts of accidental brine spills in the Louisiana Coastal Wetland Conservation Plan area [abs.]: American Association of Petroleum Geologists Bulletin, v. 83, n. 8, p.1347-1348.
- Boelter, A.M., Environmental effects of saline oil-field discharges on surface waters: Wyoming Water Resources Center Research Brief 93-104, 1 map sheet.
- Boelter, A.M., Lamming, F.N., Faraq, A.M., and Bergman, H.L., 1992, Environmental effects of saline oil-field discharges on surface waters: Environmental Toxicology and Chemistry, v. 11, n. 8, p. 1187-1995. Available at: <http://library.wrds.uwyo.edu/wrp/92-07/92-07.pdf>
- Boesch, D.F., and N.N. Rabalais, eds., 1989a, Produced waters in sensitive coastal habitats: an analysis of impacts, central coastal Gulf of Mexico: OCS Report/MMS 89-0031, U.S.

Department of the Interior, Minerals Management Service,
Gulf of Mexico OCS Regional Office, New Orleans, LA, 157 p.

- Boesch, D.F., and N.N. Rabalais, eds., 1989b, Environmental impact of produced water discharges in coastal Louisiana: Report to the Louisiana Division of the Mid Continent Oil and Gas Association, Louisiana Universities Marine Consortium, Chauvin, LA, 287 pp.
- Bozzo, W., Chatelain, M., Salinas, J., and Wiatt, W., 1990, Brine impacts to a Texas salt marsh and subsequent recovery, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 129-139.
- Bristol, Sky, 1998, Environmental contaminants in water, sediment, and biological samples from playa lakes in southeastern New Mexico- 1992, draft report: Albuquerque, New Mexico, Environmental Contaminants Program, Fish and Wildlife Service, 23 p. Available online at:
http://ifw2es.fws.gov/Documents/R2ES/WWTP_Wetlands_Contaminant_Report-FINAL.pdf
- Chipman, R.K., 1959, Studies of tolerance of certain freshwater fishes to brine water from oil wells: Ecology, v. 40, n. 2, p. 299-302
- Cipollini, M.L., and Pickering, J.L., 1986, Determination of phytotoxicity of barium in leach-field disposal of gas well brines: Plant and Soil, v. 92, n. 2, p. 159-169.
- Clemens, H.P., and Finnell, J.C., 1955, Biological conditions in a brine-polluted stream in Oklahoma: Trans. Amer. Fish Soc., v. 85, p. 18-27.
- Colgan, Wes, III, Patrick, D.R., and Vavrek, Milan, 2004, Rhizosphere fungal diversity in oil and brine contaminated soils [abs.], in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Colgan, Wes, III, and Vavrek, M.C., 2003, Symbiotic fungi and plant performance in oil brine contaminated soil [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003,

Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Continental Shelf Associates, Inc., 1997, Monitoring environmental recovery at terminated produced water discharge sites in coastal Louisiana waters: draft report, February 1997: Jupiter, Florida, Continental Shelf Associates, Inc., Report for the Department of Energy, released as DOE/MT/92001-22, variously paginated.

Cosgrove, W.M., Howard, H.S., and Schultz, D.A., 1988, Water chemistry and benthic macroinvertebrate improvements one year following discontinuation of oil brine discharges in the Blaine Creek watershed, Martha, Kentucky: Athens, Georgia, U.S. Environmental Protection Agency, open-file report, unnumbered pages.

Dambach, C. A., and Olive, J.H., 1969, Development of biological indices to pollution levels in streams affected by acid mine drainage and oil field brine wastes: Columbus, Ohio State University, State of Ohio Water Resources Center, Research project completion report, Project no. A-003-Ohio, 90 p.

Darval, R.G., and Harreel, R.C., 1980, Macrobenthos of Pine Island Bayou in the Big Thicket National Preserve, Texas: Hydrobiology, v. 69, n. 3, p. 213-223.

DeWalle, D.R., and Galeone, D.G., 1990, One-time dormant season application of gas well brine on forest land: Journal of Environmental Quality, v. 19, n. 2, p. 288-295.

Foderaro, M.A., and Ungar, I.A., 1997, Growth and survival of *Polygonum aviculare* L. at a brine-contaminated site in southeastern Ohio: American Midland Naturalist, v. 138, n.1, p. 140-152.

Fucik, K.W., 1990, Toxicity identification and characteristics of produced water discharges from Colorado and Wyoming in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 187-207.

General Accounting Office, 2003, National Wildlife Refuges, Opportunities to improve the management and oversight of oil

and gas activities on Federal lands: General Accounting Office Report GOA-03-517, 67 p.

- Giggleman, C.M., and Bocanegra, O.R., 2000, The impact of petroleum hydrocarbon and brine contaminants to macroinvertebrate communities inhabiting lotic systems at Hagerman National Wildlife Refuge, Grayson County, Texas, 1999: Arlington, Texas, Fish and Wildlife Service Region 2 Project report, 34 p. Available at <http://www.fws.gov/arlingtontexas/pdf/Hagerman.pdf>
- Goodin, D.A., 2001, Remediation of an oil contaminated wetland and the effects of crude oil and brine on two-year old Loblolly Pine (*Pinus taeda*) seedlings: Baton Rouge, Louisiana State University, Ph.D. thesis, 137 p.
- Gulley, D.D., Mount, D.R., Hockett, J.R., and Bergman, H.L, 1990, A statistical model to predict toxicity of saline produced waters to freshwater organisms in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 89-96.
- Harker, D. F., Jr., Call, S.M., Warren, M.L., Jr., Camburn, K.E., and Wigley, P., 1979, Aquatic biota and water quality of the Appalachian Province, eastern Kentucky: Frankfort, Kentucky, Kentucky Nature Preserves Commission Technical Report, 1152 p. in three volumes.
- Harker, D. F., Jr., Warren, Jr., M. L., Camburn, K. E., Call, S. M., Fallo, G. J., and Wigley, P., 1980, Aquatic biota and water quality of the upper Cumberland River basin. Frankfort, Kentucky, Kentucky Nature Preserves Commission Technical Report, 679 p. in two volumes.
- Heffernan, T.L., 1972, The effect of oilfield brine on the Mission River, Aransas Bay area: Texas Parks and Wildlife Department, Coastal Fisheries Project Report, p. 37-77.
- Hewatt, W.G., 1950, Studies on bleedwater dispersal in the natural waters around oil fields in southern Louisiana: final report on one phase of project 9, oyster mortality investigation: College Station, Texas, Texas A and M Research Foundation Project 9 Report, 37 p.
- Jones, O.S., 1945, Disposition of oil field brines: Lawrence, University of Kansas Press, 192 p.

- Keiffer C.H., and Ungar I.A., 2001, The effect of competition and edaphic conditions on the establishment of halophytes on brine effected soils: *Wetlands Ecology and Management*, v. 9, n. 6, p. 469-481.
- Keiffer C.H., and Ungar I.A., 2002, Germination and establishment of halophytes on brine-affected soils: *Journal of Applied Ecology*, v. 39, n. 3, p. 402-415.
- Keeland, B.D., McCoy, J.W., and Otton, J.K., 2003, Effects of produced water and hydrocarbon releases on vegetation at site A of the Osage-Skiatook petroleum environmental research project, Osage County, Oklahoma in Sublette, Kerry, ed., *Proceedings of the 10th International Petroleum Environmental Conference*, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 14 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Knecht, A.T., 1988, Final report on the impact of produced water discharges from oil and gas operations on the estuarine environment in Louisiana: a literature review: New Orleans, Louisiana, University of New Orleans, Report produced for the Louisiana Department of Environmental Quality, 84 p.
- Land Reclamation Research Center and North Dakota Mining and Mineral Resources Research Institute, 1985, Conference on identifying and remedying effects of oilfield brine and drilling fluids on soils and groundwater, April 10, 1985, Dickinson, North Dakota: Mandan, North Dakota, North Dakota State University, Land Reclamation research Center, 32 p.
- Logan, R.W., Beck, G.V., Call, S.M., Houpp, R.E., Metzmeier, Lythia, Mills, M.R., Roth, C.A., Schneider, C.C., Walker, D.K., and Westerman, Albert, 1989, Millers Creek drainage biological and water quality investigation for stream use designation: Kentucky Dept. for Environmental Protection, Division of Water, Ecological Support Section Technical Report No. 25, 93p.
- Mackin, J.G., 1971, A study of the effect of oilfield brine effluents on biotic communities in Texas estuaries: Texas A&M Research Foundation project 735 final report to Humble Oil and Refining Company, 72 p.
- Mackin, J.G., 1973, A review of significant papers on effects of oil spills and oil field brine discharges on marine biotic

- communities: Texas A&M Research Foundation, Project 737, 104 p.
- Mathis, B.J., 1965, Community structure of benthic macroinvertebrates in an intermittent stream receiving oil field brines: Stillwater, Oklahoma State University, Ph. D. dissertation, 52 p.
- Mathis, B.J., and Dorris, T.C., 1968, Community structure of benthic macro-invertebrates in an intermittent stream receiving oil field brines: American Midland Naturalist, v. 80, p. 429-439.
- Meinhold, A.F., and Hamilton, L.D., 1990, Radium concentration factors and their use in health and environmental risk assessment in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 293-302.
- Mettee, M.F., Harris, S.C., and O'Neil, P.E., 1986, Biological diversity and water quality of streams draining the Gilbertown oil field area, Choctaw County, Alabama: Alabama Geological Survey Circular 120, 32 p.
- Mettee, M.F., O'Neil, P.E., and Harris, S.C., Biological diversity and water quality of streams draining the Blowhorn oil field area, Lamar County, Alabama: Alabama Geological Survey Circular 128, 25 p.
- Mount, D.R., Drott, K.R., Gulley, D.D., Fillo, J.P., and O'Neil, P.E., 1990, Use of laboratory toxicity data for evaluating the environmental acceptability of produced water discharge to surface waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 175-185.
- Mullino, M.M., and Rayle, M.F., 1992, Produced water radionuclides fate and effects in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 281-292.

- Munn, D.A., and Stewart, R., 1989, Effect of oil well brine on germination and seedling growth of several crops: *Ohio Journal of Science*, v. 89, n. 4, p. 92-94.
- Olive, J.H., Jackson, J.L. and Keller, D., 1992, Effects of oil field brines on biological integrity of two tributaries of the Little Muskingum River, southeastern Ohio: *The Ohio Journal of Science*, v. 92, n. 5, p. 139-146.
- Otton, J.K., Zielinski, R.A., Smith, B.D., Abbott, M.M., and Keeland, R.D., 2005, Environmental impacts of oil production on soil, bedrock, and vegetation at U.S. Geological Survey Osage-Skiatook Petroleum Environmental Research site A, Osage County, Oklahoma: *Environmental Geosciences*, v. 12, n. 2, p. 73-87.
- Patrick, D.R., Colgan, Wes, III, and Vavrek, M.C., 2003, Molecular methods to describe rhizosphere fungal communities from oil brine contaminated soils [abs.], in Sublette, Kerry, ed., *Proceedings of the 10th International Petroleum Environmental Conference*, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Pezeshki, S.R., DeLaune, R.D., and Patrick, W.H., 1987, Response of freshwater marsh species, *Panicum hemitomon* Schult. to increased salinity: *Freshwater Biology*, v. 17, n. 2, p. 195-200.
- Pigg, Jimmie, Coleman, M.S., and Duncan, Judy, 1992, An Ecological investigation of the ichthyofauna of the North Canadian River in Oklahoma: 1979-1989, *Proceedings of the Oklahoma Academy of Sciences*, v. 72, p. 21-32.
- Rabalais, N.N., Means, J.C., and Boesch, D.F., 1990, Fate and effects of produced water discharges in coastal environments, in U. S. Environmental Protection Agency, *Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices*, September 10-13, 1990, New Orleans, Louisiana, p. 503-514.
- Ramirez, Pedro, Jr., 1993, Contaminants in oil field produced waters discharged into the Loch Katrine wetland complex, Park County, Wyoming and their bioconcentration in the aquatic bird food chain: U.S. Fish and Wildlife Service Contaminant Report Number R6/706C/93, 37 p. Available at: <http://www.r6.fws.gov/contaminants/papers/r6706c93.pdf>

- Ramirez, Pedro, Jr., 1998, Environmental contaminants in sediments from oilfield produced water discharge points: U.S. Fish and Wildlife Service, Region 6, Contaminant Report Number R6/710C/98, 24 p. Available at:
<http://www.r6.fws.gov/contaminants/papers/r6710c98.pdf>
- Ramirez, Pedro, Jr., 2002, Oil field produced water discharges into wetlands in Wyoming: U.S. Fish and Wildlife Services, Region 6, Contaminant Report Number R6/718C/02, 19 p. Available at:
<http://www.r6.fws.gov/contaminants/papers/r6718c02.pdf>
- Ramirez, Pedro, Jr., 2005, Oil field produced water discharges into wetlands: benefits and risks to wildlife: Environmental Geosciences, v. 12, n. 2, p. 65-72.
- Rattner, B.A., Capizzi, J.L., King, K.A., LeCaptain, L.J., and Melancon, M.J., 1995, Exposure and effects of oil field brine discharges on western sandpipers (*Calidris mauri*) in Nueces Bay, Texas: Bulletin Environmental Contaminant Toxicology, v. 54, p. 683-689.
- Roach, R.W., Carr, R.S., Howard, C.L., and Cain, B.W., 1993, An assessment of produced water impacts in the Galveston Bay system: Houston, Texas, Fish and Wildlife Service report, 38 p. Available online at:
<http://ifw2es.fws.gov/Documents/R2ES/GalvestonBay1993.pdf>
- Ross, P.D., Jr., 2004, Fungal diversity in oil and brine impacted soils: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 32 p.
- Sauer, T.C., Jr., Ward, T.J., Brown, J.S., O'Neil, S., and Wade, M.J., 1990, Identification of toxicity in low-TDS produced waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 209-222.
- Savage, J.E., 1992, Role of the soil ecosystem in land dispersal of oil and gas production brine of the Allegheny Basin: Syracuse, New York, State University of New York Master's thesis, 120 p.
- Sayles, Brenda, 1985, Oil well operation impacts on the Pine River, Arenac County. Michigan: Michigan Dept. of Natural

Resources, Surface Water Quality Division, WQAU Report No. 04941

- Schultz, E.E., 1958, Effects of brine pollution on aquatic organisms in three Michigan streams [abs.]: Michigan Dept. of Natural Resources, Inst. for Fisheries Research Report No. 1548, Abs. No. 144
- Shipley, F. S., 1991, Oil field-produced brines in a coastal stream: water quality and fish community recovery following long term impact: The Texas Journal of Science, v, 43, n. 1, p. 51-64.
- Short, T.M., Black, J.A., and Birge, W.J., 1991, Ecology of a saline stream: community responses to spatial gradients of environmental conditions: Hydrobiologia, v. 226, n. 3, p. 167-178.
- Stewart, B.G., Knight, J.G., and Cashner, R.C., 1992, Longitudinal distribution and assemblages of fishes of Byrd's Mill Creek, a southern Oklahoma Arbuckle mountain stream: Southwest Naturalist, v. 37, n. 2, p.138-147.
- St. Pe, K.M., 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: Baton Rouge, Louisiana, Louisiana Department of Environmental Quality, Water Pollution Control Division, 204 p.
- St. Pe, K.M., Means, Jay, Milan, Charles, Schlenker, Matt, and Courtney, Sherri, 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: a project summary in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 31-42.
- Turner, Alan, 1987, The influence of oil field brine upon macroinvertebrate community structure in three headwater streams of the Pocatalico River: Huntingdon, West Virginia, Marshall University Master's thesis, 119 p.
- U. S. Environmental Protection Agency, 1988, Ambient aquatic life water quality criteria for chloride: U.S. Environmental Protection Agency Report EPA 440/5-88-001, 47 p. Available at:
<http://www.epa.gov/ost/pc/ambientwqc/chloride1988.pdf>

- Van Hassenl, J.H., Cherry, D.S., Hendricks, J.C., and Specht, W.L., 1988, Discrimination of factors influencing biota of a stream receiving multiple-source perturbations: *Environmental Pollution*, v. 55, n.4, p. 172-287.
- Van Sickle, Virginia, and Groat, C.G., 1990, Oil field brines- another problem for Louisiana's coastal wetlands, in U. S. Environmental Protection Agency, *Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices*, September 10-13, 1990, New Orleans, Louisiana, p. 659-675.
- Wagner, J.F., 1990, Toxicity and radium 226 in produced water- Wyoming's regulatory approach, in U. S. Environmental Protection Agency, *Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices*, September 10-13, 1990, New Orleans, Louisiana, p. 987-994.
- Walters, R.S., and Auchmoody, L.R., 1989, Vegetation re-establishment on a hardwood forest site denuded by brine: *Landscape and urban planning*, v. 17, n. 2, p.127-133.
- Zielinski, R.A., Cathcart, J.D., Hannah, T.L., and Bullock, J.H., Jr., 2003, Determining the distribution of subsurface salt contamination using the composition of oak leaves: a case study at an oil production site, northeast Oklahoma, in Sublette, K. L., ed., *Programs and Papers: 10th International Petroleum Environmental Conference*, Houston, TX, November 11-14, 2003, 17 p.
<http://ipeec.utulsa.edu/Conf2003/2003agenda.html>

Remediation techniques for brine-contaminated soil

Soils affected by oilfield brines undergo substantial changes including the death of vegetation supported by the soil, the loss of the host soil bacterial and other organism populations such as nematodes, mineralogic changes, and additions of substantial loads of salt. These changes impact the capability of the soil to support plant growth. Many remediation strategies have been developed and tested and are referenced here. This list does not capture the substantial remediation technologies that are described in the soil literature for naturally occurring saline soils or soil damaged by salt accumulation as a result of irrigation practices.

- American Society for Testing and Materials, 1999, ASTM standards on assessment and remediation of petroleum release sites: ASTM, Committee E-50 on Environmental Assessment, 126 p.

- Anderson, E.S., 2000, Remediation of an oilfield brine spill for establishment of southern pine: Nacogdoches, Texas, Stephen F. Austin University, Master's thesis, 81 p.
- Atalay, A., Pyle, T.A., and Lynch, R.A., 1999, Strategy for restoration of brine-disturbed land: *Journal of Soil Contamination*, v. 8, n.3, p. 307-328.
- Auchmoody, L.R., and Walters, R.S., 1988, Revegetation of a brine-killed forest site: *Soil Science Society America Journal*, v. 52, p. 277-280.
- Beckman, D.D., Heaton, Kevin, Kopec, C.J., and Hamilton, R.G., 2000, Salty soil remediation at the Tallgrass Prairie in Sublette, Kerry, ed., *Proceedings of the 7th International Petroleum Environmental Conference*, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 19 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Beckman, Dennis, Heaton, K.P., Tsao, D.T., and Zverina, Walter, 2003, Tallgrass Prairie Preserve: recent successes in restoring an historic brine scar [abs.] in Sublette, Kerry, ed., *Proceedings of the 10th International Petroleum Environmental Conference*, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Bernier, Rene, Myers, Jim, and Hall, Jerry, 2002, Re-vegetation of brine damaged soil: a soil rebuilding approach in Sublette, Kerry, ed., *Proceedings of the 9th International Petroleum Environmental Conference*, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
- Bolton, J.E., 2003, Revegetation of oil brine spill sites: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 73 p.
- Carter, K.E., 2002, Remediation of brine-impacted soils using hay: Tulsa, Oklahoma, University of Tulsa, Master's thesis, 215 p.

- Carty, D.J., Hopkins, H.H., de Albuquerque, J.S., Swetish, S.M., Priebe, W.F., and Crawley, W.W., 1999, Remediation strategies for saltwater-impacted sites in Sublette, K.L., 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 7 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Carty, D.J., Swetish, S.M., Priebe, W.F., and Crawley, W.W., 1997, Remediation of salt-affected soils at oil and gas production facilities: American Petroleum Institute Publication Number 4663, variously paginated.
- Clark, Barrett, Colgan, Wes, III, and Vavrek, Milan, 2004, Field application of AM fungi for phytoremediation of oil-brine spill sites [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Colgan, Wes, III, Patrick, D.R., and Vavrek, Milan, 2004, Rhizosphere fungal diversity in oil and brine contaminated soils [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Colgan, Wes, III, and Vavrek, M.C., 2003, Symbiotic fungi and plant performance in oil brine contaminated soil [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Conn, J.S., Behr-Andres, Christina, Wieggers, Janice, Meggert, Ed, and Glover, Nick, 2001, Remediation of Arctic tundra following petroleum or salt water spills in Second international conference on contaminants in freezing ground, Cambridge, United Kingdom, July 2-5, 2000: Polar Record, v.37, n.202, p.264-266.

- Doll, E.C., Lang, K.L., and Merrill, S.D., 1990, Contamination of soil with oilfield brine and reclamation with calcium chloride: *Soil Science*, v. 150, n. 1, p.469-475.
- Duel, L.E., and Holliday, G.H., 1997, Soil remediation for the petroleum extraction industry: Tulsa, Oklahoma, Penn Well Publishing Company, 2nd edition, 242 p.
- Evangelou, V.P., 1983, Oil well salt brine contaminated soils: their chemistry and reclamation, in Graves, D. H., ed., *Proceedings, 1983 Symposium on Surface Mining, Hydrology, Sedimentology and Reclamation: University of Kentucky, OES publications*, p. 443-446.
- Evans, G.B., Jr., and Barck, J.A., 1995, Reclamation of soil affected by salts: investigation, assessment, planning, and implementation in Society of Petroleum Engineers and U.S. Environmental Protection Agency, *Proceedings of the SPE/EPA Exploration and Production Environmental Conference*, 27-29 March 1995, Houston, Texas, p. 641-653.
- Ford, Laura, Singh, Shailendra, Carter, Kimberly, Sublette, K.L., and Duncan, Kathleen, 2003, Remediation of brine spills with hay, year 2 [abs.] in Sublette, Kerry, ed., *Proceedings of the 10th International Petroleum Environmental Conference*, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Goodin, D.A., 2001, Remediation of an oil contaminated wetland and the effects of crude oil and brine on two-year old Loblolly Pine (*Pinus taeda*) seedlings: Baton Rouge, Louisiana State University Ph.D. thesis, 137 p.
- Guitierrez, G.N., Heaton, K.P., and Sitton, Mike, 2003, Restoration of produced water release to east Texas forest land [abs.] in Sublette, Kerry, ed., *Proceedings of the 10th International Petroleum Environmental Conference*, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Harris, Tom, Dewan, C., High, Andrea, Tapp, Bryan, and Sublette, Kerry, 1999, Remediation of brine-impacted soil with a subsurface drainage system: year 2 of the Barnard No. 1 project in Sublette, K. L., ed., *Proceedings of the 6th International Petroleum Environmental Conference*, November

- 16-18, 1999, Houston, Texas, 11 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Harris, T.L., Dewan, Christina, Tapp, J.B., and Sublette, Kerry, 2000, Transport processes in the remediation of brine-impacted soil *in* Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Harris, Tom, McConnell, Jason, and Schulte, Kim, 1998, Physicochemical characterization of brine-impacted soil *in* Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 13 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Harris, Tom, Schulte, Kim, High, Andrea, Yates, Rick, and Sublette, Kerry, 1998, Remediation of brine-impacted soil with a leachate collection system *in* Sublette, K.L, ed., Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, N.M., 18 p. Available online at <http://ipec.utulsa.edu/Conf/5thIPEC.pdf>
- Harris, T.M., Tapp, J.B., and Sublette, Kerry, 2005, Remediation of oil-field brine-impacted soil using a subsurface drainage system and hay: *Environmental Geosciences*, v. 12, n. 2, p. 101-113
- Hartmann, S., Ueckert, D.N., and McFarland, M.L., 1990, Evaluation of leaching and gypsum for enhancing reclamation and revegetation of oil well reserve pits in a semiarid area, 1990, *in* U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 431-441.
- Jones, J.L., Veenstra, J.N., Sherif, N.Y., Painter, S.J., Harris, T.M., and Perumallapalli, Dorathy, 2000, Remediation of oilfield brine scars with subsurface drainage and a solar evaporation pond *in* Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 12 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

- Keiffer C.H., and Ungar I.A., 2001, The effect of competition and edaphic conditions on the establishment of halophytes on brine effected soils: *Wetlands Ecology and Management*, v. 9, n. 6, p. 469-481.
- Keiffer C.H, and Ungar I.A., 2002, Germination and establishment of halophytes on brine-affected soils: *Journal of Applied Ecology*, v. 39, n. 3, p. 402-415.
- Kelley, Priscilla, and Hazlewood, Larry, 2002, Successful brine remediation—the power of people and partnerships *in* Sublette, Kerry, ed., *Proceedings of the 9th International Petroleum Environmental Conference*, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 13 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
- Land Reclamation Research Center and North Dakota Mining and Mineral Resources Research Institute, 1985, Conference on identifying and remedying effects of oilfield brine and drilling fluids on soils and groundwater, April 10, 1985, Dickinson, North Dakota: Mandan, North Dakota, North Dakota State University, Land Reclamation research Center, 32 p.
- Langhus, Bruce, Korphage, M.L., and Denoyelles, Frank, 1999, Halophyte remediation of brine impacted oil and gas sites in Kansas [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 83, n. 7, p. 1201.
- Liang, J., Karamanos, R.E., and Moir, M.E., 1995, The influence of brine contamination and phospho-gypsum amendments on soil chemical properties and plant response: *Communications in Soil Science and Plant Analysis*, v. 26, n.7-8, p. 1033-1057.
- McFarland, M.L., Ueckert, D.N., and Hartmann, S., 1987, Revegetation of oil well reserve pits in west Texas: *Journal of Range Management*, v. 40, p.122.
- Merrill, S.D., Lang, K.L., and Doll, E.C., 1990, Contamination of soil with oilfield brine and reclamation with calcium chloride: *Soil Science*, v. 150, n. 1, p. 469-475.
- Moralwar, Aditya, Sublette, K.L., Ford, L.P., Duncan, Kathleen, Thoma, Greg, and Brokaw, Josh, 2004, Remediation of a spill of crude oil and brine without gypsum [abs.], *in* Sublette, Kerry, ed., *Proceedings of the 11th International Petroleum Environmental Conference*, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum

Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Munshi, Shoeb, Sublette, Kerry, Jennings, Eleanor, Roberts, Ken, Fisher, J.B., and Tapp, Bryan [abs], 2005, Remediation of a historic brine scar: characterization and development of a remediation protocol in Sublette, K.L., Program and abstracts for the 12th International Petroleum Environmental Conference, Nov. 8-11, 2005, Houston, TX: Continuing Engineering and Science Education, University of Tulsa, p. 24-25.

Nestrud, C.R., Carty, D.J., Deuel, L.E., and Yensen, N.P., 2003, Halophyte technology mitigates landowner-driven oilfield saltwater and petroleum hydrocarbon surface impact litigation [abs.], in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Osborne, Heather, 2003, Revegetation of a remediated brine-contaminated soil: Nacogdoches, Texas, Stephen F. Austin University, Master's thesis, 52 p.

Pittman, J.J., Kress, M.W., and Zhang, Hailin, 2001, Comparison of two soil salinity extraction methods, in Sublette, Kerry, ed., Proceedings of the 8th International Petroleum Environmental Conference, November 6-9, 2001, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 9 p. Available at:
http://ipec.utulsa.edu/Conf2001/conf_toc.html

Sewell, H.J.; Hamilton, W.A.; Farrish, K.W.; and Deuel, L.E., Jr.; Moore, D., 2002, Remediation and re-vegetation of brine impacted soil; a case study [abs.]: Transactions - Gulf Coast Association of Geological Societies, v.52, p.892.

Singh, Shailendra, 2004, Remediation of brine contaminated soils with hay: Tulsa, Oklahoma, University of Tulsa Master's thesis, 161 p.

- Smith, J.T., Jr., 2004, The potential of *Myrica Cerifera* and symbiotic fungi for revegetation of oil brine spill sites: Ruston, Louisiana, Louisiana Tech University, Master's thesis, 28 p.
- Sublette, K.L., Beckman, Dennis, Heaton, Kevin, Tsao, David, Zverina, Walter, Davis, Greg, and Sobak, Ed, 2004, Characterization of the root zone of introduced switchgrass growing in soil from an historic salt scar [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Sublette, K.L., Moralwar, Aditya, Ford, Laura, Duncan, Kathleen, Thoma, Greg, and Brokaw, Josh, 2005, Remediation of a spill of crude oil and brine without gypsum: Environmental Geosciences, v. 12, n. 2, p. 115-125.
- Ueckert, D.N, Hartmann, Steve, and McFarland, M.L, 1990, Evaluation of containerized shrub seedlings for bioremediation of oilwell reserve pits, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 403-410.
- Vavrek, M.C., and Colgan, Wes, III, 2003, Use of a hydroseeder to revegetate oil brine spill sites [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>
- Vavrek, M.C., Hunt, Howard, Colgan, Wes, II, and Vavrek, D.L, 2004, Status of oil brine spill site remediation in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 23 p. Available at: <http://ipec.utulsa.edu/Conf2004/2004agenda.html>
- Veenstra, John, Warden, R.W., and Harris, T.M., 2001, Remediation of brine-impacted soil: evaluation of several performance enhancements coupled with a leachate collection system in

Sublette, Kerry, ed., Proceedings of the 8th International Petroleum Environmental Conference, November 6-9, 2001, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 21 p. Available at: http://ipec.utulsa.edu/Conf2001/conf_toc.html

Walters, R.S., and Auchmoody, L.R., 1989, Vegetation re-establishment on a hardwood forest site denuded by brine: Landscape and urban planning, v. 17, n. 2, p.127-133.

Weathers, M.L., Moore, K.R., Ford, D.L., and Curlee, C.K., 1994, Reclamation of saltwater-contaminated soil in Big Lake field: Transactions of the Gulf Coast Association of Geological Societies, v. 44, p. 737-743.

Yates, R.G., 2000, Transportation of brine components and revegetation of a brine spill site in the Tallgrass Prairie Preserve: Tulsa, Oklahoma, University of Tulsa Ph.D. thesis, 295 p.

Yensen, N.P., Hinchman, R.R., Negri, M.C., Mollock, G.N., Settle, T., Keiffer, C.S., Carty, D.J., Rogers, B., Martin, R., Erickson, R, and Adams, R.H., 2000, Using halophytes to manage oilfield saltwater: disposal by irrigation/ evapotranspiration and remediation of soils in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: University of Tulsa Division of Continuing Education and the Integrated Environmental Consortium, p.1133-1188. Also available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Zhang, Hailin, Alemayehu, Dejene, and Carter, Brian, 1999, Salt characterization of brine contaminated soils in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

Geochemical techniques for discriminating salt sources

Abbott, M.M., 1995, The effects of oil-field brines on aquifers- Tracing the movement of brines using geochemical tools, in V.E. McKelvey Forum: U. S. Geological Survey Circular 1108, p. 87-88

Carty, D.J., Whittemore, D.O., and Bassett, R.L., 1999, Identifying environmentally detrimental saltwater in

- oilfields using boron isotopes and anion ratios *in* Sublette, K.L, 1999, Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas, 34 p. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>
- Cates, D.A., Knox, R.C., and Sabatini, D.A., 1996, The impact of ion exchange processes on subsurface brine transport as observed on piper diagrams: *Ground Water*, vol. 34, no. 3, pp. 532-544.
- Ellard, J.S., and Lipp, R.L., 1978, Evaluation of water quality data from oilfield areas in South Alabama; specific conductance-chloride relationship: Geological Survey of Alabama, Oil and Gas Report, v. 5, 10 p.
- Huff, G.F., and Hanor, J.S., 1997, Sr isotopic composition of oil-field brines in the Wilcox Group of eastern central Louisiana; identification of sources of saline contamination [abs.]: American Association of Petroleum Geologists Bulletin, v. 81, n. 9, p.1578.
- Kimball, B.A., 1992, Geochemical indicators used to determine source of saline water in Mesozoic aquifers, Montezuma Canyon area, Utah, *in* Subitzky, Seymour, ed., Selected papers in the hydrologic sciences, 1988-92: U.S. Geological Survey Water Supply Paper 2340, p. 89-106.
- Knuth, Martin, Jackson, J.L., and Whittemore, D.O., 1990, An integrated approach to identifying the salinity source contaminating a ground-water supply: *Groundwater*, v. 28, n. 2, p. 207-214.
- Leonard, A.R., and Ward, P.E., 1962, Use of Na/Cl ratios to distinguish oil-field from salt-spring brines in western Oklahoma: U.S. Geological Survey Professional Paper 450-B, p. B126-B127.
- Leonard, R.B., 1964, A method for evaluating oil-field-brine pollution of the Walnut River in Kansas, *in* Geological Survey Research 1964: U.S. Geological Survey Professional Paper 501-B, p. B173-B176.
- Mast, V.A., 1985, Use of ionic mixing curves in differentiating oil field brine from natural brine in a fresh water aquifer: *Ground Water Monitoring Review*, v. 5, n. 3, p.65-69.
- McLin, S.G., 1986, Evaluation of aquifer contamination from salt water disposal wells: Proceedings of the Oklahoma Academy of Science, v. 66, p. 53-61.

- Naftz D.L., Peterman Z.E., and Spangler, L.E., 1997, Using ^{87}Sr values to identify sources of salinity to a freshwater aquifer, Greater Aneth Oil Field, Utah, USA: *Chemical Geology*, v. 141, n. 3, p. 195-209.
- Novak, S.A., 1986, A methodology for identification of aquifer contamination by gas/oil brines: Kent, Ohio, Kent State University, Master's thesis, 91 p.
- Novak, S.A., and Eckstein, Yoram, 1988, Hydrochemical characterization of brines and identification of brine contamination in aquifers: *Ground Water*, v. 27, n. 3, p.317-324.
- Otton, J.K., and Zielinski, R.A., 1999, Chemical criteria for determining the origin and dispersion of highly soluble salts in soils and waters near an oilfield operation, Logan County, Colorado, in *Proceedings of the Fifth International Petroleum Environmental Conference- Environmental issues and solutions in petroleum exploration, production and refining*, October 20-23, 1998, Albuquerque, New Mexico: South-central Environmental Resource Alliance and the University of Tulsa, 24 p.
- Otton, J.K., and Zielinski, R.A., 2000, Simple techniques for assessing impacts of oil and gas operations on federal lands; a field evaluation at Big South Fork National River and Recreation Area, Scott County, Tennessee: U.S. Geological Survey Open-File Report 00-499, 51 p.
<http://pubs.usgs.gov/of/2000/ofr-00-499/OF00-499.pdf>
- Rasouli, Majid, 1988, Fingerprinting oil and gas associated brines of West Virginia: Montgomery, West Virginia, West Virginia Institute of Technology, Master's thesis, 83 p.
- Reiten, J.C., and Teschmak, Terry, 1993, Appraisal of oilfield contamination in shallow ground water and surface water, eastern Sheridan County, Montana: Montana Bureau of Mines and Geology Open-File Report 260, 300 p.
- Richter, B.C., Dutton, A.R., and Kreitler, C.W., 1990, Identification of sources and mechanisms of salt-water pollution affecting ground-water quality--a case study, West Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 191, 43p.
- Richter, B.C., and Kreitler, C.W., 1991, Identification of sources of ground-water salinization using geochemical techniques: U.S. Environmental Protection Agency, Office of

Research and Development, Robert S. Kerr Environmental
Research Laboratory Report EPA/600/2-91-064, 258 p.

Richter, B.C., Kreitler, C.W., and Bledsoe, B.E., 1993,
Geochemical techniques for identifying sources of ground-
water salinization: CRC Press, Inc. Boca Raton, Florida, 258
p.

Rittenhouse, G., 1967, Bromine in oil-field waters and its use in
determining possibilities of origin of these waters:
American Association of Petroleum Geologists Bulletin, v.
51, p. 2430-2440.

Sullivan, E.J., and Nava, 1999, Use of organic and inorganic
solutes in tracing oil-field salt-water sources; delineation
of recent versus historic sources in Stanley, A., Ed.,
Proceedings of the Petroleum Hydrocarbons and Organic
Chemicals in Ground Water: Prevention, Detection and
Remediation Conference, Houston, TX, Nov. 17-19, 1999:
Westerville, Ohio, Ground Water Publishing Company, p.331-
347.

Uliana, M.M., 2004, Identifying the source of saline ground water
contamination using geochemical data and modeling [abs.]:
Geological Society of America Abstracts with Programs, v.36,
n.1, p. 26.

Uliana, M.M., 2005 Identifying the source of saline ground water
contamination using geochemical data and modeling:
Environmental and Engineering Geoscience, v. 11, n.2, p.
107-123.

Whittemore, D.O., 1981, Geochemical identification of saltwater
sources in the Smoky Hill River Valley, McPherson, Saline,
and Dickinson Counties, Kansas: Kansas Geological Survey
Open-File Report 81-6, 78 p.

Whittemore, D.O., 1984, Geochemical identification of salinity
sources, in French, R.H., Salinity in watercourses and
reservoirs: Proceedings of the 1983 International Symposium
on State-of-the-Art Control of Salinity, Salt Lake City,
Utah, p. 505-514.

Whittemore, D.O., 1988, Bromide as a tracer in ground-water
studies: geochemistry and analytical determination, in
Proceedings of the ground water chemistry conference, Feb,
16-18, 1988, Denver, Colorado: Dublin, Ohio, National Water
Well Association, p. 339-360.

- Whittemore, D.O., 1995, Geochemical differentiation of oil and gas brine from other saltwater sources contaminating water resources: case studies from Kansas and Oklahoma: Environmental Geosciences, v. 2, p. 15-31.
- Whittemore, D.O., 2004, Geochemical identification of sources of salinity in ground waters of the High Plains aquifer west of the Johnson oil field in central McPherson County, Kansas: Kansas Geological Survey Open-file Report No. 2004-4, 16 p.
- Whittemore, D.O., and Pollock, L.M., 1979, Determination of salinity sources in water resources of Kansas by minor alkalai metal and halide chemistry: Manhattan, Kansas, Kansas State University, Kansas Water Resources Research Institute Contribution 208, 28 p.
- Woodall, D.W., 1998, Tracking oil and gas produced water in an open water estuarine system using salinity as a conservative tracer: Baton Rouge, Louisiana State University, Master's thesis, 194 p.
- Woodall, D.W., Gambrell, R.P., Rabalais, N.N., and DeLaune, R.D., 2001, Developing a method to track oil and gas produced water discharges in estuarine systems using salinity as a conservative tracer: Marine Pollution Bulletin, v. 42, n. 11, p. 1118-1127
- Zielinski, R.A., and Otton, J.K., 2000, Assessment of sources of soil salinity near an oil field production site using the chemistry of surface water and soil leachates, in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 14 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>
- Zielinski, R.A., Rice, C.A., and Otton, J.K., 2002, Use of soil leachates to define the extent of brine-impacted soils and bedrock at the Osage-Skiatook petroleum environmental research "B" site, northwestern Oklahoma, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 30 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Geophysical techniques for detecting brine plumes

The high salinities associated with oilfield waters makes them and the rocks and soils they saturate more conductive than the surrounding rock and soil. Several geophysical techniques are capable of distinguishing higher conductivity earth materials at various depths in the subsurface. The studies below describe the use of these techniques in various geologic settings and under various contaminant situations.

Aubuchon-Fields, P.A., 1991, A geophysical and hydrogeological investigation of two oil field brine plumes located in northwestern Saline County, Illinois: Southern Illinois University, Carbondale, Carbondale, IL, Master's thesis, 208 p.

Chapman, M.J., and Bair, E.S., 1992, Mapping a brine plume using surface geophysical methods in conjunction with ground water quality: Ground Water Monitoring Review, v. 12, n. 3, p. 203-209.

Frischknecht, F.C., 1990, Application of geophysical methods to the study of pollution associated with abandoned and injection wells in Doe, B.R., ed., Proceedings of the U.S. Geological Survey workshop on environmental geochemistry, Reston, VA, April 1986: U.S. Geological Survey Circular 1034, p. 73-77.

Hoekstra, P., Lahti, R., Hild, J., Bates, C.R., and Phillips, D., 1992, Case histories of shallow time domain electromagnetics in environmental site assessment: Ground Water Monitoring Review, V. 12, n. 4, p. 110-117.

Hoekstra, Pieter, 1998, Geophysical surveys for mapping brine contamination resulting from oil and gas production in Bell, R.S., Powers, M.H., Larson, Timothy, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), vol.1998, pp.197-204.

Johnson, Barb, Hopkins, Bob, and McCall, Wesley, 1999, Direct push electrical logging for rapid site assessment and definition of brine plumes in Sublette, K. L., ed., Proceedings of the 6th International Petroleum Environmental Conference, November 16-18, 1999, Houston, Texas: University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium. Available online at <http://ipec.utulsa.edu/Conf/6thIPEC.pdf>

- Knuth, M., 1988, Complimentary use of EM-31 and dipole-dipole resistivity to locate the source of oil brine contamination; a case study, *in* Proceedings of the second national outdoor action conference on aquifer restoration, ground water monitoring and geophysical methods, Volume II: National Water Well Association, Dublin, Ohio, p. 583-595.
- Knuth, Martin, Jackson, J.L., and Whittemore, D.O., 1990, An integrated approach to identifying the salinity source contaminating a ground-water supply: *Groundwater*, v. 28, n. 2, p. 207-214.
- Koehler, Janet, 1988, Electrical resistivity as an approach to evaluating brine contamination of groundwater in the Walker oilfield, Ottawa County, Michigan: Kalamazoo, Michigan, Western Michigan University, Master's thesis, 145 p.
- Lahti, R.M., and Hoekstra, Pieter, 1991, Geophysical surveys for mapping migration of brines from evaporation pits and ponds, *in* Environmental and Engineering Geophysical Society, Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 1991, p. 65-79.
- Lyverse, M.A., 1989, Surface geophysical techniques and test drilling used to assess ground-water contamination by chlorides in an alluvial aquifer, *in* Proceedings of the Third National Outdoor Action Conference on Aquifer Restoration, Ground Water Monitoring and Geophysical Methods: Dublin, Ohio, National Water Well Association, p. 993-1006.
- Meisel, K.E., 1985, The use of electrical resistivity to delineate a brine contamination plume in the Walker oil field, Kent County, Michigan: Kalamazoo, Western Michigan University, Master's thesis, 167 p.
- O'Connor, R.E., and Bayne, C.K., 1959, Electrical resistivity studies in brine pollution problems, *in* Hambleton, W.W., (ed.); Symposium on geophysics in Kansas: Kansas Geological Survey, Bulletin, No. 137, p. 209-218
- Paine, J. G., 2004, Chapter 12. Oil-field salinization screening on the Edwards Plateau using airborne geophysics, *in* Mace, R. E., Angle, E. S., and Mullican, W. F., III, *Aquifers of the Edwards Plateau*: Texas Water Development Board, Report 360, p. 235-251.
- Paine, J. G., and Collins, E. W., 2003, Applying airborne electromagnetic induction in groundwater salinization and

- resource studies, West Texas, in Proceedings, Symposium on the Application of Geophysics to Engineering and Environmental Problems: Environmental and Engineering Geophysical Society, p. 722-738.
- Paine, J. G., Dutton, A. R., and Blum, M., 1999, Using airborne geophysics to identify salinization in West Texas: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 257, 69 p.
- Paine, J. G., Dutton, A. R., Mayorga, J. S., and Saunders, G. P., 1997, Identifying oilfield salinity sources with airborne and ground-based geophysics: a West Texas example: The Leading Edge, v. 16, n. 11, p. 1603-1607.
- Paine, J.G., Mayorga, J.S., and Saunders, G.P., 1998, Identifying oil-field salinity sources with airborne and ground-based geophysics, a West Texas example: Bulletin of the South Texas Geological Society, v. 39, n. 1, p. 9-18.
- Raab, P.V., and Frischknecht, F.C., 1985, Investigation of brine contamination using time-domain electromagnetic soundings: U. S. Geological Survey Open-File Report 85-0528, 54 p.
- Reed, P.C., Cartwright, Keros, and Osby, Donald, 1981, Electrical earth resistivity surveys near brine holding ponds in Illinois: Illinois State Geological Survey Environmental Geology notes 95, 30 p.
- Ronald, B.S., 1967, A study of groundwater contamination due to oil field brines in Morrow and Delaware Counties, Ohio, with emphasis on detection utilizing electrical resistivity techniques: Columbus Ohio, The Ohio State University, Water Resources Research Center Report, 191 p.
- Scott-Fleming, A.W., Reed, E.V., Tinlin, R.M., and Sever, C., 1983, Use of complex resistivity to assess groundwater quality degradation resulting from oil well brine disposal; case history [abs.]: Society of Exploration Geophysicists Abstracts, v.1983, n.1, p.119-121.
- Smith, B.D., Bisdorf, R.J., Horton, R.J., Otton, J.K., and Hutton, R.S., 2002, Preliminary geophysical characterization of two oil production sites, Osage County, Oklahoma-Osage Skiatook Petroleum Environmental Research Project in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated

Petroleum Environmental Consortium (IPEC), 20 p. Available at: http://ipec.utulsa.edu/Conf2002/tech_sessions.html
Also available at <http://water.usgs.gov/pubs/wri/wri03-4260/>

Smith, B.D., Bisdorf, R.J., Slack, L.J., and Mazzella, Aldo, 1997, Evaluation of electromagnetic mapping methods to delineate subsurface saline waters in the Brookhaven oil field, Mississippi in Bell, R.S., ed., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v.1997, pp.685-693.

Smith, B.D., Otton, J.K., Abbott, M.M., and Witten, A.J., 2003, Electrical geophysical character of areas of shallow brine contamination, Osage Co., Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at: <http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Smith, B.D., Otton, J.K., Zielinski, R.A., Huang, H., Witten, A.J., and Abbott, M.M., 2004, Conductivity depth imaging of areas of shallow brine plumes at the USGS OSPER Site, Osage Co., Oklahoma in Sublette, K.L., ed., Proceedings of the 11th International Petroleum Environmental Conference, Production and Refining, Albuquerque, N.M.: October 12-15, Integrated Petroleum Environmental Consortium (IPEC) and the University of Tulsa (available on-line report in PDF format) <http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Stafford, M.R., 1987, Hydrogeology, ground-water chemistry, and resistivity of a contaminated shallow aquifer system in southern Bond County, Illinois: Carbondale, Illinois, Southern Illinois University, Master's thesis, 167 p.

Sullivan, E.J., and Paine, J.G., 2000, Identification of sources of saline water in a West Texas tributary using electromagnetic induction methods in Powers, M. H., Abou-Bakr, Ibrahim, and Cramer, Lynn, eds., Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), v. 2000, pp.729-738

Syed, T., Zonge, K.L., Figgins, S., and Anzzolin, A.R., 1985, Application of the controlled source audio magnetotellurics (CSAMT) survey to delineate zones of ground water contamination- a case history in NWWA Conference on surface and borehole geophysical methods in ground water investigations, Feb. 12-14, 1985, Fort Worth, Texas, p. 282-311.

- Taylor, Rick, 1991, Electromagnetic mapping of brine contamination in petroleum producing areas: Ontario Petroleum Institute Thirtieth Annual Conference, v.30, Technical Paper No. 10, 13 p.
- Thamke, J.N., Craigg, S.D., and Mendes, T.M., 1998, Use of terrain electromagnetic geophysical methods to map saline-water contamination, East Poplar oil field, northeastern Montana in Proceedings of the Symposium on the Application of Geophysics to Environmental and Engineering Problems (SAGEEP), vol.1998, pp.205-214.
- Tinlin, R.M., Hughes, L.J., and Anzzolin, A.R., 1988, The use of controlled source audio magnetotellurics (CSAMT) to delineate zones of ground-water contamination- a case history in American Society for Testing and Materials, Ground-water contamination field methods: ASTM Technical Publication 963, p. 101-118.
- Wilke, Janine, 1991, Use of the Geonics EM-13 and 34-3 to define a contamination plume caused by unauthorized annular disposal of brine [abs.]: Geological Society of America Abstracts with Programs, v.23, n.3, p.66.
- Winn, Rosilee, 1992, Delineation of oilfield-brine contamination by electromagnetic-conductivity survey, Midland County, Texas: Master's thesis, University of Texas of the Permian Basin, Odessa, Texas, 78 p.
- Zonge, K.L., Figgins, S.J., and Hughes, L.J., 1985, Use of electrical geophysics to detect sources of groundwater contamination [abs.]: Society of Exploration Geophysics Abstracts, v. 1985, n. 1, p. 147-149.

Remediation of groundwater

- Fryberger, J.S., 1972, Rehabilitation of a brine-polluted aquifer: U.S. Environmental Protection Agency, Environmental Protection Technology Series EPA-R2-72-014, 61 p.
- Fryberger, J.S., 1975, Investigation and rehabilitation of a brine-contaminated aquifer: Ground Water, v.13, n.2, p. 155-160.
- Jacobs, Michael, Hopson, Kevin, Potter, Al, and Blandford, T.N., 2004, Case study of integrated approach to the cleanup of Ogallala groundwater impacted by oilfield brine, Haskell

County, Kansas [abs.]: American Association of Petroleum Geologists, Annual Meeting, Abstracts, v. 13, p. 70.

Reed, A.J., and Reed, A.J., Jr., 2002, Application of an electro-dialysis (EDR) process to remediate a brine-impacted aquifer, in Sublette, Kerry, ed., Proceedings of the 9th International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 22 p. Available at:
http://ipec.utulsa.edu/Conf2002/tech_sessions.html

Thordsen, J.J., Kharaka, Y.K., Kakouros, Evangelos, and Ambats, Gil, 2003, Natural remediation of ground water impacted by petroleum production operations: the OSPER A site in Osage County, Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 10th International Petroleum Environmental Conference, November 11-14, 2003, Houston, Texas: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2003/2003agenda.html>

Effects of application of oilfield brines/wastes to land and roads

Bair, E. Scott and Digel, Robert K., 1990, Subsurface transport of inorganic and organic solutes from experimental road spreading of oil-field brine: Ground water monitoring review, v. 10, n. 3, p. 94.

Barton, A.C. and Bair, E.S., 1997, Assessment of ground-water quality impacts caused by land spreading of saline oil and gas exploration and production wastes: American Association of Petroleum Geologists Bulletin, v. 81, p. 1545.

Kalka, M.S., 1991, Investigation of fate of heavy metals of oil field brines used as an anti-dust agent on roads in northeastern Ohio: Kent, Ohio, Kent State University, Master's thesis, 140 p.

Kalka, M.S., Eckstein, Yoram, and Dahl, P.S., 1989, Investigation of fate of heavy metals of oil field brines used as an anti-dust agent on roads in northeastern Ohio [abs.]: Geological Society of America, Abstracts with Programs, p. A243.

Simcoe, J.H., 1996, Development of a database of West Virginia oil and gas well brines suitable for highway purposes:

Morgantown, West Virginia, University of West Virginia
Master's thesis, 169 p.

NORM (Naturally occurring radioactive materials)

Naturally occurring radioactive materials (NORM) are a significant trace constituent of many oilfield brines. Radium-226 and radium-228 are the principal components of oilfield NORM. Dissolved radium in oilfield-produced waters can be incorporated in scale and sludge that may accumulate in oilfield tubulars, tanks, injection wells, and pits. The dissolved radium may replace barium, strontium, or calcium in various minerals that precipitate during the production and handling of produced waters in the production well, at the surface, and in the injection well plumbing. Barite is a very common carrier of radium.

American Petroleum Institute, 1988, NORM regulatory analysis report: API Task Group on Regulatory Analysis, API Ad Hoc Committee on Naturally Occurring Radioactive Material.

American Petroleum Institute, 1991, Produced water radionuclide hazard/risk assessment, Phase 1: Washington, D.C., Health and Environmental Sciences, American Petroleum Institute Publication No. 4532, 160 p.

Bassignani, A., DiLuise, G., and Frenzi, A., 1991, Radioactive scales in oil and gas production centers: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety, and Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 527-537.

Bloch, S., and Key, R.M., 1981, Modes of formation of anomalously high radioactivity in oil field brines: American Association of Petroleum Geologists Bulletin, v. 65, n. 1, p. 154-159.

Bohlinger, L.H., 1990, Regulation of naturally-occurring radioactive material in Louisiana, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 833-839.

Connor, J.A., and Clifford, D.A., 1994, Norm waste minimization using in-situ treatment method: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 13 p.

- Continental Shelf Associates, Inc., 1991, Measurements of Naturally Occurring Radioactive Materials (NORM) at three produced water outfalls: Jupiter, Florida, Continental Shelf Associates, Inc., 41 p.
- Fisher, J.B., 1994, Geochemistry of radium and environmental risk: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 30 p.
- Fisher, J.B., and Hammond, M., 1994, Characterization of NORM vessel solids [abs.]: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 1 p.
- Fisher, R.S., 1995, Geologic, geochemical, and geographic controls on NORM in produced water from Texas oil, gas, and geothermal reservoirs, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 195-205.
- Fisher, R.S., 1998, Geologic and geochemical controls on naturally occurring radioactive materials (NORM) in produced water from oil, gas, and geothermal operations: Environmental Geosciences, v. 5, n. 3, p. 139-150.
- Fletcher, P.A., Cornette, C.A., Sustala, D.R., and Dolence, T.W., 1995, Preparation of naturally occurring radioactive material (NORM) for hydraulic fracturing disposal: a case study, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 737-747.
- Gilday, W.M., and Edick, R.G., preparers and reviewers, 1999, An investigation of naturally occurring radioactive materials (NORM) in oil and gas wells in New York State: Albany, New York, Department of Environmental Conservation, 35 p., variously paginated appendices.
- Gott, G.B., and Hill, J.W., 1953, Radioactivity in some oil fields of southeastern Kansas: U.S. Geological Survey Bulletin 988E, 122 p.
- Gray, P.R., 1991, NORM contamination in the petroleum industry in Proceedings of the Society of Petroleum Engineers, Annual Technical Conference and Exhibition, Oct. 6-9, 1991, Dallas, Texas, p.637-644.

- Greer, C.R., and Landress, M.R., 1995, In-situ radium activity measurements for NORM assessment and remediation, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 253-260.
- Grice, K.J., 1991, Naturally Occurring Radioactive Materials (NORM) in the oil and gas industry: First International Conference on Health, Safety, and Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 559-571.
- Hamilton, L.D., Meinhold, A.F., and Nagy, J., 1990, Health risk assessment for radium discharged in produced waters in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 303-314.
- Hamilton, L.D., Meinhold, A.F., and Nagy, J., 1991, Produced water radionuclide hazard/risk assessment--Phase 1: American Petroleum Institute Publication Number 4532, 160 p.
- Hanan, M. A., 1981, Geochemistry and mobility in sediments of radium from oil-field brines: Grand Bay, Plaquemines Parish, Louisiana: M.S. Thesis, University of New Orleans, 89 p.
- Herrera, A.W., 1996, Distribution of radium-226 in a wetland receiving oil-field discharge waters: Cheyenne, Wyoming, University of Wyoming, Master's thesis, 71 p.
- Herczeg, A.L., Simpson, H.J., Anderson, R.F., Trier, R.M., Mathieu, G.G., and Deck, B.L., 1988, Uranium and radium mobility within the Delaware basin, southeastern New Mexico, U.S.A., Chemical Geology (Isotope Geosciences Section), v. 72, p. 181-196.
- Kolb, W.A., and Wojcik, M., 1985, Enhanced radioactivity due to natural oil and gas production and related radiological problems: Science of the Total Environment, v. 45, p. 77-84.
- Kraemer, T.F., 1987, Radium content of central Mississippi salt basin brines: U.S. Geological Survey Open-File Report 87-694, 6 p.
- Kraemer, T.F., and Reid, D.F., 1984, The occurrence and behavior of radium in saline formation water in the U.S. Gulf Coast region: Isotope Geoscience, v. 2, n. 2, p. 153-174.

- Landa, E.R., and Reid, D.F., Sorption of radium-226 from oil-production brine by sediments and soils: *Environmental Geology*, v. 5, n. 1, p. 1-8.
- Lassere, S.L., 2000, Natural remediation of disposed oil-field brines with elevated radium concentrations: New Orleans, Louisiana, University of New Orleans Master's thesis, 163 p.
- Lassere, S.L., Totten, M.W., Hanan, M.A., and Reed, D., 2000, Natural remediation of disposed oil-field brines with elevated radium concentrations [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 84, n. 13.
- Louisiana Department of Environmental Quality (LDEQ), 1990, Guidelines for conducting NORM confirmatory surveys of suspected contamination of land and equipment, and disposal of NORM waste: Baton Rouge, LA, LDEQ Nuclear Energy Division, 11 p.
- Meinhold, A.F., and Hamilton, L.D., 1990, Radium concentration factors and their use in health and environmental risk assessment in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, *Proceedings of the 1992 International Produced Water Symposium*, February 4-7, 1992, San Diego, California: New York, Plenum Press, *Environmental science research*, v. 46, p. 293-302.
- Michigan Department of Natural Resources and Michigan Department of Health, 1991, Naturally occurring radioactive materials (NORM) at Michigan oil and gas field sites, Preliminary survey results, variously paginated.
- Miller, H.T., and Bruce, E.D., 1990, Pathway exposure analysis and the identification of waste disposal options for petroleum production wastes containing naturally occurring radioactive materials, in U. S. Environmental Protection Agency, *Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices*, September 10-13, 1990, New Orleans, Louisiana, p. 731-744.
- Miller, H.T., Bruce, E.D., and Cook, L.M., 1991, The management of occupational and environmental exposure of naturally occurring radioactive materials (NORM): *Proceedings of the Society of Petroleum Engineers, Annual Technical Conference and Exhibition*, Dallas, Texas, Oct. 6-9, 1991, p. 627-636.

- Miller, H.T., Bruce, E.D., and Cook, L.M., 1991, Environmental, health, and safety decision making for naturally occurring radioactive materials in producing operations using pathway exposure analysis: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety and the Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 539-547.
- Mullino, M.M., and Rayle, M.F., 1992, Produced water radionuclides fate and effects in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 281-292.
- Oddo, J.E., Al-Borno, A., Ortiz, I., Anthony, R., Pope, D.H., Linz, D.G., Frank, J., and Becker, M., 1993, The chemistry, prediction, and treatment of scale containing naturally occurring radioactive materials (NORM), in Antrim gas fields, Michigan: Society of Petroleum Engineers Production Operations Symposium, Oklahoma City, Oklahoma, Proceedings, p. 695-704.
- Oddo, J.E., Sitz, C.D., Ortiz, I., Linz, D.G., Lawrence, A.W., Kan, A.T., and Tomson, M.B., 1993, NORM (naturally occurring radioactive materials) scale formation: a case study of the chemistry, prediction, remediation, and treatment in wells in the Antrim gas field: First Society of Petroleum Engineers/Environmental Protection Agency Exploration and Production Environmental Conference, San Antonio, Texas, March 7-10, 1993, Proceedings, p. 91-100.
- Oddo, J.E., Zhou, Xinliang, Linz, D.G., He, Shiliang, and Tomson, M.B., 1995, The mitigation of NORM scale in the Gulf Coast regions of Texas and Louisiana: a laboratory and field study, in Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 207-217.
- Ortiz, I., Anthony, R.V., Oddo, J.E., Pope, D.H., Frank, J.R., and Becker, D.M., 1993, Study of mechanisms for naturally occurring radioactive materials and souring in gas production facilities in the Antrim shale of the Michigan Basin: Society of Petroleum Engineers Oilfield Chemistry International Symposium, New Orleans, LA, March 2-5, 1993, Proceedings, p. 45-59.

- Otto, G.H., 1989, A national survey of naturally occurring radioactive materials (NORM) in petroleum production and gas processing facilities: American Petroleum Institute, Dallas, TX, 265 p.
- Otton, J. K., Asher-Bolinder, Sigrid, Owen, D. E. and Hall, Laurel, 1996, Naturally occurring radioactive materials (NORM) and trace elements at oilfield production sites on Sac and Fox Tribal Lands, Lincoln County, Oklahoma: U.S. Geological Survey administrative report submitted to the Department of Justice, Washington, D.C., 27 p.
- Otton, J.K., Asher-Bolinder, Sigrid, Owen, D.E., and Hall, Laurel, 1997, Effects of produced water at some oilfields in southern Illinois: U.S. Geological Survey Open-File Report 97-448, 99 p.
- Otton, J.K., Owen, D.E., Asher-Bolinder, Sigrid, and Hall, Laurel, 1997, Effects of produced waters at oilfield production sites on the Osage Indian Reservation, northeastern Oklahoma: U.S. Geological Survey Open-File Report 97-28, 48 p. Available at:
<http://greenwood.cr.usgs.gov/energy/E&E/OF97-28/OF97-28.html>
NOTE: NORM is present at many sites in this study.
- Otton, J.K., Zielinski, R. A., Owen, D.E., Asher-Bolinder, Sigrid, and Hall, Laurel, 1997, Environmental effects of produced waters at oilfield production sites in the Big Sinking Creek and Schumaker Ridge areas, Lee County, Kentucky: U.S. Geological Survey Open File Report 97-511, 41 p.
- Pardue, J.H., and Gou, T.Z., 1998, Biogeochemistry of ²²⁶Ra in contaminated bottom sediments and oilfield waste pits: J. of Environmental Radioactivity, v. 39, n. 3, p. 239-253.
- Phillips, E.J., Landa, E.R., Kraemer, Thomas, and Zielinski, R.A., 2001, Sulfate-reducing bacteria release barium and radium from naturally occurring radioactive material in oil-field barite: Geomicrobiology Journal, v. 18, n.2, p. 167-182.
- Reed, G., Holland, B., and McArthur, A., 1991, Evaluating the real risks of radioactive scale in oil and gas production: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety, and the Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 549-558.

- Scott, L.M., 1994, On-site and off-site exposure from naturally occurring radioactive material (NORM) on or in soil: Tulsa, Oklahoma, PennWell Books, Preprints of the International Petroleum Environmental Conference, March 2-4, 1994, Houston, Texas, 14 p.
- Shuler, P.J., Baudoin, D.A., and Weintritt, D.J., 1995, Diagnosis and prevention of NORM at Eugene Island 341-A, *in* Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 219-230.
- Smith, A.L., 1987, Radioactive scale formation: Journal of Petroleum Technology, v. 39, p. 697-706.
- Smith, G.E., 1995, Economic impact of potential NORM regulations, *in* Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 181-194.
- Smith, K.P., Blunt, D.L., Williams, G.P., and Tebes, C.L., 1995, Radiological dose assessment related to management of naturally occurring radioactive materials generated by the petroleum industry, *in* Society of Petroleum Engineers and U.S. Environmental Protection Agency, Proceedings of the SPE/EPA Exploration and Production Environmental Conference, 27-29 March 1995, Houston, Texas, p. 231-240.
- Smith, K.P., Wilkey, M.L., and Hames, R.D., 1997, Bibliography of reports, papers, and presentations on Naturally Occurring Radioactive Material (NORM) in petroleum industry wastes: Argonne National Laboratory Report DOE/BC/W-31-109-Eng-38-1, 24 p. Available at:
http://www.ead.anl.gov/pub/dsp_detail.cfm?PubID=736
- Snively, E.S., 1989, Radionuclides in produced water- a literature review: American Petroleum Institute Publication No. 4504, 85 p.
- Spaite, P.W., and Smithson, G.R., 1992, Technical and regulatory issues associated with naturally occurring radioactive material (NORM) in the gas and oil industry: Gas Research Institute Report No. GRI-92/0178, 34 p.
- St. Pe, K.M., 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: Baton Rouge, Louisiana, Louisiana Department of

Environmental Quality, Water Pollution Control Division, 204 p.

St. Pe, K.M., Means, Jay, Milan, Charles, Schlenker, Matt, and Courtney, Sherri, 1990, An assessment of produced water impacts to low-energy, brackish water systems in southeast Louisiana: a project summary in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 31-42.

Thayer, E.C., and Racioppi, L.M., 1991, Naturally occurring radioactive materials: the next step: Proceedings of the Society of Petroleum Engineers, First International Conference on Health, Safety, and Environment, The Hague, Netherlands, Nov. 10-14, 1991, p. 735-742.

Townsel, Mia, 2003, Naturally occurring radioactive materials and metal characteristics of produced waters: Baton Rouge, Louisiana, Southern University Master's thesis, 40 p.

U. S. Environmental Protection Agency, 1993, A preliminary risk assessment of management and disposal options for oil field wastes and piping contaminated with NORM in the State of Louisiana: Washington, D.C., U. S. Environmental Protection Agency, Office of Air and Radiation, 172 p.

Wagner, J.F., 1990, Toxicity and radium 226 in produced water-Wyoming's regulatory approach, in U. S. Environmental Protection Agency, Proceedings of the First International Symposium on Oil and Gas Exploration and Production Waste Management Practices, September 10-13, 1990, New Orleans, Louisiana, p. 987-994.

White, G.J., 1992, Naturally occurring radioactive materials (NORM) in oil and gas industry equipment and wastes, a literature review: Bartlesville, Oklahoma, U.S. Dept. of Energy Report DOE/ID/01570-T158, 34 p.

Wilson, A.J., and Scott, L.M., 1992, Characterization of radioactive piping scale with an evaluation of subsequent land contamination: Health Physics, v. 63, p. 681-685.

Wilson, W.F., 1994, NORM, a guide to naturally occurring radioactive material: Tulsa, Oklahoma, PennWell Publishers, 216 p.

Zielinski, R.A., and Budahn, J.R., 2004, Mode of occurrence and environmental mobility of oilfield NORM at USGS research

site B, Osage Skiatook Project, northeastern Oklahoma [abs.] in Sublette, Kerry, ed., Proceedings of the 11th International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 1 p. Available at:
<http://ipec.utulsa.edu/Conf2004/2004agenda.html>

Zielinski, R.A., and Otton, J.K., 1999, Naturally Occurring Radioactive Minerals (NORM) in produced water and oil-field equipment--An issue for the energy industry: U.S. Geological Survey Fact Sheet FS-0142-99, 4 p. Available at:
<http://pubs.usgs.gov/fs/fs-0142-99/>

Zielinski, R.A., Otton, J.K., and Budahn, J.R., 1998, Use of radium isotope data to assess NORM contamination at an E&P site, in Sublette, K.L., ed., Proceedings of the Fourth International Petroleum Environmental Conference, September 9-12, 1997, San Antonio, TX: South-Central Environmental Resource Alliance and University of Tulsa, 15 p.

Zielinski, R.A., Otton, J.K., and Budahn, J.R., 2001, Use of radium isotopes to determine the age and origin of radioactive barite at oil-field production sites. Environmental Pollution, v. 113, p. 299-309.

Zielinski, R.A., White, G.J., and Otton, J.K., 1999, Chemical and radiometric assessment of NORM in soils and sediments contacted by produced water, Teapot Dome, Wyoming, in Sublette, K.L., (ed.), Proceedings of the 5th International Petroleum Environmental Conference, October 20-23, 1998, Albuquerque, New Mexico. Available on CD-ROM from the University of Tulsa Continuing Education Department, Tulsa, Oklahoma.

Produced-water chemistry-national and regional data

Regional and local variation in the chemistry of produced water contributes to the likelihood of salinity problems caused by past or present releases. The chemistry of produced water may also be distinctive enough to identify its addition to local ground water and surface water. The largest national database is that available at a USGS webpage (see Breit and others, 2000, below), however only the major dissolved constituents are reported. Minor dissolved constituents such as Li, B, Br, and F are phytotoxic and may have a role in ecosystem effects that are not well understood. These elements, along with the isotopic composition of dissolved strontium and other isotopes may also

provide an additional chemical fingerprint for produced water contamination. E. Gene Collins and his associates at the U.S. Bureau of Mines laboratory in Bartlesville, Oklahoma report extensive data for trace elements in oilfield brines of the United States. Papers by Collins and his colleagues (see below) provide particularly hard-to-find information.

Atkinson, J.F., Matsumoto, M.R., Bunn, M.D., and Hodge, D.S., 1990, Use of solar ponds to reclaim salt products from brine waters from oil and gas well operations in New York, in, Ray, J. P., and Engelhardt, F. R., eds., 1992, Produced water: technological/ environmental issues and solutions, Proceedings of the 1992 International Produced Water Symposium, February 4-7, 1992, San Diego, California: New York, Plenum Press, Environmental science research, v. 46, p. 523-533.

Breen, K.J., Angelo, C.G., Masters, W.R., and Sedam, A.C., 1985, Chemical and isotopic characteristics of brines from three oil- and gas-producing sandstones in eastern Ohio, with applications to the geochemical tracing of brine sources: U.S. Geological Survey water-resources investigations report 84-4314, 58 p.

Breit, G.N., Kharaka, Y.K., and Rice, C.A., 2000, Database of the composition of water produced with oil and gas in Sublette, Kerry, ed., Proceedings of the 7th International Petroleum Environmental Conference, November 7-10, 2000, Albuquerque, N.M.: Tulsa, Oklahoma, The University of Tulsa Division of Continuing Education and the Integrated Petroleum Environmental Consortium (IPEC), 13 p. Available at: <http://ipec.utulsa.edu/Conf/7thIPEC.pdf>

Collins, A.G., 1969, Chemistry of some Anadarko Basin brines containing high concentrations of iodide: Chemical Geology, v. 4, no. 1-2, p. 169-187.

Collins, A.G., 1970, Geochemistry of some petroleum-associated waters from Louisiana: U.S. Bureau of Mines Report of Investigations 7326, 31 p.

Collins, A.G., 1974, Saline groundwaters produced with oil and gas: Washington, D.C., U.S. Environmental Protection Agency, EPA-660/2-74-010, 68 p.

Collins, A.G., 1975, Geochemistry of oilfield waters: Developments in Petroleum Science, 1, Elsevier Scientific Publishing Company, Amsterdam, 496 p.

- Collins, A.G., Zelinski, W.P., and Pearson, C.A., 1966, Bromide and iodide in oil-field brines in Tertiary and Cretaceous Formation in Mississippi and Alabama: U.S. Department of the Interior, Bureau of Mines Report of Investigations 6859, 187 p.
- Core Laboratories, Inc., 1972, A survey of subsurface saline water of Texas--A descriptive inventory of the principal saline aquifers and their characteristics: Texas Water Development Board Report 157, v. 1, 113 p.
- Core Laboratories, Inc., 1972, A survey of subsurface saline water of Texas--Chemical analyses of saline water: Texas Water Development Board Report 157, v. 2, 378 p.
- Crawford, James G., 1963, Rocky Mountain oil field waters: [v. 1] Section 1. An understanding of oil field waters, Section 2. Introduction to the discussion, Section 3. Big Horn Basin, [v. 2] Section 4. Central Montana plains, Central South Dakota, Denver-Julesburg Basin, Green River Basin, Hanna Basin, Kaiparowits Basin, Laramie Basin, Moffat area, North Park Basin, Paradox Basin, Piceance Basin, [v.3] Section 5. Powder River Basin, Raton Basin, Red Desert area, San Juan Basin, San Luis Valley, San Rafael swell, Sweetgrass arch, Uinta Basin: Casper, Wyoming, Chemical and Geological Laboratories
- Daly, D.J., and Mesing, G.E., 1995, Atlas of gas related produced water for 1990, Chicago, Gas Research Institute Topical Report GRI-95/0016, 88 p.
- Demir, Ilham, 1995, Formation water chemistry and modeling of fluid-rock interaction for improved oil recovery in Aux Vases and Cypress Formations, Illinois Basin: Illinois State Geological Survey, Illinois Petroleum 148, 60 p.
- Demir, I., and Seyler, B., 1999, Chemical composition and geologic history of saline waters in Aux Vases and Cypress Formations, Illinois Basin: Aquatic geochemistry, v. 5, n. 3, p.281-311.
- Dutton, A.R., 1987, Origin of brine in the San Andreas Formation, evaporite confining system, Texas Panhandle and eastern New Mexico: Geological Society of America Bulletin, v. 99, n. 1, p.103-112.
- Gullikson, D.M., Carraway, W.H., and Gates, G.L., 1961, Chemical analysis and electrical resistivity of selected California oil-field waters: U.S. Bureau of Mines Report of Investigations No. 5736, 21 p.

- Gwynn, J.W., 1995, Resistivities and chemical analyses of selected oil and gas field, water well, and spring waters, Utah: Utah Geological Survey Circular C-87, 142 p.
- Hanor, J.S., 1984, Salinity and geochemistry of subsurface brines in south Louisiana and their potential for reaction with injected waste waters: U.S. Department of Energy Report, DOE/NV/10174-3, P. 277-346.
- Hanor, J.S., 1987, Origin and migration of subsurface sedimentary brines: Tulsa, Oklahoma, S.E.P.M. Lecture Notes for Short Course No. 21, 247 p.
- Hawkins, M.E., Jones, O.W., and Pearson, C.A., 1963: Analysis of brines from oil-productive formations in Mississippi and Alabama: U.S. Department of the Interior, Bureau of Mines Report of Investigations 6167, 22 p.
- Hiss, W.L., Peterson, J.B., and Ramsey, T.R., 1969, Saline water in southeastern New Mexico in Proceedings of Symposium on the geochemistry of subsurface brines, Kansas University, March 25-26, 1968: Chemical Geology, v. 4, n. 1-2, p. 341-360.
- Hiss, W.L., 1975, Water-quality data from oil and gas wells in part of the Permian Basin, southeastern New Mexico and western Texas: U.S. Geological Survey Open-file Report 75-579, 283 p.
- Hoskins, H.A., 1947, Analyses of West Virginia brines: West Virginia Geological and Economic Survey Report of Investigations No. 1, 22 p.
- Kreitler, C.W., Akhter, M.S., Donnelly, A.C.A., and Wood, W.T., 1988, Hydrogeology of formations used for deep-well injection, Texas Gulf Coast: The University of Texas at Austin, Bureau of Economic Geology, report prepared for the U.S. Environmental Protection Agency under Cooperative Agreement CR812786-01-0, 204 p.
- Hudak P.F., 2003, Chloride/bromide ratios in leachate derived from farm-animal waste: Environmental Pollution, v.121, n. 1, p. 23-25.
- Huff, G.F., 2004, Review of knowledge on the occurrence, chemical composition, and potential use for desalination of saline ground water in Arizona, New Mexico, and Texas with a discussion of potential future study needs: U.S. Geological

Survey Open-File Report 2004-1197, 13 p. Available only
online at
<http://water.usgs.gov/pubs/of/2004/1197/ofr2004-1197.pdf>

- Keller, S. J., 1983, Analyses of subsurface brines of Indiana: Indiana Department of Natural Resources, Geological Survey occasional paper 41, 30 p.
- Moldovanyi, E.P., and Walters, L.M., 1992, Regional trends in water chemistry, Smackover Formation, southwest Arkansas: geochemical and physical controls: American Association of Petroleum Geologists Bulletin, v. 76, n. 6, p.864-894.
- Nativ, Ronit, 1988, Hydrogeology and hydrochemistry of the Ogallala aquifer southern High Plains, Texas Panhandle, and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations 177, 64 p.
- Nativ, Ronit, and Guitierrez, G.N., 1987, Hydrogeology and hydrochemistry of Cretaceous aquifers, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology OFWTWI 1987-2, 57 p.
- Nativ, Ronit, and Smith, D.A., 1987, Hydrogeology and geochemistry of the Ogallala Aquifer, Southern High Plains: Journal of Hydrology, v. 91, n. 3/4, p. 217-253.
- Rall, C.G., and Wright, J.R., Analyses of formation brines in Kansas: U.S. Bureau of Mines Report of Investigations 4974, 40 p.
- Rasouli, Majid, 1988, Fingerprinting oil and gas associated brines of West Virginia: Montgomery, West Virginia, West Virginia Institute of Technology, Master's thesis, 83 p.
- Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt water beneath the Rolling Plains, north-central Texas: Ground Water, v. 24, n. 6, p. 735-742.
- Richter, B.C., and Kreitler, C.W., 1986, Geochemistry of salt-spring and shallow subsurface brines in the Rolling Plains of Texas and southwestern Oklahoma: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations No. 155, 47 p.
- Rittenhouse, Gordon, Fulton, R.B., III, Grabowski, R.J., and Bernard, J.L., 1969, Minor elements in oil-field waters: Chemical Geology, v. 4, n. 1-2, p. 189-209.

- Rose, A.W., and Dresel, P.E., 1990, Deep brines in Pennsylvania, Chapter 31, in Majumdar, S.K., Miller, E.W., and Parizek, R.R., Water resources in Pennsylvania: availability, quality and management: The Pennsylvania Academy of Science, p. 420-431.
- Sanders, L.L., 1991, Geochemistry of formation waters from the Lower Silurian Clinton Formation (Albion Sandstone), eastern Ohio: American Association of Petroleum Geologists Bulletin, v. 75, n. 10, p.1593-1608.
- Sathaye, J.A., and Grandstaff, D.E., 1996, Water rock interaction and the distribution of salinity in the Illinois basin [abs.]: American Association of Petroleum Geologists Bulletin, v. 80, n. 9, p. 1531.
- Sedam, A. C., and Stein, R. B., 1970, Saline ground-water resources of Ohio: U. S. Geological Survey Hydrologic Investigations Atlas 366, 2 sheets.
- Silvey, W.D., 1967, Occurrence of selected minor elements in the waters of California: U.S. Geological Survey Water-Supply Paper 1535-L, 25 p.
- Stueber, A.M., Saller, A.H., and Ishida, Hisashi, 1998, Origin, migration, and mixing of brines in the Permian Basin: geochemical evidence from the eastern central basin platform, Texas: American Association of Petroleum Geologists Bulletin, v. 82, n.9, p.1652-1672.
- Walker, F.H., 1959, Natural brines of Indiana and adjoining parts of Illinois and Kentucky: Indiana Geological Survey Report of Progress, v.13, 58 p.
- Walker, L.E., 1979, Occurrence, availability and chemical quality of ground water in the Edwards Plateau region of Texas: Texas Department of Water Resources Report 235, 337 p.
- Wilmoth, B.M., 1971, Occurrence of shallow ground water in selected areas of West Virginia in Proceedings of the West Virginia Academy of Science 1970, v. 42, p. 202-208.
- Wilmoth, B.M., 1972, Salty ground water and meteoric flushing of contaminated aquifers in West Virginia: Ground Water, v. 10, n. 1, p. 99-105.
- Wilmoth, B.M., 1975, Development of fresh ground water near salt water in West Virginia: Ground Water, v.13, n.1, p. 25-32.

Wright, J., Pearson, C., Kurt, E.T., and Watkins, J.W., 1957, Analysis of brines from oil-productive formations in Oklahoma: U.S. Bureau of Mines Report of Investigations 5326, 71 p.

Wunsch, D.R., 1997, Hydrodynamics of the shallow salt-water interface in the unglaciated Appalachian Plateau [abs.]: American Association of Petroleum Geologists Bulletin, v. 81, p.1568.